

RUBBISH DISPOSAL SITE INFORMATION

Mississippi Department of Environmental Quality
Office of Pollution Control
Waste Division

Rubbish disposal sites are sites which accept rubbish waste such as tree limbs, concrete, brick, and similar waste materials for disposal. For information regarding Class I and Class II designations, refer to Section VI of the Mississippi Nonhazardous Waste Management Regulations. These regulations state that a Certificate of Coverage under a general permit or an individual permit is required for the operation of a rubbish disposal site. The information submitted to the Mississippi Department of Environmental Quality (Department) is necessary to confirm that the proposed site meets all applicable state requirements.

An application for an individual permit or a Notice of Intent (NOI) for a Certificate of Coverage under a general permit shall be made on forms provided by the Department. The same forms may be used to apply for an individual permit or a Certificate of Coverage under a general permit. In addition to the information required in the application form, the Department may require other information as necessary to evaluate the proposed facility.

After state approval for the operation of a rubbish disposal site, either in the form of an individual permit or a certificate of coverage under general permit, the site must be operated in accordance with all state regulations and requirements. Inspections of rubbish sites are made by the Department on a periodic basis. Failure to comply with state regulations and requirements may result in enforcement action, with monetary penalties. The Commission on Environmental Quality is empowered to levy penalties of up to \$25,000 per day per violation.

Upon completion of an area, two feet of final cover is required. All sides of the final cover must be adequately sloped, and vegetation must be established.

An application for a rubbish disposal site should contain all the information listed in the attached form, submitted in a bound report format, in duplicate. The Department reserves the right to ask for additional information as determined necessary. Applications should be mailed to the Mississippi Department of Environmental Quality, Office of Pollution Control, Waste Division, P. O. Box 2261, Jackson, MS 39225-2261. Questions regarding rubbish disposal sites should be directed to the Waste Division, Solid Waste Permitting and Certification Branch, at (601) 961-5171.

RUBBISH DISPOSAL PERMIT APPLICATION

**Mississippi Department of Environmental Quality
Office of Pollution Control
Environmental Permits Division**

Part 1. General Data

1. Name of site: _____

2. Check type of operation:

- Class I (a geologic demonstration is required)
 Class II (no geologic demonstration is required)

3. Applicant Information:

(Applicant: Business Name or Individual)

(Primary Contact, Title)

(Street address, P.O. Box, etc.)

(City) (State) (Zip)

Telephone number: _____

Email address: _____

4. Operator Information (if different):

(Operator: Business Name or Individual)

(Primary Contact)

(Street address, P.O. Box, etc.)

(City) (State) (Zip)

Telephone number: _____

Email address: _____

5. Landowner Information (if same as above, so indicate):

(Name)

(Street address, P.O. Box, etc.)

(City) (State) (Zip)

Telephone number: _____

6. Include a complete copy of the land deed, certified by the county clerk.
7. If the applicant is not the landowner, include a letter from the landowner which acknowledges and concurs in the use of this property as a solid waste disposal facility (see attached form).
8. For commercial facilities, if the applicant or the contract operator is not a public agency, disclosure information must be included with the application, as required by Section 17-17-501 et seq., Mississippi Code Annotated. The disclosure information must be submitted on forms supplied by the Department.

Part 2. Property Information and Maps

9. Physical address of disposal site:

(Street address)

(City) (State) (Zip)

10. Include a United States Geological Survey (USGS) topographical quadrangle map of the area. The property boundaries of the site and approximate disposal area within the property boundary should be indicated on the map. The map may be a high-quality photocopy.
11. The total property consists of _____ acres and lies in _____ County in the following topographic section(s):

Section	Township	Range

12. The actual area for the disposal operation (excluding buffer zones and other unused areas) consists of _____ acres.

13. Include a site map, drawn to scale, showing the property boundaries, disposal area, waste unloading area, and other physical characteristics of the site. Buffer distances from the proposed disposal area to the property line should be labeled.

14. Is the buffer zone to the property line designated on the map less than 200 feet on any side?

Yes No

If yes, include documentation of compliance with Section III.T., of the state regulation.

15. Include a property owner's map indicating the landowners immediately adjacent to the site and a list of the complete names and addresses of these landowners.

16. Attach a cross-sectional drawing of the proposed rubbish site to include the following, at a minimum:

- a. existing ground elevations; these elevations should be consistent with locations and surface elevations of borings for Class I rubbish site;
- b. rubbish site base elevation;
- c. elevation at the top of the waste layer after reaching the final height;
- d. elevation at the top of the final cover layer; and
- e. include slope stability calculations if the proposed final height of the fill would be more than 25 feet above the existing ground. Slope of the final cover shall be at least 4 percent but no greater than 25 percent.

17. Has a mining permit ever been issued for this property by the Mississippi Department of Environmental Quality? (for example, gravel and sand excavation, and/or other mineral removal operations)

Yes No

If yes, include a copy of the permit, map, and application.

Part 3. Local Government Regulations/Solid Waste Management Plans

18. Include a letter from the appropriate County or City official confirming that the siting of this facility will be in conformance with all local laws, regulations, and ordinances, or that no such laws, regulations, or ordinances are applicable.

19. All disposal sites must be consistent with the local solid waste management plan, as submitted to the Department by the local solid waste management authority. Include a

copy of the page(s) of the plan which recognizes the operation of this facility. If the local solid waste management plan has not yet been approved for rubbish sites, no submittal is necessary.

Part 4. Plan of Operation

20. Include a list of the type, description, and characteristics of the wastes to be accepted at the site, and an estimate of the quantities (in pounds/week or tons/week) of wastes expected to be managed at the facility.
21. Include a list of the anticipated sources of the wastes.
22. Include a plan of operation, to include the following items, as a minimum:
 - a. A description of site security and monitoring provisions at the site (e.g., gates, fences, etc). The plan must indicate that an attendant will always be on-site when access to the site is unsecured.
 - b. A plan for prohibiting unauthorized wastes from disposal at the site. The placement of a waste receptacle shall normally be required for the disposal of incidental amounts of unauthorized waste.
 - c. A description of run-on/run-off control systems, including measures to prevent any disposal of waste in standing water, washing out or escape of waste from the property and on-site ponding of water.
 - d. Indicate the status of applications for stormwater permit coverage, if required for the construction activity as well as for the land disposal activity. The DEQ Environmental Permits Division should be contacted for more information.
 - e. A narrative description of the operation from the point of waste unloading to the point that earthen cover is applied.
 - f. The equipment and personnel resources available for the site's maintenance and the frequency that these resources are onsite.
 - g. The frequency of earthen cover application at the site. Normally, this frequency shall be at least twice per month; however, the frequency may be increased depending upon the amount and characteristics of the waste to be accepted. Specific days should be listed, for example, the first and third Thursday of each month.
 - h. If combustible waste is proposed for disposal, the plan for fire prevention and actions to be taken in the event of an accidental fire.
 - i. Plan for litter control, if applicable to the type of wastes proposed.
 - j. Plan for construction of alternate bottom/side-wall liner, if applicable.

Part 5. Siting Requirements for All Rubbish Sites

23. Is the proposed disposal area located within the 100-year floodplain?

Yes No

If yes, include a demonstration that the facility will not restrict the flow of the 100-year flood, reduce the temporary water storage capacity of the floodplain, or result in washout of solid waste to pose a hazard to human health or the environment.

24. Will the proposed disposal operation be located within 100 feet of the banks of any river, stream, lake, reservoir, or coastal water?

Yes No

25. Include a letter from the U.S. Army Corps of Engineers regarding the wetland determination of the proposed facility location. If the disposal area is within wetlands, also include documentation of approval for the waste disposal operation, as required by federal law.

26. Is the proposed facility located in southern Hancock, Harrison, or Jackson counties?

Yes No

If yes, include a letter from the Mississippi Department of Marine Resources regarding the coastal wetland determination of the proposed facility location. If the disposal area is within coastal wetlands, also include documentation of approval for the waste disposal operation, as required by state law.

27. Is the facility located in an area which may result in recurring washout of waste, such as within a drainage ditch, along the banks of a drainage channel, along the banks of any surface water, or similar area?

Yes No

28. Include documentation from the U.S. Fish and Wildlife Service and/or the Mississippi Department of Wildlife, Fisheries, and Parks stating that the operation of the facility in the proposed location will not affect a federally or state listed endangered or threatened species, or include documentation that the proposed operation is in compliance with all statutes, rules, and regulations within the jurisdiction of the U.S. Fish and Wildlife Service and the Mississippi Department of Wildlife, Fisheries, and Parks concerning listed endangered or threatened species.

29. Include a letter from the Mississippi Department of Archives and History regarding the impact of the siting of the proposed disposal operation to any cultural resource listed in, or eligible for listing in, the National Register of Historic Places. If the initial determination is that a significant and adverse impact will occur, include documentation of appropriate mitigation.

30. Is the proposed facility located within 1000 feet of the edge of the right-of-way of any interstate or primary highway, as designated by the Mississippi State Highway Commission?
- Yes No
31. Is the proposed facility located within 0.5 mile of a national, state, county, or city designated park, or an outdoor recreational area, such as a golf course or swimming pool, owned by a city, county, or other public agency?
- Yes No
32. Is the proposed facility located within national forest land, a national wilderness area, or national wildlife refuge area, as designated by the appropriate federal agency?
- Yes No
33. Is the proposed facility located within a state wildlife management area, state game management area, or state natural area, as designated by the Mississippi Department of Wildlife, Fisheries, and Parks?
- Yes No
34. Is the proposed facility located within 500 feet of a singly family dwelling unit (e.g., a house, mobile home, townhouse, condominium, apartment, etc.) at the time of this application?
- Yes No
35. If the answer is yes to any question no. 30 through 34 include documentation of compliance with the appropriate paragraph of Section III. of the Mississippi Nonhazardous Solid Waste Management Regulations.

Part 6. Additional Siting Requirements for Class I Rubbish Sites

Applicants for Class II sites may skip to Part 7

(Note: This section is not applicable to rubbish sites that will receive only non-polluting, generally inert waste, such as uncontaminated brick, mortar, concrete, stone, asphalt, and natural vegetation such as stumps, limbs, or leaves. This section is applicable to rubbish sites that will receive other rubbish type waste, such as sawdust, wood shavings, and wood chips generated by a manufacturing facility, construction and demolition debris, plastic, rubber, glass, roofing, etc.)

36. Class I Rubbish sites must be located on an area in which the uppermost aquifer is at least five feet below the base of the liner. The liner shall consist of either (1) adequate naturally occurring low permeability soils present immediately below the disposal area to a depth of at least five feet and at least three feet laterally, or (2) a constructed liner, as approved by the department. Include natural geology information to include the following, as a minimum:

- a. Logs of soil borings conducted in the proposed actual disposal area. The borings, report, and evaluation shall be conducted/supervised by a Registered Professional Geologist or Engineer licensed to practice in the State of Mississippi in accordance with State law. Continuous coring shall be completed through the interval intended for use as liner material. The borings should be to a depth sufficient enough to characterize the five-foot liner and the zone 20 feet below the base of the liner (25 feet below the top of the liner) and should be as evenly spaced as possible throughout the proposed disposal area. The minimum number of borings shall be as specified in the chart below, unless otherwise approved by the Department. Additional borings may be required for substantial sediment variation within the property. The boring logs shall be numbered, and shall include boring procedure, mean sea level elevations, depth to groundwater, and sediment classification of all soils, according to the Unified Classification System (ASTM designation D-2487). The liner should be clearly marked on each boring log. A topographical base map shall also be included noting the location of each boring.

<u>Disposal area acreage</u>	<u>Minimum number of borings</u>
15 or below	5
>15 to 25	7
>25 to 35	8
>35 to 50	10
>50	by department consultation

- b. Liner permeability information. Permeability tests of the liner material shall be conducted if the sediment classification(s) indicate lack of adequate clay material. Samples should be taken for each varying liner material but should generally not be less than one test per every three borings, as evenly spaced as possible. Any sampling technique that would result in undisturbed and continual representation of liner material is acceptable. Permeability of the liner material should be no greater than 1×10^{-5} cm/sec.
- c. A narrative description of the characteristics of the liner interval, based on the soil boring data, which should include information on composition, texture, and structural/stratigraphic features (fractures, slickensides, laminations, partings, etc.). Also, include grain size distribution analyses, natural moisture content, and dry unit weight for each liner interval sample. Alternatively, the liner may be constructed, as approved by the Department.
- d. Groundwater depth information. If groundwater is encountered, temporary piezometers should be installed in at least three borings with the well screen set in the same stratigraphic interval. Additional piezometers will be required for sites larger than 25 acres. Readings should be taken 24 hours after installation, and groundwater depth should be carefully measured to ground surface elevations.
- e. A clear demonstration that the base of the liner is at least five feet above the uppermost aquifer within naturally occurring soil. The demonstration should include a narrative discussion and cross-sectional diagrams showing the liner, water table, and intended excavations.

Part 8. Signature and Date

I certify that the information provided in this application form is a true and correct representation of that which is requested.

I also confirm that I have received a copy, have read and understand those sections of the following regulations and law applicable to rubbish disposal sites:

- a. Sections I, II, III, and VI of the Mississippi Nonhazardous Waste Management Regulations; and
- b. Section 17-17-219, Mississippi Code of 1972, pertaining to the state solid waste landfill fee requirements (for facilities which operate for a fee or which accept waste from more than one generator).

(Signature of applicant)

(Title, if applicable)

(Date)

ATTACHMENT - A

(Landowner should complete this form if land is to be leased)

PROVIDE LEGAL DESCRIPTION OF THE PROPERTY

As owner of the above-mentioned property, I hereby acknowledge that the property described in this permit application is leased for operating a rubbish disposal facility and that as owner of the property, I may be held jointly and severally responsible for maintenance of the site and all liabilities associated with the site upon termination of the operation. The lease agreement for the proposed property will expire on _____.

(Signature of the landowner)

(Date)