

Tronox LLC, Columbus

General Information

ID	Branch	SIC	County	Basin	Start	End
1696	Chemical	2491	Lowndes	Tombigbee River	10/27/1992	

Address

Physical Address (Primary)	Mailing Address
2300 14th Avenue North Columbus, MS 39701	PO Box 268859 Oklahoma City, OK 731268859

Telecommunications

Type	Address or Phone
Work phone number	(405) 775-5129

Alternate / Historic AI Identifiers

Alt ID	Alt Name	Alt Type	Start Date	End Date
2808700020	Tronox LLC, Columbus	Air-AIRS AFS	10/12/2000	06/01/2002
168000020	Kerr McGee Chemical Corporation, Columbus	Air-Construction	06/12/1998	
168000020	Kerr McGee Chemical Corporation, Columbus	Air-Synthetic Minor Operating	06/06/1997	06/01/2002
168000020	Kerr McGee Chemical Corporation, Columbus	Air-Synthetic Minor Operating	06/12/1998	06/01/2002
MSR220010	Kerr McGee Chemical Corporation, Columbus	GP-Wood Treating	10/27/1992	07/13/1997
MSD990866329	Kerr McGee Chemical Corporation, Columbus	Hazardous Waste-EPA ID	10/12/2000	
MSD990866329	Kerr McGee Chemical Corporation, Columbus	Hazardous Waste-TSD	06/11/2001	04/12/2006
MSD990866329	Tronox LLC, Columbus	Hazardous Waste-TSD	04/13/2006	05/31/2011
1696	Kerr McGee Chemical Corporation	Historic Site Name	10/27/1992	04/10/2006
1696	Tronox, LLC	Official Site Name	04/10/2006	
MSP090021	Kerr McGee Chemical Corporation, Columbus	Water-Pretreatment	10/11/1994	10/10/1999
MSP090021	Kerr McGee Chemical Corporation, Columbus	Water-Pretreatment	08/23/2000	07/31/2005
MSP090021	Kerr McGee Chemical Corporation, Columbus	Water-Pretreatment	10/31/2005	04/12/2006
MSP090021	Tronox LLC, Columbus	Water-Pretreatment	04/13/2006	09/30/2010

Regulatory Programs

Program	SubProgram	Start Date	End Date
Air	NSPS Subpart Dc	09/12/1990	06/01/2002
Air	SM	06/06/1997	06/01/2002
Hazardous Waste	Large Quantity Generator	04/01/1997	
Hazardous Waste	TSD - Not Classified	06/11/2001	
Water	PT CIU	10/11/1994	09/01/2003
Water	PT CIU - Timber Products	10/11/1994	09/01/2003

	Processing (Subpart 429)		
Water	PT NCS	09/01/2003	
Water	PT SIU	10/11/1994	

Locational Data

Latitude	Longitude	Metadata	S / T / R	Map Links
33 ° 30 ' 38 .51 (033.510697)	88 ° 24 ' 34 .02 (088.409450)	Point Desc: PG - Plant entrance (General) Data collected by Louis Crawford on 7/11/00. PG - Plant Entrance (General) Data collected by Clift Jeter on 6/13/02. LAT 33deg 30min 36.6sec LON 88deg 24min 35.1sec Method: GPS Code (Psuedo Range) Differential Datum: NAD83 Type: MDEQ	Section: Township: Range:	SWIMS TerraServer Map It

10/13/2006 10:29:50 AM



Mississippi Department of Environmental Quality
Office of Pollution Control

I-sys 2000 Master Site Detail Report
Site Name: Kerr McGee Chemical Corporation, Columbus

PHYSICAL ADDRESS

LINE 1:
LINE 2: 2300 14th Avenue and 20th Street
LINE 3:

MUNICIPALITY: Columbus
STATE CODE: MS

ZIP CODE: 39703-

MAILING ADDRESS

LINE 1:
LINE 2: 2300 Fourteenth Avenue North
LINE 3:

MUNICIPALITY: Columbus
STATE CODE: MS

ZIP CODE: 39701-

AIR PROGRAMS

☐ SIP

☐ PSD

☒ NSPS

☐ NESHAPS

☐ MACT

OTHER INFORMATION

MASTER ID: 001696
COUNTY: Lowndes

REGION
SIC 1: NRO

AIR TYPE: 2491

HW TYPE: SYNTHETIC MINOR
SOLID TYPE: TSD

WATER TYPE: INDUSTRIAL
BRANCH: Chemical Branch

ECED CONTACT:

BASIN:
Tombigbee River Basin

THIS FILE IS CLOSED
THE MATERIAL ENCLOSED IN THIS
FILE BEGINS ON:

DATE: 1995

AND ENDS ON:

DATE: 1998

THERE IS MORE RECENT
INFORMATION IN
THE NEXT FILE ON THIS SITE

March 7, 2000

ENVIRO-LABS, INC
603 Gillespie Street
P. O. Box 1096
Starkville, MS 39760-1096
1-662-323-7764
1-662-324-1745 & FAX
US EPA Labcode: MS00023

TO: Kerr McGee Chemical
Forest Products Division
Attn: Ron Murphey
2300 14th Avenue North
Columbus, MS 39701

03/08/00 THU 15:03 [TX/RX NO 8747]

Lab ID.#	Sample Description	Date Received	Parameter	Sample Result	Result of Standard	Acceptable Range of Standard	Method Used
2513	Effluent	2/09/00	BOD	51 mg/l	198 mg/l	163-237 mg/l	405.1
			COD	530 mg/l			8000
			SUSPENDED SOLIDS	57 mg/l	79 mg/l	70 - 82 mg/l	150.2
			AMMONIA-N	20.0 mg/l			150.3
			TNN	18.0 mg/l			351.4
			TOR	0.41 mg/l			165.3
			SULFATE	4200 mg/l			375.4
			SULFITE	3.5 mg/l			377.1
			SULFIDE	0.25 mg/l			376.1
			NITRATE-N	0.9 mg/l			352.1
			NITRITE-N	<0.02 mg/l			354.1
			IRON	15.58 mg/l			236.1
			MAGNESIUM	8.61 mg/l			242.1
			MANGANESE	3.36 mg/l			243.1

***THE TESTS PERFORMED ARE IN ACCORDANCE WITH EPA METHODS FOR CHEMICAL ANALYSIS OF WATER AND WASTE.

Approved: _____

**INORGANICS REPORT
WATER**

SAMPLE No.: 784

ANALYSES: _____

DATE COLLECTED: _____

PARAMETER	CONC. ug/l	MQL ug/l	QC %Rec.	Analyst	Date
Arsenic	33.3	5.0	95	GB	5/26/98
Chromium	16.7	1.0	102	GB	5/26/98
Copper	ND	5.0	113	GB	5/26/98

MQL = minimum quantifiable levels

QC %Rec = percent recovery of quality control standard

**TARGET COMPOUND LIST
SEMIVOLATILE ORGANIC COMPOUNDS
IN WATER**

OPCL NO.: 784 MARKED: _____

ANALYSIS OF: Water DATE RECEIVED: _____

COMPOUNDS	MQL	µg/L	COMPOUNDS	MQL	µg/L	COMPOUNDS	MQL	µg/L
Phenol	10	ND	4-Chloro-3-methylphenol	20	ND	Hexachlorobenzene	10	ND
bis(2-Chloroethyl)ether	10	ND	2-Methylnaphthalene	10	ND	Pentachlorophenol	50	ND
2-Chlorophenol	10	ND	Hexachlorocyclopentadiene	10	ND	Phenanthrene	10	ND
1,3-Dichlorobenzene	10	ND	2,4,6-Trichlorophenol	10	ND	Anthracene	10	ND
1,4-Dichlorobenzene	10	ND	2,4,5-Trichlorophenol	10	ND	Di-n-butylphthalate	10	ND
Benzyl alcohol	20	ND	2-Chloronaphthalene	10	ND	Fluoranthene	10	ND
1,2-Dichlorobenzene	10	ND	2-Nitroaniline	50	ND	Pyrene	10	ND
2-Methylphenol	10	ND	Dimethylphthalate	10	ND	Butylbenzylphthalate	10	ND
bis(2-Chloroisopropyl)ether	10	ND	Acenaphthylene	10	ND	3,3'Dichlorobenzidine	50	ND
4-Methylphenol	10	ND	2,6-Dinitrotoluene	10	ND	Benzo(a)anthracene	10	ND
N-Nitroso-di-n-propylamine	20	ND	3-Nitroaniline	50	ND	Chrysene	10	ND
Hexachloroethane	20	ND	Acenaphthene	10	ND	bis(2-Ethylhexyl)phthalate	10	ND
Nitrobenzene	10	ND	2,4-Dinitrophenol	50	ND	Di-n-octylphthalate	10	ND
Isophorone	10	ND	4-Nitrophenol	50	ND	Benzo(b)fluoranthene	10	ND
2-Nitrophenol	20	ND	Dibenzofuran	10	ND	Benzo(k)fluoranthene	10	ND
2,4-Dimethylphenol	10	ND	2,4-Dinitrotoluene	10	ND	Benzo(a)pyrene	10	ND
Benzoic acid	50	ND	Diethylphthalate	10	ND	Indeno(1,2,3-cd)pyrene	20	ND
bis(2-Chloroethoxy)methane	10	ND	4-Chlorophenyl-phenylether	10	ND	Dibenz(a,h)anthracene	20	ND
2,4-Dichlorophenol	10	ND	Fluorene	10	ND	Benzo(g,h,i)perylene	20	ND
1,2,4-Trichlorobenzene	10	ND	4-Nitroaniline	50	ND			
Naphthalene	10	ND	4,6-Dinitro-2-methylphenol	50	ND			
4-Chloroaniline	20	ND	N-nitrosodiphenylamine	20	ND			
Hexachlorobutadiene	10	ND	4-Bromophenyl-phenylether	10	ND			

SURROGATES

RECOVERY (%) LIMITS

2-Fluorophenol		21-100
Phenol-d5		10-194
Nitrobenzene-d5		35-114
2-Fluorobiphenyl		43-116
2,4,6-Tribromophenol		10-123
p-Terphenyl-d14		33-141

Date Extracted: / /1998
Date Injected: / /1998
ND = None Detected
MQL = Minimum Quantifiable Level
Analyst: Jon Shell

Lower Detection Level = MQL X _____ = _____ µg/L

- _____ No peaks above 40% of internal standard.
_____ Peaks above 40% of internal standard on EPA Appendix IX were identified.*
_____ Peaks above 40% of internal standard not on EPA Appendix IX.**
_____ Peaks above 40% of internal standard not on EPA Appendix IX were not identified.
_____ Additional peaks were observed, but not examined.

COMMENTS: VOID - THIS SAMPLE WAS NOT PROPERLY COLLECTED.

Results from composite bi-annual Wastewater samples:

	Average	Maximum
Total Arsenic	0.0025 mg/l	0.0030 mg/l
Total Chromium	<0.04 mg/l	<0.04 mg/l
Total Copper	0.07 mg/l	0.11 mg/l
Total Pentachlorophenol	<0.007 mg/l	<0.007 mg/l

**BUREAU OF POLLUTION CONTROL
SAMPLE REQUEST FORM**

Lab Bench No.: 784

Cost Code: 3200

I. GENERAL INFORMATION:

Facility Name: Kerr McGee Chemical

County Code: Lowndes

Discharge No: 001

NPDES Permit No.: 90021

Date Requested: 5/98

Sample Point Identification: Process wastewater

Requested By: Compliance Monitoring

Data To: Milton Brumfield

Type of Sample: Grab: X Composite: Flow: Time: X Other:

II. SAMPLE IDENTIFICATION:

Environment Condition: Partly cloudy/warm

Collected By: D. Spurgeon

Where Taken: V-notch weir

	Type	Parameters	Preservative	Date	Time
1.	Grab	Cr, Cu, As	HNO ₃	3/23/98	1130
2.	Grab	Oil & Grease	H ₂ SO ₄	3/23/98	1130
3.	Grab	Phenol	H ₂ SO ₄	3/23/98	1130
4.	Grab	Pentachlorophenol	Cool	3/23/98	1130
5.					
6.					

III. FIELD:

Analysis	Computer Req	Results	Analyst	Date
	Code			
pH	000400 X	7.4	DS	3/23/98
D.O.	000300			
Temperature	000010			
ResidualChlorine	050060			
Flow	074060 X	.02469	DS	3/23/98

IV. TRANSPORTATION OF SAMPLE:

Bus:

RO Vehicle:

Other: Sunbelt

V. LABORATORY:

Received by: V. Stamps

Date: 3/24/98

Time: 0935

Recorded by: Dot Lewis

Date Sent to State Office: 6-5-98

VI. Remarks:

**TARGET COMPOUND LIST
WATER CHEMISTRY PARAMETERS**

Lab Bench No.: 784

Analysis	Computer Req Code		Result	Analyst	Date Measured or Date Test Initiated
BOD	000310		mg/l		
COD	000340		mg/l		
TOC	000680		mg/l		
Suspended Solids	099000		mg/l		
TKN	000625		mg/l		
Ammonia-N	000610		mg/l		
Fecal Coliform	074055		colonies/100ml		
Total Phosphorous	000665		mg/l		
Oil & Grease	000550	X	73.0 mg/l	VS	4/6/98
Chlorides	099016		mg/l		
Phenol	032730	X	5.93 mg/l	KF	3/30/98
Cyanide	000722		mg/l		
Nitrate-Nitrite	000630		mg/l		
Alkalinity	000410		mg/l		
Hardness	000900		mg/l		

Remarks: _____

ADEQUACY OF TREATMENT - CHECKLIST

FILE COPY

I. Proposed Conditions:

- A. Development: *Kerr-McGee Chemicals (Reissuance)*
MSPO90021
- B. Flow: (Domestic/Industrial) *0.065 MGD*
- C. Population:

II. Existing Conditions:

A. Treatment:

1. Facility and Type: *Columbus - Activated Sludge*
2. Permit Number: *NO. MS0056472*
3. Population and Loading to Facility: *10 MGD / 100 GPCD = 100,000 cap.*
4. Permit Limits:

	Flow	BOD	SS	NH ₃ -N
(Interim/Final)	av. max.	av. max.	av. max.	av. max.
	<i>10 MGD</i>	<i>26 mg/l</i>	<i>30 mg/l</i>	<i>6 mg/l</i>
5. Monitoring:
(Av. ___/___ to ___/___)
6. Loading: (lbs/day)
7. O & M Problems:
 - a. *7500*
 - b. *3560*
 - c. *State O & M*
 - d. *Sampling*
8. Grant Status:

B. Collection System:

1. Connection Size:
2. Location:
3. Capacity:
4. Downstream Pump Stations and Capacity:
5. Complaints:

III. Comments:

Permitted Eff. Flow = 10 MGD

Aug. Eff. Flow = 7.04 MGD

$$\Delta = \pm 3.0 \text{ MGD}$$

3.0 MGD > 0.065 MGD

OK

Hydraulics OK!

Organic contribution is insignificant.

IV. Recommendations:

Facility recently upgraded and hydraulic capacity is adequate.

Project Approved!


Name

John C. Taylor

Date

7/18/00

July 28, 1997



ENVIRO-LABS, INC
603 Gillespie Street
P. O. Box 1096
Starkville, MS 39760-1096
1-601-323-7744
1-601-324-1745 & FAX
USEPA Labcode: MS00023

TO: Kerr McGee Chemical
Forest Products Division
Attn: Tony Helms
P. O. Box 906
Columbus, MS 39701

Lab ID. # Sample
 Description Date Received Parameter

Sample
Result

Result of
Standard

Acceptable
Range of
Standard

Method
Used

6292

7/16/97

pH

6.6

SU

4.2

SU

4.0 - 4.4

SU 150.1

OIL & GREASE

9

mg/l

413.1

PHENOLS

17.20

mg/l

420.1

6372

7/23/97

pH

6.5

SU

4.2

SU

4.0 - 4.4

SU 150.1

***THE TESTS PERFORMED ARE IN ACCORDANCE WITH EPA METHODS FOR CHEMICAL ANALYSIS OF WATER AND WASTE.

Approved:

RECEIVED
 JUL 20 1997
 KERR-MCGEE CORP
 FOREST PRODUCTS DIV

ENVIRO-LABS, INC
 603 Gillespie Street
 P. O. Box 1096
 Starkville, MS 39760-1096
 1-601-323-7744
 1-601-324-1745 & FAX
 USEPA Labcode: MS000023

TO: Kerr McGee Chemical
 Forest Products Division
 Attn: Tony Helms
 P. O. Box 906
 Columbus, MS 39701

Lab ID. #	Sample Description	Date Received	Parameter	Sample Result	Result of Standard	Acceptable Range of Standard	Method Used
-----------	--------------------	---------------	-----------	---------------	--------------------	------------------------------	-------------

6155		7/02/97	pH	6.3	SU	4.0 - 4.4	SU 150.1
------	--	---------	----	-----	----	-----------	----------


	OIL & GREASE			8	mg/l		413.1
--	--------------	--	--	---	------	--	-------

	PHENOLS			24.15	mg/l		420.1
--	---------	--	--	-------	------	--	-------

6207		7/09/97	pH	6.6	SU	4.2	SU 150.1
------	--	---------	----	-----	----	-----	----------

***THE TESTS PERFORMED ARE IN ACCORDANCE WITH EPA METHODS FOR CHEMICAL ANALYSIS OF WATER AND WASTE

Approved:



KERR-MCGEE CORPORATION

ALL ANALYSIS PERFORMED BY EPA APPROVED PROCEDURES

☒ Yes ☐ No, explain above

KEBB-MCGEE CONSULTING CORPORATION

KEBB-MCGEE CONSULTING CORPORATION

☒ Yes ☐ No, explain above

KERR-MCGEE CORPORATION

KERR-MCGEE CORPORATION

KERR-MCGEE CORPORATION

☐ No. explain above

Lab Bench No.: 537
Cost Code: 3200

I. GENERAL INFORMATION:

Facility Name: Kerr McGee Chemical

County Code: Lowndes

Discharge No: 001

Sample Point Identification: Process effluent

Requested By: Comp. Monit.

Type of Sample: Grab: X Composite: Flow:

NPDES Permit No.: 90021

Date Requested: 3/97

Data To: Milton Brumfield

Time: Other:

II. SAMPLE IDENTIFICATION:

Environment Condition: Overcast/mild

Where Taken: Effluent structure

Collected By: D.Spurgeon

Type	Parameters	Preservative	Date	Time	
1.	Grab	Cr,Cu,As	HNO ₃	3/19/97	1050
2.	Grab	Oil & Grease	H ₂ SO ₄	3/19/97	1050
3.	Grab	Phenols	Cool	3/19/97	1050
4.	Grab	Pentachlorophenol	Cool	3/19/97	1050
5.					

III. FIELD:

Analysis

**Computer Req
Code**

Results

Analyst**Date**

pH	000400	X	8.6	DS	3/19/97
D.O.	000300				
Temperature	000010				
ResidualChlorine	050060				
Flow	074060	X	.00078 MGD	DS	3/19/97

IV. TRANSPORTATION OF SAMPLE:

Bus:

RO Vehicle:

Other: Sunbelt

V. LABORATORY:

Received by: Kathy Farris

Recorded by: Dot Lewis

Date: 3/20/97

Date Sent to State Office:

Time: 0920

5/23/97

VI. Remarks:

TARGET COMPOUND LIST **WET CHEMISTRY PARAMETERS**

Lab Bench No.: 537

Analysis	Computer Req Code		Result	Analyst	Date Measured or Date Test Initiated
BOD	000310		mg/l		
COD	000340		mg/l		
TOC	000680		mg/l		
Suspended Solids	099000		mg/l		
TKN	000625		mg/l		
Ammonia-N	000610		mg/l		
Fecal Coliform	074055		colonies/100ml		
Total Phosphorous	000665		mg/l		
Oil & Grease	000550	X	53.0 mg/l	KF	3/25/97
Chlorides	099016		mg/l		
Hex. Chromium	001032		mg/l		
Phenol	032730		mg/l		
Cyanide	000722		mg/l		
Alkalinity	000410		mg/l		
Hardness	000900		mg/l		

Remarks: _____

++++

INORGANICS REPORT
WATERSAMPLE No.: 94-537ANALYSES: WATERDATE COLLECTED: 3/19/97

PARAMETER	CONC. ug/l	MQL ug/l	QC %Rec.	Analyst	Date
Arsenic	31.0	5.0	110	GB	4/1/97
Cadmium	ND	1.0	80	GB	4/24/97
Chromium	ND	1.0	107	GB	4/23/97
Copper	ND	5.0	83	GB	4/16/97

MQL = minimum quantifiable levels

QC %Rec = percent recovery of quality control standard

++++

TARGET COMPOUND LIST **SEMIVOLATILE ORGANIC COMPOUNDS** **IN WATER**

OPCL NO.: 97-537 MARKED: Kerr McGee Chemical
 ANALYSIS OF: Water DATE RECEIVED: 3/20/97

COMPOUNDS	MQL	µg/L	COMPOUNDS	MQL	µg/L	COMPOUNDS	MQL	µg/L
Phenol	10	8360	4-Chloro-3-methylphenol	20	ND	Hexachlorobenzene	10	ND
bis(2-Chloroethyl)ether	10	ND	2-Methylnaphthalene(approx)	10	13300	Pentachloropohenol	50	ND
2-Chlorophenol	10	ND	Hexachlorocyclopentadiene	10	ND	Phenanthrene	10	9640
1,3-Dichlorobenzene	10	ND	2,4,6-Trichlorophenol	10	ND	Anthracene	10	1420
1,4-Dichlorobenzene	10	ND	2,4,5-Trichlorophenol	10	ND	Di-n-butylphthalate	10	ND
Benzyl alcohol	20	ND	2-Chloronaphthalene	10	ND	Fluoranthene	10	4580
1,2-Dichlorobenzene	10	ND	2-Nitroaniline	50	ND	Pyrene	10	3020
2-Methylphenol	10	2380	Dimethylphthalate	10	ND	Butylbenzylphthalate	10	ND
bis(2-Chloroisopropyl)ether	10	ND	Acenaphthylene	10	ND	3,3'Dichlorobenzidine	50	ND
4-Methylphenol	10	4550	2,6-Dinitrotoluene	10	ND	Benzo(a)anthracene	10	886
N-Nitroso-di-n-propylamine	20	ND	3-Nitroaniline	50	ND	Chrysene	10	754
Hexachloroethane	20	ND	Acenaphthene	10	5470	bis(2-Ethylhexyl)phthalate	10	ND
Nitrobenzene	10	ND	2,4-Dinitrophenol	50	ND	Di-n-octylphthalate	10	ND
Isophorone	10	ND	4-Nitrophenol	50	ND	Benzo(b)fluoranthene	10	ND
2-Nitrophenol	20	ND	Dibenzofuran	10	6840	Benzo(k)fluoranthene	10	ND
2,4-Dimethylphenol	10	1100	2,4-Dinitrotoluene	10	ND	Benzo(a)pyrene	10	ND
Benzoic acid	50	ND	Diethylphthalate	10	ND	Indeno(1,2,3-cd)pyrene	20	ND
bis(2-Chloroethoxy)methane	10	ND	4-Chlorophenyl-phenylether	10	ND	Dibenz(a,h)anthracene	20	ND
2,4-Dichlorophenol	10	ND	Fluorene	10	3740	Benzo(g,h,i)perylene	20	ND
1,2,4-Trichlorobenzene	10	ND	4-Nitroaniline	50	ND			
Naphthalene(approx)	10	18600	4,6-Dinitro-2-methylphenol	50	ND			
4-Chloroaniline	20	ND	N-nitrosodiphenylamine	20	ND			
Hexachlorobutadiene	10	ND	4-Bromophenyl-phenylether	10	ND			

SURROGATES	RECOVERY (%)	LIMITS
2-Fluorophenol	95.5	21 - 100
Phenol-d5	113.5	10 - 194
Nitrobenzene-d5	94.0	35 - 114
2-Fluorobiphenyl	89.0	43 - 116
2,4,6-Tribromophenol	92.0	10 - 123
p-Terphenyl-d14	94.0	33 - 141

Date Extracted: 3/25/ 1997
 Date Injected: 4/3/ 1997; 4/7/97
 ND = None Detected
 MQL = Minimum Quantifiable Level
 Analyst: Jon Shell 4/8/97

Lower Detection Level = MQL X 50 = 500, etc µg/L

- No peaks above 40% of internal standard.
- Peaks above 40% of internal standard on EPA Appendix IX were identified.*
- Peaks above 40% of internal standard not on EPA Appendix IX.**
- 4 Peaks above 40% of internal standard not on EPA Appendix IX were not identified.
- Additional peaks were observed, but not examined.

COMMENTS: NOTE: The values for the compounds naphthalene and 2-methylnaphthalene
exceed the highest points on the 5 point calibration curve. These values
are therefore as "APPROXIMATE" values.

Lab Bench No. 257

II. SAMPLE IDENTIFICATION:

Type	Parameters	Preservative	Date	Time
1. <u>Comp.</u>	<u>Cr,Cu,As</u>	<u>5 ml HNO₃</u>	<u>3/19/96</u>	<u>1030</u>
2. <u>Grab</u>	<u>Oil & Grease</u>	<u>5 ml H₂SO₄</u>	<u>3/19/96</u>	<u>1030</u>
3. <u>Grab</u>	<u>Phenol</u>	<u>Cool 4°</u>	<u>3/19/96</u>	<u>1030</u>
4. <u>Grab</u>	<u>Pentachlorophenol</u>	<u>Cool 4°</u>	<u>3/19/96</u>	<u>1030</u>
5. _____	_____	_____	_____	_____

<u>Analysis</u>	<u>Computer Code</u>	<u>Request</u>	<u>Results</u>	<u>Analyst</u>	<u>Date</u>
pH	(000400)	(X)	6.85	CJ	3/19/96
D.O.	(000300)	()			
Temperature	(000010)	()			
Residual Chlorine	(050060)	()			
Flow	(074060)	(X)	.038	CJ	3/19/96

V. LABORATORY: Received By David Singleton Date 3/20/96 Time 0900
Recorded By Dot Lewis Date Sent to State Office 5-17-96

Remarks SEE ATTACHED SHEETS

*Date of Test Initiation

April 12, 1996


ENVIRO-LABS, INC
603 Gillespie Street
P. O. Box 1096
Starkville, MS 39760-1096
1-601-323-7744
1-601-324-1745 & FAX

TO: Kerr McGee Chemical
Forest Products Division
Attn: Tony Helms
P. O. Box 906
Columbus, MS 39701

Lab ID. #	Sample Description	Date Received	Parameter	Sample Result	Result of Standard	Acceptable Range of Standard	Method Used
1010	Weir	3/19/96	pH	6.6	SU	4.1 SU 4.0 - 4.4	SU
			PHENOLS	2.58	mg/l		
			OIL & GREASE	46	mg/l		
			ARSENIC	<0.002	mg/l		
			CHROMIUM	<0.04	mg/l		
			COPPER	0.03	mg/l		
			PENTACHLOROPHENOLS	0.374	mg/l		

***THE TESTS PERFORMED ARE IN ACCORDANCE WITH EPA METHODS FOR CHEMICAL ANALYSIS OF WATER AND WASTE.

Approved:



**TARGET COMPOUND LIST
SEMIVOLATILE ORGANIC COMPOUNDS
IN WATER**

OPCL NO.: 96-00257 MARKED: KERR MCGEE
ANALYSIS OF: WATER DATE RECEIVED: 3/20/96

COMPOUNDS	ML	µg/L
Pentachlorophenol	50	ND

SURROGATES RECOVERY (%)

2-Fluorophenol 54
Phenol-d5 98
Nitrobenzene-d5 _____
2-Fluorobiphenyl _____
2,4,6-Tribromophenol 103
p-Terphenyl-d14 _____

Date Extracted: 03 / 25 / 1996
Date Injected: 04/09 / 1996
ND = None Detected
ML = Minimum Quantifiable Level
Analyst: Jon Shell 4/10/96

Lower Detection Level = ML X 5 = 250 µg/L

- ___ No peaks above 40% of internal standard.
- ___ Peaks above 40% of internal standard on EPA Appendix IX were identified.*
- ___ Peaks above 40% of internal standard not on EPA Appendix IX.**
- ___ Peaks above 40% of internal standard not on EPA Appendix IX were not identified.
- ___ Additional peaks were observed, but not examined.

COMMENTS: (1) THIS ANALYSIS IS FOR PENTACHLOROPHENOL ONLY.
(2) THIS SAMPLE IS EXTREMELY CONTAMINATED WITH PAH'S.

+++++

INORGANICS REPORT
WATER

SAMPLE No.: 96-00257

ANALYSES: water

DATE COLLECTED: 3/9/96

PARAMETER	CONC. ug/l	MQL ug/l	QC %Rec.	Analyst	Date
Arsenic	7.1	5.0	108	GB	3/28/96
Chromium	ND	1.0	103	GB	5/6/96
Copper	ND	5.0	88	GB	5/13/96

MQL = minimum quantifiable levels

QC %Rec = percent recovery of quality control standard

KERR-MCGEE CO. ORATION

ANALYSIS REQUIRED		REMARKS	
☒ Effluent	☐ Groundwater		
☐ Solid	☐ Surface Water		
ANALYSIS REQUIRED		REMARKS	
Phenols			
Pentachlorophenols			
Oil & Grease			
Total Ammonia			
PH			
Total Chromium			
Total Copper			
ADDITIONAL REMARKS			

ALL ANALYSIS PERFORMED BY EPA APPROVED PROCEDURES

☐ Yes ☐ No, explain above

On March 19, 1996 a water sample was split with the MSDEQ water division. The results from these sample are as follows:

pH	6.6	SU
Phenols	2.58	mg/l
Oil & Grease	46	mg/l
Arsenic	<0.002	mg/l
Chromium	<0.04	mg/l
Copper	0.03	mg/l
Pentachlorophenols	0.374	mg/l

All of these results fall below our permit limits. If you have any questions or need any further information, please advise.

Kerr-McGee Chemical Corporation
Forest Prodcuts Divison
Columbus, Mississippi

Date	Flow	Pentachlorophenol		Arsenic		Chromium		Copper	
		Pounds	Mg/L	Pounds	Mg/L	Pounds	Mg/L	Pounds	Mg/L
2-22-95	18,733	0.204	1.3	0.010	0.06	0.007	<0.04	0.005	<0.03
3-31-95	21,792	0.031	0.17	0.009	<0.05	0.008	<0.04	0.002	0.01
12-15-95	31,770	0.018	0.066	0.001	<0.002	0.011	<0.04	0.008	<0.03
Avg	24,098	0.085	0.512	0.007	0.038	0.009	0.04	0.005	0.024
Max	31,770	0.204	1.3	0.01	0.06	0.011	0.04	0.008	0.03
Min	18,733	0.018	0.066	0.001	0.002	0.007	0.04	0.002	0.01

October 30, 1995

ENVIRO-LABS, INC
603 Gillespie Street
P. O. Box 1096
Starkville, MS 39760-1096
1-601-323-7744
1-601-324-1745 & FAX

TO: Kerr McGee Chemical
Forest Products Division
Attn: Tony Helms
P. O. Box 906
Columbus, MS 39701

Lab ID.#	Sample Description	Date Received	Parameter	Sample Result	Result of Standard	Acceptable Range of Standard	Method Used	
9197		10/04/95	pH	6.4 SU	4.2 SU	4.0-4.4 SU	150.1	
9430		10-11-95	10/25/95	pH	6.4 SU	4.2 SU	4.0-4.4 SU	150.1
9431		10-18-95	10/25/95	pH	6.4 SU	4.2 SU	4.0 - 4.4 SU	150.1
9432		10-25-95	10/25/95	pH	6.2 SU	4.2 SU	4.0 - 4.4 SU	150.1
			OIL & GREASE	8 mg/l				413.1
			PHENOLS	9.77 mg/l				420.2

***THE TESTS PERFORMED ARE IN ACCORDANCE WITH EPA METHODS FOR CHEMICAL ANALYSIS OF WATER AND WASTE.

Approved:

[Signature]
KERR-MCGEE CORP.
FOREST PRODUCTS DIV.

RECEIVED
NOV 02 1995

KERR-MCGEE CORPORATION

[illegible]

[illegible]

KERR-MCGEE CORPORATION

ALL ANALYSIS PERFORMED BY EPA APPROVED PROCEDURES

☒ Yes ☐ No, explain above

[illegible]

**INORGANICS REPORT
WATER**

SAMPLE No.: 95-00214

ANALYSES: _____

DATE COLLECTED: _____

PARAMETER	CONC. ug/l	MQL ug/l	QC %Rec.	Analyst	Date
Aluminum		5.0			
Antimony		5.0			
Arsenic	ND	5.0	81	GB	4/5/95
Barium		5.0			
Beryllium		1.0			
Cadmium		1.0			
Chromium	2.1	1.0	87	GB	3/21/95
Cobalt		10			
Copper	ND	5.0	92	GB	3/22/95
Iron		50			
Lead		5.0			
Magnesium		10			
Manganese		10			
Mercury		0.5			
Nickel		5.0			
Potassium		30			
Selenium		5.0			
Silver	ND	1.0	77	GB	3/6/95
Sodium		10			
Thallium		10			
Vanadium		10			
Zinc		10			
Cyanide		0.1 mg/l			
Calcium		0.5 mg/l			

MQL = minimum quantifiable levels

QC %Rec = percent recovery of quality control standard

On February 21, 1995 samples were split with the Mississippi Department of Environmental Quality and following are the analytical results on the samples taken. All samples were grab samples.

Pentachlorophenol : 1.3 mg/l

Arsenic : < 0.06 mg/l

Chromium : < 0.04 mg/l

Copper : < 0.03 mg/l

Oil and Grease : 7 mg/l

Phenol : 1.81 mg/l

pH : 6.5 SU

All of these results fall within our permit limits.

**TARGET COMPOUND LIST
SEMIVOLATILE ORGANIC COMPOUNDS
IN WATER**

OPCL NO.: 95-00214

MARKED: KERR MCGEE

ANALYSIS OF: WATR

DATE RECEIVED: 2/23/95

COMPOUNDS	MQL	µg/L	COMPOUNDS	MQL	µg/L	COMPOUNDS	MQL	µg/L
Phenol	10	ND	4-Chloro-3-methylphenol	20	ND	Hexachlorobenzene	10	ND
bis(2-Chloroethyl)ether	10	ND	2-Methylnaphthalene	10	ND	Pentachlorophenol	50	TRACE 39.6
2-Chlorophenol	10	ND	Hexachlorocyclopentadiene	10	ND	Phenanthrene	10	ND
1,3-Dichlorobenzene	10	ND	2,4,6-Trichlorophenol	10	ND	Anthracene	10	ND
1,4-Dichlorobenzene	10	ND	2,4,5-Trichlorophenol	10	ND	Di-n-butylphthalate	10	ND
Benzyl alcohol	20	ND	2-Chloronaphthalene	10	ND	Fluoranthene	10	ND
1,2-Dichlorobenzene	10	ND	2-Nitroaniline	50	ND	Pyrene	10	ND
2-Methylphenol	10	ND	Dimethylphthalate	10	ND	Butylbenzylphthalate	10	ND
bis(2-Chloroisopropyl)ether	10	ND	Acenaphthylene	10	ND	3,3'Dichlorobenzidine	10	ND
4-Methylphenol	10	ND	2,6-Dinitrotoluene	10	ND	Benzo(a)anthracene	10	ND
N-Nitroso-di-n-propylamine	10	ND	3-Nitroaniline	50	ND	Chrysene	10	ND
Hexachloroethane	10	ND	Acenaphthene	10	ND	bis(2-Ethylhexyl)phthalate	10	ND
Nitrobenzene	10	ND	2,4-Dinitrophenol	50	ND	Di-n-octylphthalate	10	ND
Isophorone	10	ND	4-Nitrophenol	50	ND	Benzo(b)fluoranthene	10	ND
2-Nitrophenol	10	ND	Dibenzofuran	10	ND	Benzo(k)fluoranthene	10	ND
2,4-Dimethylphenol	10	ND	2,4-Dinitrotoluene	10	ND	Benzo(a)pyrene	10	ND
Benzoic acid	10	ND	Diethylphthalate	10	ND	Indeno(1,2,3-cd)pyrene	10	ND
bis(2-Chloroethoxy)methane	10	ND	4-Chlorophenyl-phenylether	10	ND	Dibenz(a,h)anthracene	10	ND
2,4-Dichlorophenol	10	ND	Fluorene	10	ND	Benzo(g,h,i)perylene	10	ND
1,2,4-Trichlorobenzene	10	ND	4-Nitroaniline	50	ND	Dinoseb	10	ND
Naphthalene	10	ND	4,6-Dinitro-2-methylphenol	50	ND	Atrazine (estimate)	10	ND
4-Chloroaniline	20	ND	N-nitrosodiphenylamine	10	ND			
Hexachlorobutadiene	10	ND	4-Bromophenyl-phenylether	10	ND			

SURROGATES RECOVERY (%)

2-Fluorophenol 128
 Phenol-d5 126
 Nitrobenzene-d5 _____
 2-Fluorobiphenyl _____
 2,4,6-Tribromophenol 103
 p-Terphenyl-d14 _____

Date Extracted: 02/27/ 1995
 Date Injected: 02/28/ 1995
 ND = None Detected
 MQL = Minimum Quantifiable Level
 Analyst: Jon Shell 03/02/95

Lower Detection Level = MQL X 1 = _____ µg/L

- ___ No peaks above 40% of internal standard.
- ___ Peaks above 40% of internal standard on EPA Appendix IX were identified.*
- ___ Peaks above 40% of internal standard not on EPA Appendix IX.**
- ___ Peaks above 40% of internal standard not on EPA Appendix IX were not identified.
- ___ Additional peaks were observed, but not examined.

COMMENTS: THIS ANALYSIS IS FOR PCP (PENTACHLOROPHENOL ONLY. THIS SAMPLE IS HIGHLY
CONTAMINATED WITH PAH'S

1998



EPA

United States Environmental Protection Agency, Washington, D.C. 20460

NPDES Compliance Inspection Report

Form Approved
OMB No. 2040-0003
Approval Expires
7-31-85

Section A: National Data System Coding

Transaction Code N	NPDES MSP090021	YR/MO/DAY 98/03/23	Inspection Type 2M	Inspector S	Facility Type 2	Sched'd February
Reserved	Facility Evaluation Rating N	BI N	QA N	Reserved		

Section B: Facility Data

Name and Location of Facility Inspected Kerr-McGee Chemical Corporation Columbus, Mississippi		Entry Time: 11:30	Permit Effective Date: Oct. 11, 1994
		Exit Time/Date: NA	Permit Expiration Date: Oct. 10, 1999
Name(s) of On-Site Representative(s) Mr. Charles Swan		Title(s) Supervisor of Treating Operations	
Name, Address of Responsible Official Mr. Ron Murphey Kerr-McGee Chemical Corporation P.O. Box 906 Columbus, Mississippi 39703		Phone No(s) 601-328-7551	
		Title Plant Manager	
		Phone No. 601-328-7551	Contacted YES__ NO__

Section C: Areas Evaluated During Inspection (S-Satisfactory, M-Marginal, U-Unsatisfactory, N-Not Evaluated)

☐ Permit	☐ Flow Measurement	☐ Pretreatment
☐ Operations & Maintenance	☐ Records/Reports	☐ Laboratory
☐ Compliance Schedules	☐ Sludge Disposal	☐ Facility Site Review
☒ Effluent/Receiving Waters	☐ Self-Monitoring Program	☐ Other

Section D: Summary of Findings/Comments

Names and Signatures of Inspectors Dewitt A. Spurgeon	Agency/Office/Telephone Office of Pollution Control	Date March 23, 1998
Signature of Reviewer <i>[Signature]</i>	Agency/Office Office of Pollution Control	Date July 8, 1998

Regulatory Office Use Only

Action Taken Report Transmitted TO Permittee.	Date July 8, 1998	☐ Noncompliance ☐ Compliance
--	----------------------	---

FILE COPY



EPA

NPDES Compliance Inspection Report

Form Approved
OMB No. 2040-0003
Approval Expires
7-31-85

Section A: National Data System Coding

Transaction Code	NPDES	YR/MO/DAY	Inspection Type	Inspector	Facility Type	Sched'd
N	MSP090021	98/07/14	3	S	2	May98
Reserved	Facility Evaluation Rating	BI	QA	Reserved		
	3	N	N			

Section B: Facility Data

Name and Location of Facility Inspected Kerr-McGee Chemical Corporation		Entry Time: 9:30 p.m.	Permit Effective Date: Oct. 11, 1994
		Exit Time/Date: 11:30 p.m.	Permit Expiration Date: Oct. 10, 1999
Name(s) of On-Site Representative(s) Mr. Chuck Swann	Title(s)		Phone No(s)
Name, Address of Responsible Official Mr. Ron Murphey Kerr-McGee Chemical Corporation P.O. Box 906 Columbus, MS 39703	Title Plant Manager		
	Phone No. 601-328-7551	Contacted YES NO	

Section C: Areas Evaluated During Inspection (S-Satisfactory, M-Marginal, U-Unsatisfactory, N-Not Evaluated)

<u>S</u> Permit	<u>N</u> Flow Measurement	<u>N</u> Pretreatment
<u>S</u> Operations & Maintenance	<u>S</u> Records/Reports	<u>N</u> Laboratory
<u>N</u> Compliance Schedules	<u>N</u> Sludge Disposal	<u>S</u> Facility Site Review
<u>N</u> Effluent/Receiving Waters	<u>N</u> Self-Monitoring Program	<u>N</u> Other

Section D: Summary of Findings/Comments

1. No noncompliance discharges were noted during the facility site review.
2. In possession of pretreatment permit.
3. Records (Chain of Custody, sample preservation, & DMR's) were adequately maintained.
4. Operations appeared sufficient.
5. Flow Measurements were adequate.
6. No problems were noted.

Names and Signatures of Inspectors Kirk Shelton	Agency/Office/Telephone Office of Pollution Control	Date July 14, 1998
Signature of Reviewer 	Agency/Office Office of Pollution Control	Date Jan. 14, 1999

Regulatory Office Use Only

Action Taken Report transmitted to permittee.	Date 7-14-98	☐ Noncompliance ☐ Compliance
--	-----------------	---

**EPA**

United States Environmental Protection Agency, Washington, D.C., 20460

NPDES Compliance Inspection ReportForm Approved
OMB No.2040-0003
Approval Expires 7-31-85**Section A: National Data System Coding**

Transaction Code	NPDES	YR/MO/DAY	Inspection Type	Inspector	Facility Type	Sched'd
N	MSP090021	97/06/24	3	S	2	June
Reserved	Facility Evaluation Rating	BI	QA	Reserved		
	4	N	N			

Section B: Facility Data

Name and Location of Facility Inspected		Entry Time:	Permit Effective Date:
Kerr-McGee Chemical Corporation Columbus, Mississippi		12:50 p.m.	Oct. 11, 1994
		Exit Time/Date:	Permit Expiration Date:
		NA	Oct. 10, 1999
Name(s) of On-Site Representative(s)	Title(s)		Phone No(s)
Mr. Chuck Swann			(601)-328-7551
Name,Address of Responsible Official	Title		
Mr. Ron Murphey Kerr-McGee Chemical Corporation P.O. Box 906 Columbus, MS 39703	Plant Manager		
	Phone No.	Contacted	
	(601)-328-7551	YES__ NO__	

Section C: Areas Evaluated During Inspection (S-Satisfactory, M-Marginal, U-Unsatisfactory, N-Not Evaluated)

<u>S</u> Permit	<u>S</u> Flow Measurement	<u>S</u> Pretreatment	<u>S</u> Operations & Maintenance
<u>S</u> Records/Reports	<u>N</u> Laboratory	<u>N</u> Compliance Schedules	<u>N</u> Sludge Disposal
<u>S</u> Facility Site Review	<u>N</u> Effluent/Receiving Waters	<u>N</u> Self-Monitoring Program	<u>N</u> Other

Section D: Summary of Findings/Comments

1. The discharge flow has been decreased because they are not treating as much groundwater as previously.
2. Flow measurement is adequate.
3. In possession of pretreatment permit.
4. DMR's were in order and calculations were correct.
5. Operations appeared sufficient.
6. No problems were noted.

Names and Signatures of Inspectors	Agency/Office/Telephone	Date
Milton Brumfield	Office of Pollution Control	June 24, 1997
Signature of Reviewer	Agency/Office	Date
<i>Milton Brumfield</i>	Office of Pollution Control	July 3, 1997

Regulatory Office Use Only

Action Taken	Date	Noncompliance Compliance
--------------	------	-----------------------------

**EPA**

United States Environmental Protection Agency, Washington, D.C., 20460

NPDES Compliance Inspection ReportForm Approved
OMB No.2040-0003
Approval Expires 7-31-85**Section A: National Data System Coding**

Transaction Code	NPDES	YR/MO/DAY	Inspection Type	Inspector	Facility Type	Sched'd
N	MSP090021	97/03/19	2M	S	2	Feb.
Reserved	Facility Evaluation Rating	BI	QA	Reserved		
	N	N	N			

Section B: Facility Data

Name and Location of Facility Inspected Kerr-McGee Chemical Corporation Columbus, Mississippi		Entry Time: 10:50 a.m.	Permit Effective Date: Oct. 11, 1994
		Exit Time/Date: NA	Permit Expiration Date: Oct. 10, 1999
Name(s) of On-Site Representative(s) Mr. R. P. Murphey		Title(s) Plant Manager	Phone No(s) (601)-328-7551
Name,Address of Responsible Official Mr. R. P. Murphey Kerr-McGee Chemical Corporation P.O. Box 906 Columbus, MS 39703		Title Plant Manager	
		Phone No. (601)-328-7551	Contacted YES__ NO__

Section C: Areas Evaluated During Inspection (S-Satisfactory, M-Marginal, U-Unsatisfactory, N-Not Evaluated)

☒ Permit	☒ Flow Measurement	☒ Pretreatment	☒ Operations & Maintenance
☒ Records/Reports	☒ Laboratory	☒ Compliance Schedules	☒ Sludge Disposal
☒ Facility Site Review	☒ Effluent/Receiving Waters	☒ Self-Monitoring Program	☒ Other

Section D: Summary of Findings/Comments

Names and Signatures of Inspectors Dewitt Spurgeon	Agency/Office/Telephone Office of Pollution Control	Date Mar. 19, 1997
Signature of Reviewer <i>Milton Brunfield</i>	Agency/Office Office of Pollution Control	Date June 11, 1997

Regulatory Office Use Only

Action Taken	Date	Noncompliance Compliance
--------------	------	-----------------------------



United States Environmental Protection Agency, Washington, D.C., 20460

EPA

NPDES Compliance Inspection Report

Form Approved
OMB No.2040-0003
Approval Expires 7-31-85

Section A: National Data System Coding

Transaction Code	NPDES	YR/MO/DAY	Inspection Type	Inspector	Facility Type	Sched'd
N	MSP090021	96/04/17	3	S	2	Apr.
Reserved	Facility Evaluation Rating	BI	QA	Reserved		
	4	N	N			

Section B: Facility Data

Name and Location of Facility Inspected		Entry Time:	Permit Effective Date:
Kerr-McGee Chemical Corporation Columbus, Mississippi		10:40 a.m.	Oct. 11, 1994
		Exit Time/Date:	Permit Expiration Date:
		NA	Oct. 10, 1999
Name(s) of On-Site Representative(s)	Title(s)		Phone No(s)
Mr. Donnie Yarbrough			(601)-328-7551
Name,Address of Responsible Official	Title		Phone No.
Mr. Anthony Helms Kerr-McGee Chemical Corporation P.O. Box 906 Columbus, MS 39701	Plant Manager		(601)-328-7551
	Contacted		YES__ NO__

Section C: Areas Evaluated During Inspection (S-Satisfactory, M-Marginal, U-Unsatisfactory, N-Not Evaluated)

☒ Permit	☒ Flow Measurement	☒ Pretreatment	☒ Operations & Maintenance
☒ Records/Reports	☒ Laboratory	☒ Compliance Schedules	☒ Sludge Disposal
☒ Facility Site Review	☒ Effluent/Receiving Waters	☒ Self-Monitoring Program	☒ Other

Section D: Summary of Findings/Comments

1. Treatment tanks have been covered.
2. Flow measurement is adequate.
3. In possession of pretreatment permit.
4. DMR's were in order and calculations were correct.
5. Operations appeared sufficient.
6. No problems were noted.

Names and Signatures of Inspectors	Agency/Office/Telephone	Date
Milton Brumfield	Office of Pollution Control	April 17, 1996
Signature of Reviewer	Agency/Office	Date
<i>Milton Brumfield</i>	Office of Pollution Control	April 25, 1996

Regulatory Office Use Only

Action Taken	Date	Noncompliance Compliance
--------------	------	-----------------------------

M E M O R A N D U M

TO: File- (MSP090021) Kerr-McGee Chemical Corp.
FROM: Milton Brumfield
SUBJECT: Compliance Evaluation Inspection (CEI)

On April 17, 1996, I met with Mr. Donnie Yarbrough of Kerr-McGee Chemical Corp. for a compliance evaluation inspection. Mr. Yarbrough accompanied me on an inspection of the facility and grounds. The following were noted:

1. Treatment tanks have been covered.
2. Flow measurement is adequate.
3. In possession of pretreatment permit.
4. DMR's were in order and calculations were correct.
5. Operations appeared sufficient.
6. No problems were noted.

**EPA**

United States Environmental Protection Agency, Washington, D.C., 20460

NPDES Compliance Inspection ReportForm Approved
OMB No. 2040-0003
Approval Expires 7-31-85

Section A: National Data System Coding

Transaction Code	NPDES	YR/MO/DAY	Inspection Type	Inspector	Facility Type	Sched'd
N	MSP090021	96/03/19	2M	S	2	Feb.
Reserved	Facility Evaluation Rating	BI	QA	Reserved		
	N	N	N			

Section B: Facility Data

Name and Location of Facility Inspected		Entry Time:	Permit Effective Date:
Kerr-McGee Chemical Corporation Columbus, Mississippi		10:30 a.m.	Oct. 11, 1994
		Exit Time/Date:	Permit Expiration Date:
		NA	Oct. 10, 1999
Name(s) of On-Site Representative(s)	Title(s)		Phone No(s)
Mr. R. P. Murphey	Plant Manager		(601)-328-7551
Name, Address of Responsible Official	Title		
Mr. R. P. Murphey Kerr-McGee Chemical Corporation P.O. Box 906 Columbus, MS 39703	Plant Manager		
	Phone No.	Contacted	
	(601)-328-7551	YES__ NO__	

Section C: Areas Evaluated During Inspection (S-Satisfactory, M-Marginal, U-Unsatisfactory, N-Not Evaluated)

☒ Permit	☒ Flow Measurement	☒ Pretreatment	☒ Operations & Maintenance
☒ Records/Reports	☒ Laboratory	☒ Compliance Schedules	☒ Sludge Disposal
☒ Facility Site Review	☒ Effluent/Receiving Waters	☒ Self-Monitoring Program	☒ Other

Section D: Summary of Findings/Comments

The analytical results of the samples indicate that Kerr-McGee Chemical Company was not in compliance with the pretreatment permit on March 19, 1996.

Names and Signatures of Inspectors	Agency/Office/Telephone	Date
Clift Jeter	Office of Pollution Control	Mar. 19, 1996
Signature of Reviewer	Agency/Office	Date
Milton B. Sumfield	Office of Pollution Control	MAY 29, 1996

Regulatory Office Use Only

Action Taken	Date	☒ Noncompliance ☐ Compliance
--------------	------	--



EPA

NPDES Compliance Inspection Report

Form Approved
OMB No.2040-0003
Approval Expires 7-31-85

Section A: National Data System Coding

Transaction Code	NPDES	YR/MO/DAY	Inspection Type	Inspector	Facility Type	Sched'd
N	MSP090021	95/04/04	3	S	2	Apr.
Reserved	Facility Evaluation Rating	BI	QA	Reserved		
	4	N	N			

Section B: Facility Data

Name and Location of Facility Inspected Kerr-McGee Chemical Corporation Columbus, Mississippi		Entry Time: 11:00 a.m.	Permit Effective Date: Oct. 11, 1994
		Exit Time/Date: NA	Permit Expiration Date: Oct. 10, 1999
Name(s) of On-Site Representative(s) Mr. Chuck Swann		Title(s)	Phone No(s) (601)-328-7551
Name/Address of Responsible Official Mr. Anthony Helms Kerr-McGee Chemical Corporation P.O. Box 906 Columbus, MS 39701		Title Plant Manager Phone No. (601)-328-7551	Contacted YES__ NO__

Section C: Areas Evaluated During Inspection (S-Satisfactory, M-Marginal, U-Unsatisfactory, N-Not Evaluated)

☒ Permit	☒ Flow Measurement	☒ Pretreatment	☒ Operations & Maintenance
☒ Records/Reports	☒ Laboratory	☒ Compliance Schedules	☒ Sludge Disposal
☒ Facility Site Review	☒ Effluent/Receiving Waters	☒ Self-Monitoring Program	☒ Other

Section D: Summary of Findings/Comments

On April 4, 1995, I met with Mr. Chuck Swann of Kerr-McGee Chemical Corp. for a compliance evaluation inspection. Mr. Swann accompanied me on an inspection of the facility and grounds. The following were noted:

1. Good record-keeping.
2. pH is checked on site by outside lab.
3. No non-compliance discharges were noted.
4. Flow measurement is adequate.
5. In possession of pretreatment permit.
6. DMR's were in order and calculations were correct.
7. Operations appeared sufficient.
8. No problems were noted.

Names and Signatures of Inspectors Milton Brumfield	Agency/Office/Telephone Office of Pollution Control	Date April 4, 1995
Signature of Reviewer <i>Milton Brumfield</i>	Agency/Office Office of Pollution Control	Date April 10, 1995
Regulatory Office Use Only		
Action Taken	Date	Noncompliance Compliance

**EPA**

United States Environmental Protection Agency, Washington, D.C., 20460

NPDES Compliance Inspection ReportForm Approved
OMB No.2040-0003
Approval Expires 7-31-85**Section A: National Data System Coding**

Transaction Code	NPDES	YR/MO/DAY	Inspection Type	Inspector	Facility Type	Sched'd
N	MSP090021	95/02/21	2M	S	2	Feb.
Reserved	Facility Evaluation Rating	BI	QA	Reserved		
N	N	N	N			

Section B: Facility Data

Name and Location of Facility Inspected		Entry Time:	Permit Effective Date:
Kerr-McGee Chemical Corporation Columbus, Mississippi		2:30 p.m.	Oct. 11, 1994
		Exit Time/Date:	Permit Expiration Date:
		NA	Oct. 10, 1999
Name(s) of On-Site Representative(s)	Title(s)		Phone No(s)
Mr. Anthony Helms	Plant Manager		(601)-328-7551
Name/Address of Responsible Official	Title		
Mr. Anthony Helms Kerr-McGee Chemical Corporation P.O. Box 906 Columbus, MS 39701	Plant Manager		
	Phone No.	Contacted	
	(601)-328-7551	YES_ NO_	

Section C: Areas Evaluated During Inspection (S-Satisfactory, M-Marginal, U-Unsatisfactory, N-Not Evaluated)

☒ Permit	☒ Flow Measurement	☒ Pretreatment	☒ Operations & Maintenance
☒ Records/Reports	☒ Laboratory	☒ Compliance Schedules	☒ Sludge Disposal
☒ Facility Site Review	☒ Effluent/Receiving Waters	☒ Self-Monitoring Program	☒ Other

Section D: Summary of Findings/Comments

Name and Signatures of Inspectors	Agency/Office/Telephone	Date
Dewitt Spurgeon & Clift Jeter	Office of Pollution Control	Feb. 21, 1995
Signature of Reviewer	Agency/Office	Date
Milton Brumfield	Office of Pollution Control	MAY 3, 1995

Regulatory Office Use Only

Action Taken	Date	Noncompliance Compliance
--------------	------	-----------------------------

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Nov-98

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX XXXXXXXX		XXXXXXXX XXXXXXXX		XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	29,966					
2	30,115					
3	28,556					
4	24,578	7.00		10.85	2.21	7.10
5	21,056					
6	28,964					
7	27,569					
8	23,611					
9	27,521					
10	22,174					
11	23,698					6.80
12	29,784					
13	30,114					
14	33,569					
15	32,774					
16	25,661					
17	27,480					
18	30,667	12.00		6.70	1.71	6.80
19	28,564					
20	31,997					
21	34,566					
22	30,001					
23	19,895					
24	30,145					
25	32,566					6.60
26	27,458					
27	20,156					
28	27,456					
29	28,564					
30	26,558					
31						
Avg.	27,859	9.50		8.78	1.96	6.83
Max.	34,566	12.00		10.85	2.21	7.10
Min.	19,895	7.00		6.70	1.71	6.60

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Oct-98

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXXX XXXXXXXXXX		XXXXXXXXX XXXXXXXXXX		XXXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	28,556	11.00		17.50	4.15	6.70
2	29,548					
3	30,110					
4	25,789					
5	26,698					
6	27,895					
7	28,520					6.70
8	22,455					
9	23,699					
10	28,755					
11	21,488					
12	20,671					
13	30,456					
14	31,774					
15	26,985					6.70
16	25,555					
17	27,810					
18	22,455					
19	26,189					
20	25,776					
21	28,445	7.00		11.95	2.82	6.90
22	27,450					
23	22,014					
24	26,118					
25	24,656					
26	25,685					
27	26,331					
28	28,585					6.70
29	30,110					
30	31,225					
31	29,862					
Avg.	26,828	9.00		14.73	3.49	6.74
Max.	31,774	11.00		17.50	4.15	6.90
Min.	20,671	7.00		11.95	2.82	6.70

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Sep-98

(Page 1 of 1)

OCT 28 1998

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	30,115					
2	29,556					6.70
3	28,547					
4	29,511					
5	22,415					
6	26,781					
7	30,110					
8	25,978					
9	26,459					6.70
10	24,568					
11	20,456					
12	22,525					
13	23,366					
14	27,458					
15	33,658					
16	20,145	7.00		11.15	1.87	6.70
17	27,445					
18	21,056					
19	27,452					
20	19,568					
21	24,166					
22	21,458					
23	29,465					6.50
24	18,996					
25	20,454					
26	30,155					
27	20,145					
28	25,547					
29	26,114					
30	22,587	11.00		17.50	3.28	6.70
31						
Avg.	25,209	9.00		14.33	2.57	6.66
Max.	33,658	11.00		17.50	3.28	6.70
Min.	18,996	7.00		11.15	1.87	6.50

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD**KMCC-FPD Facility - Columbus, MS****Month/Year -****Aug-98****(Page 1 of 1)**

Permit Requirement		O&G	PHENOLS		pH	
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	27,855					
2	29,862					
3	21,103					
4	25,664					
5	27,541					7.80
6	21,598					
7	20,367					
8	30,115					
9	28,556					
10	19,899					
11	20,114					
12	25,667	6.00		14.40	3.07	6.20
13	24,897					
14	25,336					
15	27,589					
16	20,335					
17	27,445					
18	20,556					
19	28,991					6.50
20	30,114					
21	31,556					
22	33,889					
23	28,556					
24	24,558					
25	26,752					
26	24,792	7.00		35.15	7.24	6.60
27	29,878					
28	30,466					
29	28,722					
30	20,113					
31	30,556					
Avg.	26,240	6.50		24.78	5.15	6.78
Max.	33,889	7.00		35.15	7.24	7.80
Min.	19,899	6.00		14.40	3.07	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Jul-98

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	26,589	7.00		10.95	2.42	6.60
2	25,878					
3	22,336					
4	24,155					
5	20,995					
6	30,114					
7	32,665					
8	21,557					6.10
9	25,689					
10	25,887					
11	24,515					
12	19,899					
13	27,485					
14	25,412					
15	20,443	6.00		5.30	0.90	6.90
16	28,566					
17	27,458					
18	22,633					
19	24,566					
20	24,582					
21	20,117					
22	25,456					6.20
23	20,014					
24	23,368					
25	24,545					
26	20,100					
27	27,455					
28	20,336					
29	27,963	7.00		3.30	0.77	7.30
30	20,122					
31	30,456					
Avg.	24,560	6.67		6.52	1.36	6.62
Max.	32,665	7.00		10.95	2.42	7.30
Min.	19,899	6.00		3.30	0.77	6.10

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Jun-98

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	25,896					
2	28,546					
3	23,357	10.00		29.6	5.74	6.40
4	28,510					
5	22,479					
6	29,541					
7	22,548					
8	24,530					
9	28,665					
10	27,848					6.40
11	30,110					
12	22,147					
13	25,698					
14	20,132					
15	19,877					
16	26,499					
17	27,742	8.00		19.85	4.57	6.40
18	20,003					
19	21,578					
20	26,989					
21	24,744					
22	25,565					
23	20,001					
24	24,627					6.50
25	29,855					
26	25,645					
27	23,333					
28	21,144					
29	25,952					
30	30,154					
31						
Avg.	25,124	9.00		24.73	5.16	6.43
Max.	30,154	10.00		29.60	5.74	6.50
Min.	19,877	8.00		19.85	4.57	6.40

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

May-98

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX XXXXXXXXX		XXXXXXXX XXXXXXXXX		XXXXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	22,856					
2	23,654					
3	28,962					
4	24,512					
5	27,563					6.40
6	20,115					
7	30,114					
8	24,987					
9	23,305					
10	27,101					
11	22,012					
12	25,698					
13	24,516	9.00		52.90	10.77	6.10
14	23,005					
15	19,982					
16	24,578					
17	25,445					
18	30,110					
19	24,596					
20	28,925					6.20
21	22,447					
22	24,566					
23	28,564					
24	23,884					
25	27,524					
26	25,499					
27	24,544	7.00		3.75	0.76	6.70
28	28,524					
29	24,568					
30	29,998					
31	31,252					
Avg.	25,594	8.00		28.33	5.77	6.35
Max.	31,252	9.00		52.90	10.77	6.70
Min.	19,982	7.00		3.75	0.76	6.10

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Apr-98

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXXX XXXXXXXXXX		XXXXXXXXX XXXXXXXXXX		XXXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	29,986					6.20
2	24,516					
3	25,941					
4	26,587					
5	20,054					
6	23,698					
7	21,158					
8	30,004					6.40
9	19,852					
10	20,456					
11	21,578					
12	23,625					
13	23,000					
14	22,785					
15	22,145	10.00		16.00	2.94	6.50
16	20,147					
17	24,512					
18	20,333					
19	22,554					
20	27,844					
21	20,474					
22	20,669					6.30
23	28,844					
24	24,558					
25	26,647					
26	23,658					
27	24,455					
28	22,544					
29	33,041	9.00		4.83	1.33	6.40
30	20,014					
31						
Avg.	23,856	9.50		10.42	2.13	6.36
Max.	33,041	10.00		16.00	2.94	6.50
Min.	19,852	9.00		4.83	1.3252134	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Mar-98

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	28,564					
2	25,469					
3	25,512					
4	26,321					6.40
5	24,897					
6	28,997					
7	20,115					
8	23,956					
9	23,874					
10	30,111					
11	27,415	9.00		14.65	3.34	6.40
12	25,001					
13	27,459					
14	30,156					
15	32,256					
16	20,145					
17	24,568					
18	21,590					6.10
19	27,416					
20	22,252					
21	23,045					
22	20,111					
23	24,690	11.00		0.022	0.0045105	5.90
24	24,562					
25	29,014	10.00		12.90	3.11	6.10
26	25,465					
27	23,007					
28	22,589					
29	25,242					
30	20,331					
31	19,985					
Avg.	24,971	10.00		9.19	2.15	7.73
Max.	32,256	11.00		14.65	3.34	6.40
Min.	19,985	9.00		0.022	0.0045105	5.90

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Feb-98

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	27,569					
2	25,849					
3	21,366					
4	19,972					6.10
5	31,005					
6	30,690					
7	28,745					
8	24,987					
9	32,564					
10	26,641					
11	25,411	7.00		8.30	1.75	6.50
12	25,987					
13	24,516					
14	35,514					
15	31,056					
16	30,078					
17	28,947					
18	22,514					6.10
19	23,630					
20	24,586					
21	26,256					
22	20,041					
23	20,455					
24	27,957					
25	30,560	9.00		25.95	6.59	6.20
26	25,877					
27	21,545					
28	25,555					
29						
30						
31						
Avg.	26,424	8.00		17.13	4.17	6.23
Max.	35,514	9.00		25.95	6.59	6.50
Min.	19,972	7.00		8.30	1.75	6.10

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Jan-98

(Page 1 of 1)

		O&G		PHENOLS		pH
Permit Requirement		XXXXXXXXX		XXXXXXXXX		XXXXXXXXX
Unit of Measurement		XXXXXXXXX		XXXXXXXXX		XXXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	28,896					
2	31,205					
3	21,999					
4	30,569					
5	31,026					
6	30,951					
7	28,941					6.80
8	26,592					
9	31,056					
10	30,256					
11	29,940					
12	25,625					
13	26,912					
14	27,846	8.00		10.55	2.44	6.70
15	30,056					
16	31,284					
17	33,676					
18	32,406					
19	34,248					
20	33,265					
21	30,089					6.20
22	29,285					
23	21,111					
24	22,656					
25	28,255					
26	26,246					
27	25,085					
28	30,122	7.00		6.40	1.60	6.30
29	34,014					
30	33,221					
31	33,221					
Avg.	29,357	7.50		8.48	2.02	6.50
Max.	34,248	8.00		10.55	2.44	6.80
Min.	21,111	7.00		6.40	1.60	6.20

ADDRESS P O BOX 906

COLUMBUS

33703

PERMIT NUMBER

DISCHARGE NUMBER

FACILITY 14TH AND 20TH STREET NORTH
LOCATION 071103310

COLOMBOS
ATTN: ANTHONY N HELMS
PLANT MATERIALS
MS 39701

ALVIN: CAMERON N. HELMS, PLANT MANAGER

FROM

70	72	06
----	----	----

YEAR	MO	DAY
95	12	31

PRETREATED PROCESS
(SUBR ND)
F - FINAL
MINOR

Term Approved.
GMB No. 20-04-0004-000
Approval Expires-05-31-98

1990

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98

*** NO DISCHARGE 1 --1 ***

NOTE: Read instructions before completing this form.

ИДЕИ И АРХИТЕКТУРА

NAME K 300-44 (166 0011214)

ADDRESS P O BOX 906

MS 39703

MONITORING PERIOD											
YEAR		MO		DAY		YEAR		MO		DAY	
98	11	01				98	11	30			
FROM						TO					
(20-21) (22-23) (24-25)						(26-27) (28-29) (30-31)					

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

DISCHARGE MONITORING REPORT (DMR/
(2-16)
(17-19)

MS P090021	001 A
PERMIT NUMBER	DISCHARGE NUMBER

Form Approved

OMB No. 2040-0004

(SUBR ND)
F - FINAL
MINOR

Approval expires 07-31-98
62345
Lovers County
1/1/98

*** NO DISCHARGE 1-1 ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	QUANTITY OR LOADING (54-61)			QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)				UNITS
PH											
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		6.6	*****	7.1	(12)	2	1/7 GRAB	
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	SU			
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	(19)	2	2/30 GRAB	
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	(19)			
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	1.96	2.21	(26)	*****	*****	*****	MG/L	2	2/30 GRAB	
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	MG/L			
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	6.035	(33)	*****	*****	*****	MG/L	2	2/7 CONT	
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****			
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT										

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME: KERR-MCGEE (COLUMBUS)
ADDRESS: P O BOX 906
COLUMBUS
MS 39703

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
MSB000021
PERMIT NUMBER
001 A
DISCHARGE NUMBER

Form Approved.
OMB No. 2040-0094
PRETREATED PROCESS
F - FINAL
Approval expires 05-31-98
12345

FACILITY: 14TH VE AND 20TH STREET NORTH
LOCATION: COLUMBUS
ATTN: ANTHONY N HELMS PLANT MANAGER
MS 39701

MONITORING PERIOD
FROM: YEAR 98 MO 03 DAY 01
TO: YEAR 98 MO 05 DAY 31
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

NOTE: NO DISCHARGE
Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)		UNITS	QUANTITY OR CONCENTRATION (4 Card Only) (38-45)		UNITS	NO. OF ANALYSIS (62-63) (64-68)	FREQUENCY OF ANALYSIS (69-70)	SAMPLE TYPE
		AVERAGE	MAXIMUM		AVERAGE	MAXIMUM				
PH	SAMPLE MEASUREMENT	***	***		6.1	***			1/7	CEAB
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	***	***		***	***				
OIL & GREASE (FREED R-IR METH) TOT, RD	SAMPLE MEASUREMENT	***	***		8	***			2/31	CEAB
60 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	***	***		***	***				
PHENOLS	SAMPLE MEASUREMENT	5.77	10.77	(26)	***	***			2/31	CEAB
45000 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	32.5	48.8		***	***				
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	***	0.031	(03)	***	***			7/7	CONT
50050 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT	***	***		***	***				
	PERMIT REQUIREMENT	***	***		***	***				
	SAMPLE MEASUREMENT</									

Form Approved.
OMB No. 2040-0047
Approved by GSA
129145-05-31-98

NAME: _____

*** NO DISCHARGE 111 ***

NOTE: Read Instructions before completing this form

NAME: _____

*** NO DISCHARGE 111 ***

NOTE: Read Instructions before completing this form

[illegible]

PERMITTEE NAME/ADDRESS (Include Facility Name/Location (If Different))
NAME KERR-MOORE (COLUMBUS)
ADDRESS R.D. BOX 906
COLUMBUS MS 39703

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
MSP090021
PERMIT NUMBER 001 A
DISCHARGE NUMBER

Form Approved.
OMB No. 2040-0004
Approval Expires 05-31-98
PRETREATED PROCESS (SUBR NO.)
F - FINAL
MINOR

FACILITY 14TH VE AND 20TH STREET NORTH
LOCATION COLUMBUS MS 39701
ATTN: ANTHONY N. HELMS PLANT MANAGER

MONITORING PERIOD
FROM 98 03 01 TO 98 03 31
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (13 Card Only) (46-53)			QUANTITY OR CONCENTRATION (14 Card Only) (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
PH		*****	*****		5.9	*****	6.4	0	5/31	GRAB
00400 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
001 0 0 0	SAMPLE MEASUREMENT	*****	*****			*****	11.0	0	3/31	GRAB
EFFLUENT GROSS VALUE		*****	*****			*****				
002 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
PHENDOLS		*****	*****			*****				
46000 1 0 0	SAMPLE MEASUREMENT	2.15	3.34	(26)		9.19	14.65	0	3/31	GRAB
EFFLUENT GROSS VALUE		*****	*****			*****				
003 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
004 1 0 0	SAMPLE MEASUREMENT	0.032		(03)		*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
005 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
006 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
007 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
008 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
009 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
010 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
011 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
012 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
013 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
014 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
015 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
016 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
017 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
018 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
019 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
020 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
021 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
022 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
023 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
024 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
025 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
026 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
027 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
028 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
029 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
030 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
031 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
032 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
033 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
034 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
035 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
036 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
037 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
038 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
039 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
040 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
041 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
042 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
043 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
044 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
045 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
046 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
047 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
048 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
049 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
050 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
051 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
052 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
053 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
054 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
055 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
056 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
057 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
058 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
059 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
060 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
061 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
062 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
063 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
064 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
065 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
066 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
067 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
068 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
069 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
070 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
071 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
072 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
073 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
074 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
075 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
076 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
077 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
078 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
079 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
080 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
081 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
082 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
083 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
084 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
085 1 0 0	PERMIT REQUIREMENT	*****	*****			*****				
EFFLUENT GROSS VALUE		*****	*****			*****				
086 1 0 0	SAMPLE MEASUREMENT	*****	*****			*****				

Form Approved.
PRETREATED PROCESSOMB No. 2040-0004 ER
(508 MD)
Approval expires 05-31-98

MINDR. *W*

*** NO DISCHARGE ☐ ☐ ***

NOTE: Read Instructions before commencing use.



COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

MS 39703

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16) (17-19)

M: P 090021
PERMIT NUMBER

007 Y
DISCHARGE NUMBER

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98
12345
PROCESS WASTEWATER
(SUBR NO)
F - FINAL

FACILITY 14TH VE AND 20TH STREET NORTH
LOCATION COLUMBUS MS 39701
ATTN: ANTHONY N HELMS PLANT MANAGER

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
98	01	01		98	12	31
(20-21) (22-29) (24-25)			(26-27) (28-29) (30-31)			

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	QUANTITY OR LOADING (45-51)			QUANTITY OR CONCENTRATION (45-51)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
											(13 Card Only) (45-51)
ARSENIC, TOTAL (AS AS)	SAMPLE MEASUREMENT	*****	0.003665	(26)	*****	0.0031	0.013	(19)	+	2/365	COMP
01002 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	1.43	LBS/DY	*****	REPORT	2.35	MG/L			
CHROMIUM, TOTAL (AS CR)	SAMPLE MEASUREMENT	*****	0.008201	(26)	*****	< 0.04	< 0.04	(19)	+	2/365	COMP
01034 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	1.43	LBS/DY	*****	REPORT	2.35	MG/L			
COPPER, TOTAL (AS CU)	SAMPLE MEASUREMENT	*****	0.00615	(26)	*****	< 0.03	0.03	(19)	+	2/365	COMP
01042 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	1.85	LBS/DY	*****	REPORT	2.95	MG/L			
PENTACHLOROPHENOL	SAMPLE MEASUREMENT	0.0382	0.07639	(26)	*****	0.1874	0.374	(19)	+	2/365	GRAB
39032 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	0.745	1.12	LBS/DY	*****	1.19	1.79	MG/L			
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Dec-97

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	22,894					
2	26,998					
3	20,154	5.00		10.9	1.82	6.50
4	20,579					
5	26,561					
6	23,562					
7	24,741					
8	23,699					
9	30,115					
10	27,745					6.50
11	24,652					
12	29,889					
13	21,115					
14	23,305					
15	24,662					
16	24,899					
17	29,982	7.00		9.05	2.25	6.40
18	35,002					
19	31,004					
20	20,000					
21	20,000					
22	23,305					
23	22,965					6.30
24	19,200					
25	19,200					
26	19,200					
27	19,258					
28	19,257					
29	20,047					
30	28,541					6.50
31	23,698					
Avg.	24,072	6.00		9.98	2.04	6.44
Max.	35,002	7.00		10.90	2.25	6.50
Min.	19,200	5.00		9.05	1.82	6.30

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Nov-97

(Page 1 of 1)

Permit Requirement		O&G	PHENOLS		pH	
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	25,647					
2	28,951					
3	22,145					
4	26,315					
5	23,114	7.00		19.50	3.74	6.50
6	22,458					
7	28,874					
8	26,224					
9	27,774					
10	20,047					
11	30,045					
12	19,978					6.70
13	19,999					
14	27,746					
15	29,654					
16	27,541					
17	24,562					
18	24,886					
19	26,633	8.00		40.45	8.95	6.40
20	27,895					
21	24,661					
22	31,157					
23	18,469					
24	24,755					
25	21,256					
26	20,014					6.20
27	30,056					
28	29,224					
29	21,451					
30	23,698					
31						
Avg.	25,174	7.50		29.98	6.34	6.45
Max.	31,157	8.00		40.45	8.95	6.70
Min.	18,469	7.00		19.50	3.74	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Oct-97

(Page 1 of 1)

Permit Requirement		O&G	PHENOLS		pH	
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	27,852					6.40
2	23,694					
3	24,561					
4	31,009					
5	24,584					
6	28,879					
7	20,125					
8	17,892	7.00		12.55	1.86	6.40
9	22,541					
10	23,699					
11	28,761					
12	31,108					
13	32,694					
14	28,564					
15	24,790					6.50
16	24,896					
17	24,789					
18	30,069					
19	30,478					
20	29,763					
21	20,486					
22	25,252	6.00		27.50	5.77	6.50
23	21,478					
24	18,798					
25	28,791					
26	11,258					
27	30,477					
28	24,456					
29	27,666					6.70
30	27,785					
31	31,125					
Avg.	25,752	6.50		20.03	3.82	6.50
Max.	32,694	7.00		27.50	5.77	6.70
Min.	11,258	6.00		12.55	1.86	6.40

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Sep-97

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXXX XXXXXXXXXX		XXXXXXXXX XXXXXXXXXX		XXXXXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	25,645					
2	24,865					
3	24,822					6.70
4	29,845					
5	24,463					
6	27,745					
7	19,689					
8	15,459					
9	30,146					
10	20,147	7.00		17.55	2.94	6.70
11	22,547					
12	26,879					
13	21,333					
14	27,895					
15	30,004					
16	22,661					
17	24,869					6.30
18	32,331					
19	24,489					
20	21,123					
21	24,784					
22	33,669					
23	30,040					
24	21,348	7.00		15.52	2.75	6.40
25	20,004					
26	30,078					
27	26,847					
28	21,187					
29	26,118					
30	29,456					
31						
Avg.	25,350	7.00		16.54	2.84	6.53
Max.	33,669	7.00		17.55	2.94	6.70
Min.	15,459	7.00		15.52	2.75	6.30

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Aug-97

(Page 1 of 1)

Permit Requirement		O&G	PHENOLS		pH	
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	30,125					
2	28,854					
3	24,698					
4	21,365					
5	24,562					
6	24,522					6.40
7	28,621					
8	19,875					
9	30,456					
10	28,586					
11	31,004					
12	18,794					
13	18,255	9.00		30.30	4.59	6.40
14	22,690					
15	24,856					
16	31,256					
17	28,789					
18	21,025					
19	25,645					
20	24,698					6.30
21	24,569					
22	20,414					
23	33,056					
24	28,795					
25	15,862					
26	19,984					
27	22,564	7.00		5.70	1.07	6.80
28	24,598					
29	20,040					
30	33,451					
31	22,457					
Avg.	24,983	8.00		18.00	2.83	6.48
Max.	33,451	9.00		30.30	4.59	6.80
Min.	15,862	7.00		5.70	1.07	6.30

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Jul-97

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXXX XXXXXXXXX XXXXXXXX XXXXXXXXX XXXXXXXXX				
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	29,850					
2	30,173	8.00		24.15	6.14	6.30
3	28,851					
4	18,251					
5	28,879					
6	30,214					
7	25,589					
8	27,793					
9	36,051					6.60
10	20,147					
11	20,697					
12	25,564					
13	17,898					
14	21,478					
15	29,958					
16	28,655	9.00		17.20	4.09	6.60
17	31,822					
18	20,875					
19	21,300					
20	21,300					
21	21,372					
22	26,445					
23	31,880					6.50
24	29,960					
25	18,220					
26	18,340					
27	18,340					
28	18,340					
29	22,271					
30	25,080	5.00		2.75	0.57	6.40
31	22,975					
Avg.	24,793	7.33		14.70	3.60	6.48
Max.	36,051	9.00		24.15	6.14	6.60
Min.	17,898	5.00		2.75	0.57	6.30

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Jun-97

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	27,892					
2	21,005					
3	26,615					
4	28,872	7.00		13.85	3.33	6.70
5	30,156					
6	32,691					
7	25,982					
8	25,489					
9	31,255					
10	29,964					
11	28,554					6.20
12	24,798					
13	27,856					
14	30,215					
15	32,521					
16	35,884					
17	24,854					
18	24,489	7.00		4.50	0.92	6.30
19	29,885					
20	24,768					
21	35,849					
22	26,898					
23	15,498					
24	35,989					
25	19,848					6.10
26	28,855					
27	24,545					
28	26,585					
29	24,554					
30	35,885					
31						
Avg.	27,942	7.00		9.18	2.13	6.33
Max.	35,989	7.00		13.85	3.33	6.70
Min.	15,498	7.00		4.50	0.92	6.10

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

May-97

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	28,956					
2	29,945					
3	31,156					
4	30,251					
5	30,687					
6	33,547					
7	25,998	9.00		2.15	0.47	6.80
8	24,988					
9	30,598					
10	33,325					
11	40,025					
12	19,926					
13	30,057					
14	28,977					6.90
15	33,561					
16	29,987					
17	30,546					
18	33,487					
19	35,120					
20	30,558					
21	40,125	8.00		3.37	1.13	6.70
22	30,056					
23	27,780					
24	38,741					
25	29,081					
26	34,145					
27	18,846					
28	23,698					6.20
29	19,782					
30	30,005					
31	23,365					
Avg.	29,914	8.50		2.76	0.80	6.65
Max.	40,125	9.00		3.37	1.13	6.90
Min.	18,846	8.00		2.15	0.47	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Apr-97

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	27,789					
2	30,258	14.00		17.3	4.37	6.20
3	29,945					
4	22,465					
5	30,255					
6	29,987					
7	20,178					
8	26,671					
9	25,541					6.70
10	21,694					
11	31,256					
12	30,925					
13	25,618					
14	25,498					
15	23,111					
16	20,414	8.00		2.35	0.40	6.10
17	25,651					
18	27,892					
19	24,966					
20	30,589					
21	20,148					
22	19,581					
23	26,986	7.00		36.45	8.20	6.30
24	24,985					
25	38,862					
26	20,155					
27	20,004					
28	26,651					
29	25,044					
30	24,256					6.50
31						
Avg.	25,913	9.67		18.70	4.32	6.36
Max.	38,862	14.00		36.45	8.20	6.70
Min.	19,581	7.00		2.35	0.40	6.10

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Mar-97

(Page 1 of 1)

		O&G		PHENOLS		pH
Permit Requirement		XXXXXXXXXX		XXXXXXXXXX		XXXXXXXXXX
Unit of Measurement		mg/1		lbs.		SU
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	28,856					
2	31,256					
3	21,005					
4	25,487					6.50
5	26,502					
6	22,009					
7	23,349					
8	19,467					
9	22,562					
10	24,565					
11	20,145					
12	22,056	8.00		4.50	0.83	6.40
13	35,045					
14	35,166					
15	26,856					
16	24,865					
17	20,015					
18	26,459					6.20
19	34,006					
20	19,845					
21	18,745	20.00		22.30	3.49	6.10
22	25,540					
23	19,996					
24	20,455					
25	26,647					
26	21,445	12.00		5.10	0.91	6.70
27	29,854					
28	22,497					
29	27,791					
30	24,574					
31	20,104	9.00		11.10	1.86	6.40
Avg.	24,747	12.25		10.75	1.77	6.38
Max.	35,166	20.00		22.30	3.49	6.70
Min.	18,745	8.00		4.50	0.83	6.10

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Feb-97

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G	PHENOLS		pH	
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	35,126					
2	25,621					
3	33,262					
4	22,476					
5	20,651					6.30
6	21,159					
7	25,501					
8	30,549					
9	29,461					
10	22,562					
11	23,798					
12	26,678	13.00		13.95	3.10	6.50
13	30,005					
14	30,658					
15	26,649					
16	27,796					
17	26,498					
18	29,948					
19	22,116					6.70
20	26,548					
21	23,162					
22	31,264					
23	23,369					
24	36,601					
25	28,846					
26	29,946	10.00		6.70	1.67	6.50
27	20,007					
28	30,698					
29						
30						
31						
Avg.	27,177	11.50		10.33	2.39	6.50
Max.	36,601	13.00		13.95	3.10	6.70
Min.	20,007	10.00		6.70	1.67	6.30

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Jan-97

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	39,125					
2	29,874					
3	25,654					
4	25,874					
5	22,699					
6	33,656					
7	35,987					
8	36,258					6.60
9	31,254					
10	32,698					
11	40,154					
12	40,958					
13	30,056					
14	32,549					
15	30,267	9.00		6.15	1.55	6.50
16	33,256					
17	30,214					
18	28,989					
19	29,958					
20	24,578					
21	20,036					
22	30,059					6.20
23	36,622					
24	34,501					
25	32,951					
26	33,627					
27	35,798					
28	35,658					
29	33,654	10.00		0.85	0.24	6.60
30	25,589					
31	24,541					
Avg.	31,519	9.50		3.50	0.90	6.48
Max.	40,958	10.00		6.15	1.55	6.60
Min.	20,036	9.00		0.85	0.24	6.20

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME KERR-MCGEE (COLUMBUS)

ADDRESS P O BOX 906 COLUMBUS

MS 39703

FACILITY KERR-MCGEE (COLUMBUS)

LOCATION COLUMBUS

ATTN: ANTHONY N HELMS PLANT MANAGER

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

PERMIT NUMBER

001 A

DISCHARGE NUMBER

001 A

FROM 97 10 01 TO 97 10 31

(20-21) (22-23) (24-25)

MONITORING PERIOD

YEAR MO DAY

97 10 01

TO 97 10 31

(26-27) (28-29) (30-31)

Form Approved.

OMB No. 2040-0094

Approved: 12/31/98

PREPARED BY (SUBR MC) F - FINAL

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING		UNITS	QUANTITY OR CONCENTRATION		UNITS	NO. EX. ANALYSIS (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)		AVERAGE (46-53)	MAXIMUM (54-61)				
PH										
00400 1 0 0	PERMIT REQUIREMENT	*****	*****		6.04	*****	6.7		1/7	GRAB
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
01 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
02 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
03 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
04 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
05 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
06 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
07 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
08 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
09 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
10 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
11 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
12 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
13 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
14 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
15 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
16 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
17 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
18 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
19 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
20 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
21 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
22 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
23 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
24 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
25 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
26 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
27 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
28 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
29 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
30 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
31 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
32 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
33 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
34 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
35 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
36 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
37 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
38 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
39 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
40 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
41 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
42 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
43 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
44 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
45 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
46 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
47 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
48 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
49 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
50 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
51 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
52 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
53 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
54 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
55 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
56 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
57 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
58 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
59 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
60 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
61 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
62 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
63 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
64 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
65 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
66 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
67 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
68 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
69 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
70 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
71 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
72 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
73 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
74 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
75 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
76 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
77 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
78 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
79 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
80 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
81 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
82 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
83 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
84 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
85 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
86 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
87 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
88 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
89 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
90 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
91 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
92 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
93 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
94 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
95 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
96 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
97 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
98 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB
99 6 GREASE (FACON	PERMIT REQUIREMENT	*****	*****		*****	*****	*****		2/31	GRAB
100 6 GREASE (FACON	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****		2/31	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

R.P. MURPHY/PLT. MGR.

TYPED OR PRINTED

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME KERR-MCGEE (COLUMBUS)
ADDRESS P O BOX 906
COLUMBUS MS 39703

Lowmides

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16)

Form Approved.
OMB No. 2040-0004
Approval expires 05-31-98
12345

FACILITY KERR-MCGEE (COLUMBUS)
LOCATION COLUMBUS
ATTN: ANTHONY N HELMS PLANT MANAGER

MS 39701
MS 39703

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

TO

97

MO

09

30

126-21

126-23

124-26

126-21

126-29

130-31

126-21

126-29

130-31

MS 39701

FROM

97

MO

09

01

SOMB No. 2040-00
Approval expires 05-

— 1 —

NO.	FREQUENCY	S
-----	-----------	---

EX	ANALYSIS
(62-63)	(64-68)

117	Φ
-----	---

EX-106

θ	$2/31$	ca
----------	--------	----

MCNTHE

0	2/31	6x
---	------	----

MCN11

7/7	co
-----	----

[illegible]

[illegible]

--	--	--

[illegible][illegible][illegible]

551	97	4	2
-----	----	---	---

[illegible]

PAGE OF

PAGE OF

OF

Lowlands

Form Approved.

PREHEATED PROFILES
GMB No. 2046-0004H
Approval expires 05-31-98

Approved by 12345
(SUB NC)

—

NO DISCHARGE

NOTE: Read instructions before completing this form.

MAXIMUM LIMITS	EX	ANALYSIS	TYPE
----------------	----	----------	------

17 (12) 1/7 6008

EXTRA

14.0	(19)	2/30	504
------	------	------	-----

MILITARY

36.45 (13) 2/30 CRR

12 OCT 1947
WCAI
FBI/CHICAGO
FBI/CHICAGO

7/7 CAN

[illegible]

.....

100

THE

5

100

601328-755	7105	12
------------	------	----

PAGE 1 OF 1
0004/970128-1111

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME KERR-MCGEE (COLUMBUS)

ADDRESS P O BOX 906 COLUMBUS

MS 39703

FACILITY KERR-MCGEE (COLUMBUS)

LOCATION COLUMBUS

ATTN: ANTHONY N HELMS PLANT MANAGER

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

MS 090021 PERMIT NUMBER

001 A DISCHARGE NUMBER

MONITORING PERIOD

FROM YEAR MO DAY TO YEAR MO DAY

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

12-01-97 02 01 12-21-97 02 28

Form Approved. EPA Form 3320-1 (08-96) Previous editions may be used.

REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.

00002/570128-1111

PAGE 1 OF 1

DATE

12/25/97

TIME

12:30

LOCATION

COLUMBUS

PARAMETER

PH

00400 1 0 0

STUDENT GROSS VALU

8 GREASE (FREON

00560 1 0 0

EFFLUENT GROSS VALU

PHENOLS

46000 1 0 0

EFFLUENT GROSS VALU

FLOW, IN CONDUIT OR

THRU TREATMENT PLANT

50050 1 0 0

EFFLUENT GROSS VALU

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

Approval expires 05-31-98
12345

NO.	FREQUENCY	SAMPLE
-----	-----------	--------

YEAR	MO	DAY
------	----	-----

PAGE OF

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Dec-96

(Page 1 of 1)

		O&G		PHENOLS		pH
Permit Requirement		XXXXXXX	XXXXXXX	XXXXXXX	XXXXXXX	XXXXXXX
Unit of Measurement						
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	40,125					
2	28,899					
3	33,251					
4	26,987					7.00
5	33,147					
6	52,249					
7	34,458					
8	41,225					
9	33,699					
10	36,521					
11	35,078	8.00		6.00	1.76	6.40
12	30,125					
13	32,945					
14	29,978					
15	28,469					
16	30,123					
17	30,892					
18	33,625	8.00		2.35	0.66	6.30
19	33,948					
20	29,977					
21	40,002					
22	38,966					
23	30,256					
24	31,658					
25	32,662					
26	30,779					6.30
27	45,004					
28	29,989					
29	35,621					
30	34,415					
31	29,998	7.00		11.35	2.84	6.30
Avg.	34,035	7.67		6.57	1.75	6.46
Max.	52,249	8.00		11.35	2.84	7.00
Min.	26,987	7.00		2.35	0.66	6.30

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD**KMCC-FPD Facility - Columbus, MS****Month/Year -****Nov-96**

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	48,963					
2	39,952					
3	38,651					
4	41,250					
5	40,123					
6	38,856					6.30
7	39,648					
8	33,784					
9	35,621					
10	39,955					
11	42,158					
12	41,652					
13	40,652	8.00		0.90	0.31	6.70
14	37,748					
15	30,956					
16	29,944					
17	21,158					
18	26,497					
19	39,482					
20	33,654					6.20
21	44,629					
22	40,125					
23	26,649					
24	29,871					
25	33,264					
26	28,950					
27	50,002	7.00		7.50	3.13	6.30
28	40,198					
29	33,566					
30	25,546					
31						
Avg.	36,450	7.50		4.20	1.72	6.38
Max.	50,002	8.00		7.50	3.13	6.70
Min.	21,158	7.00		0.90	0.31	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD**KMCC-FPD Facility - Columbus, MS****Month/Year -****Oct-96**

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G	PHENOLS		pH	
		XXXXXXX	XXXXXXX	XXXXXXX	XXXXXXX	XXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	55,123					
2	39,945	9.00		1.85	0.62	6.30
3	45,236					
4	44,362					
5	41,285					
6	39,625					
7	31,279					
8	33,567					
9	33,265					6.70
10	34,516					
11	50,154					
12	45,963					
13	42,519					
14	46,123					
15	47,156					
16	39,992					6.30
17	35,456					
18	32,687					
19	40,012					
20	42,516					
21	31,297					
22	42,222					
23	36,491	7.00		0.28	0.08	6.50
24	39,152					
25	36,627					
26	41,120					
27	29,954					
28	31,587					
29	30,060					
30	29,985					6.30
31	35,689					
Avg.	38,870	8.00		1.06	0.35	6.42
Max.	55,123	9.00		1.85	0.62	6.70
Min.	29,954	7.00		0.28	0.08	6.30

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD**KMCC-FPD Facility - Columbus, MS****Month/Year -****Sep-96**

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	40,196					
2	29,965					
3	38,254					
4	26,958	9.00		2.37	0.53	6.20
5	36,254					
6	33,211					
7	29,877					
8	26,854					
9	29,723					
10	33,659					
11	34,951					6.50
12	36,254					
13	33,548					
14	35,645					
15	45,266					
16	35,999					
17	26,564					
18	36,469	9.00		1.83	0.56	6.60
19	39,914					
20	46,558					
21	26,654					
22	51,251					
23	39,622					
24	33,624					
25	29,985					6.10
26	22,125					
27	36,958					
28	48,812					
29	36,599					
30	41,220					
31						
Avg.	35,432	9.00		2.10	0.54	6.35
Max.	51,251	9.00		2.37	0.56	6.60
Min.	22,125	9.00		1.83	0.53	6.10

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Aug-96

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXX	XXXXXXX	XXXXXXX	XXXXXXX	XXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	42,185					
2	43,162					
3	39,561					
4	38,125					
5	44,222					
6	56,189					
7	26,578	8.00		0.68	0.15	6.60
8	41,138					
9	18,996					
10	48,125					
11	45,267					
12	39,456					
13	37,751					
14	35,492					6.20
15	46,879					
16	42,513					
17	48,961					
18	47,582					
19	33,360					
20	60,024					
21	33,359	9.00		1.25	0.35	6.50
22	45,784					
23	42,251					
24	42,016					
25	40,029					
26	38,860					
27	39,112					
28	38,856					6.80
29	32,461					
30	37,925					
31	39,964					
Avg.	40,845	8.50		0.96	0.25	6.53
Max.	60,024	9.00		1.25	0.35	6.80
Min.	18,996	8.00		0.68	0.15	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Jul-96

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXX	XXXXXXX	XXXXXXX	XXXXXXX	XXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	43,259					
2	38,625					
3	41,569	8.00		1.55	0.54	6.20
4	26,871					
5	33,698					
6	45,997					
7	51,224					
8	43,066					
9	48,764					
10	29,862					
11	33,564					
12	41,110					6.20
13	36,595					
14	33,881					
15	55,995					
16	54,267					
17	42,515	12.00		1.30	0.46	6.20
18	45,111					
19	60,012					
20	33,789					
21	32,654					
22	32,157					
23	36,259					
24	35,628					6.30
25	33,779					
26	46,128					
27	40,028					
28	39,956					
29	28,449					
30	33,659					
31	29,914					6.70
Avg.	39,625	10.00		1.43	0.50	6.32
Max.	60,012	12.00		1.55	0.54	6.70
Min.	26,871	8.00		1.30	0.46	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

Jun-96

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	43,694					
2	39,723					
3	38,844					
4	65,442					
5	66,984	8.00		1.10	0.61	6.00
6	63,190					
7	55,871					
8	42,044					
9	30,000					
10	65,027					
11	45,456					
12	44,330					6.30
13	44,330					
14	38,020					
15	36,970					
16	40,120					
17	39,410					
18	45,040					
19	45,050	9.00		1.15	0.43	6.30
20	44,477					
21	39,784					
22	48,127					
23	41,298					
24	53,485					
25	32,654					
26	40,255					6.60
27	34,625					
28	38,962					
29	38,421					
30	33,268					
31						
Avg.	44,497	8.50		1.13	0.52	6.30
Max.	66,984	9.00		1.15	0.61	6.60
Min.	30,000	8.00		1.10	0.43	6.00

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

May-96

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXX	XXXXXXX	XXXXXXX	XXXXXXX	XXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	39,963	8.00		1.85	0.62	6.10
2	42,507					
3	40,818					
4	36,120					
5	37,172					
6	35,930					
7	41,944					
8	37,721	8.00		3.45	1.09	6.10
9	47,574					
10	39,973					
11	38,872					
12	34,790					
13	36,405					
14	36,983					
15	39,971					6.50
16	40,126					
17	44,040					
18	40,333					
19	48,226					
20	43,950					
21	44,734					
22	28,150	6.00		1.25	0.29	6.00
23	58,271					
24	46,983					
25	54,622					
26	58,965					
27	53,721					
28	56,512					
29	56,300					6.00
30	51,796					
31	62,775					
Avg.	44,395	7.33		2.18	0.67	6.14
Max.	62,775	8.00		3.45	1.09	6.50
Min.	28,150	6.00		1.25	0.29	6.00

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year - APRIL 1996

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G	PHENOLS		pH	
		XX				
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	35,751					
2	38,284					
3	40,818	21.00		5.15	1.75	6.30
4	43,787					
5	51,979					
6	60,120					
7	48,640					
8	44,883					
9	66,421					
10	55,040					6.40
11	46,877					
12	33,972					
13	30,881					
14	27,479					
15	48,418					
16	54,611					
17	65,690	8.00		3.95	2.16	6.10
18	70,122					
19	71,332					
20	69,980					
21	63,784					
22	67,279					
23	58,552					
24	39,410					6.10
25	44,759					
26	46,905					
27	28,991					
28	29,667					
29	48,418					
30	36,973					
31						
Avg.	48,994	14.50		4.55	1.96	6.23
Max.	71,332	21.00		5.15	2.16	6.40
Min.	27,479	8.00		3.95	1.75	6.10

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS
 Month/Year - MARCH 1996

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	38,963					
2	41,127					
3	50,155					
4	49,966					
5	50,333					
6	68,836	9.00		3.80	2.18	6.30
7	54,320					
8	38,546					
9	41,120					
10	37,633					
11	48,520					
12	44,363					
13	50,140					6.30
14	40,877					
15	37,637					
16	38,855					
17	41,110					
18	42,331					
19	39,971	46.00		2.58	0.86	6.60
20	38,852	6.00		5.18	1.68	6.60
21	39,840					
22	55,696					
23	62,320					
24	61,177					
25	65,500					
26	38,970					
27	39,954					6.40
28	40,900					
29	62,320					
30	46,327					
31	46,327					
Avg.	46,871	20.33		3.85	1.57	6.44
Max.	68,836	46.00		5.18	2.18	6.60
Min.	37,633	6.00		2.58	0.86	6.30

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year - FEBRUARY 1996

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	31,692					
2	63,995					
3	65,871					
4	70,123					
5	68,822					
6	47,877					
7	67,265	9.00		7.46	4.18	6.20
8	69,236					
9	58,961					
10	59,933					
11	61,076					
12	62,933					
13	68,822					
14	38,962					6.40
15	37,721					
16	48,960					
17	45,644					
18	53,696					
19	58,881					
20	61,033					
21	40,004	9.00		6.99	2.33	6.40
22	46,122					
23	45,877					
24	39,970					
25	41,663					
26	39,998					
27	36,430					
28	41,872					6.30
29	44,160					
30						
31						
Avg.	52,331	9.00		7.23	3.26	6.33
Max.	70,123	9.00		7.46	4.18	6.40
Min.	31,692	9.00		6.99	2.33	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year - JANUARY 1996

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	28,150					
2	61,930					
3	64,745					6.40
4	59,397					
5	68,870					
6	72,120					
7	73,513					
8	52,641					
9	70,657					
10	65,871					
11	70,657	7.00		9.69	5.71	6.30
12	71,380					
13	73,710					
14	70,821					
15	74,035					
16	72,121					
17	71,050					6.10
18	73,303					
19	70,122					
20	69,963					
21	69,351					
22	49,544					
23	65,871					
24	51,233	14.00		12.19	5.21	6.20
25	58,670					
26	70,172					
27	59,960					
28	61,172					
29	68,851					
30	69,973					
31	70,122					6.10
Avg.	65,483	10.50		10.94	5.46	6.22
Max.	74,035	14.00		12.19	5.71	6.40
Min.	28,150	7.00		9.69	5.21	6.10

Form Approved.

PRETREATED PROCES QMB No. 2049-9994-R
SUBR NO 999999
E - FINAL
Approval expires 05-31-98
12345

NO DISCHARGE

NOTE: Read instructions before completing this form.

SAMPLE MEASUREMENT	AVERAGE *****	MAXIMUM *****	UNITS	MINIMUM	AVERAGE *****	MAXIMUM	UNITS
PH				6.2		6.7	12 -0.117 GRAB

PERMIT REQUIREMENT						WEEKLY DRS
00400 1 0 0	*****	*****	***	5.0 MINIMUM	*****	7.5 MAXIMUM
CUSTOMER GROSS VALUE						\$U

SAMPLE MEASUREMENT	PERMIT	REPORT	DATE
7.5	8.0	19	2/30

EFFLUENT GROSS VALUE	REQUIREMENT	SAMPLE MEASUREMENT	NO. AVG	NO. MAX	MG/L	MDTH
PHENOLS	1.72	26	4.20	7.50	19	2/30

[illegible][illegible]

PERMIT	GROSS VALUE	REQUIREMENT	SAMPLE
00050 1 0 0	EFLUENT	MD MAX	MGD

[illegible][illegible]

PERMIT REQUIREMENT								
SAMPLE								

SAMPLE	MEASUREMENT				
PERMIT					

[illegible]

R.P. MURPHY / P/LT. MGR.				
OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1318. <i>(Penalties under these statutes may include fines up to \$10,000</i>				
<i>R. P. Murphy</i>				
SIGNATURE OF PRINCIPAL EXECUTIVE				
AREA	601	328-7551	96	12
NUMBER				18
YEAR				
MO				
DAY				

TYPED OR PRINTED <i>and or maximum imprisonment of between 6 months and 6 years.</i>	OFFICER OR AUTHORIZED AGENT	CODE	NUMBER	TEAM	WFO	DATE
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)						

EPA Form 3320-1 (08-95) Previous editions may be used.
(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)
00011/960206-1525
PAGE 1 OF

(REPLACES EPA FORM T-40 WHICH MAY NOT BE USED.)

00011/960206-1525

PAGE 1 OF

لۇۋىن

•

Form Approved.

PRETREATED PROCESSES

SUBR NO 12345
Approval expires 05-31-98

DRB

*** NO DISCHARGE ***
NOTE: Read Instructions before completing this form

CONCENTRATION	NO.	FREQUENCY	SAMPLE
---------------	-----	-----------	--------

MAXIMUM		EX	OF	ANALYSIS	TYPE
UNITS					

[illegible]

6.7	0	1/1	6CAB
-----	---	-----	------

MAXIMUM	51	WEEKLY
---------	----	--------

21	19	0	2/30	GEAR
----	----	---	------	------

59	TRICE/GRAB
----	------------

30 DAY	MG/L	MONTH
1	10	1

5.15	0	2/30	GEAR
------	---	------	------

	TWICE / YEAR	MONTH
78		
NO MAX		
NG/1		

[illegible]

DATE	11/1	Can
TIME		
BY		
FOR		
REMARKS		

[illegible]

100

[illegible][illegible]

Journal of Management Education 34(10) 1131-1144

[illegible]

TELEPHONE		DATE	
-----------	--	------	--

601338-7551 96 05 02

AREA CODE	NUMBER	YEAR	MO	DAY
001	201	10	03	00

100

PAGE 1 OF 1

FACILITY LOCATION ATTN ANTHONY N HELMS PLANT MANAGER
MONITORING PERIOD
FROM 95 01 01 TO 96 01 31
YEAR MO DAY
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)
*** NO DISCHARGE NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	QUANTITY OR LOADING			QUANTITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		(13 Card Only) (46-53)	(14 Card Only) (38-45)	(15-61)	(16-53)	(17-61)	(62-63)			
PH		SAMPLE MEASUREMENT	***	***	UNITS	MINIMUM	AVERAGE	MAXIMUM	12	0 1/7 GRAB
00400 1 0 0 EFFLUENT GROSS VALUE		PERMIT REQUIREMENT	*****	*****	*****	5.0 MINIMUM	*****	*****	SU	WEEKLY GRAB
00560 1 0 0 EFFLUENT GROSS VALUE		SAMPLE MEASUREMENT	*****	*****	*****	*****	10.5	14.0	19	0 2/31 GRAB
00560 1 0 0 EFFLUENT GROSS VALUE		PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT NO AVG	NO MAX	MG/L	TWICE/ MONTH GRAB
00560 1 0 0 EFFLUENT GROSS VALUE		SAMPLE MEASUREMENT	5.46	5.71	26	*****	10.94	12.19	19	0 2/31 GRAB
46000 1 0 0 EFFLUENT GROSS VALUE		PERMIT REQUIREMENT	32.6 NO AVG	48.8 NO MAX	135/DY	*****	52 NO AVG	78 NO MAX	MG/L	TWICE/ MONTH GRAB
THRU TREATMENT PLANT		SAMPLE MEASUREMENT	*****	0.074	03	*****	*****	*****	*****	0 7/7 CONT.
50050 1 0 0 EFFLUENT GROSS VALUE		PERMIT REQUIREMENT	*****	0.075 NO MAX	MGD	*****	*****	*****	*****	DAILY CONTIN.
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								
		SAMPLE MEASUREMENT								
		PERMIT REQUIREMENT								

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

DECEMBER 1995

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	35,123					
2	30,167					
3	34,080					
4	29,558					
5	36,314					
6	37,158	7.00		8.29	2.57	6.60
7	24,491					
8	38,961					
9	35,120					
10	32,045					
11	26,180					
12	34,345					
13	54,893	9.00		6.22	2.85	6.30
14	31,247					
15	31,770					
16	32,820					
17	31,120					
18	60,241					
19	42,788					
20	44,477					6.30
21	35,174					
22	21,133					
23	26,800					
24	29,960					
25	18,335					
26	10,193					
27	44,196	7.00		9.94	3.66	6.80
28	40,255					
29	18,167					
30	21,352					
31	20,190					
Avg.	32,537	7.67		8.15	3.03	6.50
Max.	60,241	9.00		9.94	3.66	6.80
Min.	10,193	7.00		6.22	2.57	6.30

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

NOVEMBER 1995

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	42,506	8.00		5.92	2.10	6.10
2	44,477					
3	35,993					
4	32,627					
5	29,624					
6	22,802					
7	34,625					
8	34,906	8.00		6.39	1.86	6.30
9	35,831					
10	33,695					
11	38,042					
12	30,117					
13	32,854					
14	34,112					
15	37,158					6.20
16	28,995					
17	30,177					
18	29,007					
19	28,081					
20	31,810					
21	33,499					
22	28,122	8.00		6.68	1.57	6.30
23	26,994					
24	30,127					
25	30,055					
26	32,771					
27	33,900					
28	30,001					
29	41,381					6.50
30	17,842					
31	12,560					
Avg.	31,764	8.00		6.33	1.84	6.28
Max.	44,477	8.00		6.68	2.10	6.50
Min.	12,560	8.00		5.92	1.57	6.10

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year - OCTOBER 1995

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	33,105					
2	32,963					
3	35,965					
4	40,122					6.40
5	30,873					
6	29,954					
7	38,841					
8	36,963					
9	32,822					
10	21,137					
11	20,972					6.40
12	31,853					
13	42,222					
14	38,800					
15	32,177					
16	38,853					
17	30,120					
18	29,901	7.00		8.85	2.21	6.40
19	20,300					
20	15,841					
21	16,664					
22	20,001					
23	27,306					
24	24,772					
25	32,091	8.00		9.77	2.61	6.20
26	34,062					
27	30,127					
28	33,826					
29	30,350					
30	26,743					
31	28,960					
Avg.	30,280	7.50		9.31	2.41	6.35
Max.	42,222	8.00		9.77	2.61	6.40
Min.	15,841	7.00		8.85	2.21	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD**KMCC-FPD Facility - Columbus, MS****Month/Year - SEPTEMBER 1995**

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	28,897					
2	30,125					
3	30,376					
4	29,944					
5	20,112					
6	24,654	8.00		5.20	1.07	6.20
7	35,693					
8	34,322					
9	30,600					
10	27,730					
11	34,420					
12	33,347					
13	30,195					6.50
14	30,187					
15	40,124					
16	35,629					
17	28,172					
18	24,412					
19	23,365					
20	24,172	7.00		9.33	1.88	6.50
21	29,900					
22	38,340					
23	36,601					
24	23,325					
25	20,120					
26	34,426					
27	38,847					6.80
28	46,166					
29	32,174					
30	30,021					
31						
Avg.	30,880	7.50		7.27	1.48	6.50
Max.	46,166	8.00		9.33	1.88	6.80
Min.	20,112	7.00		5.20	1.07	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year - AUGUST 1995

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	49,981					
2	41,662	8.00		2.6	0.90	6.50
3	39,873					
4	36,852					
5	30,995					
6	48,873					
7	45,553					
8	45,011					
9	43,070					6.20
10	33,780					
11	35,172					
12	24,831					
13	23,040					
14	28,995					
15	24,491					
16	32,373	9.00		3.31	0.89	6.30
17	33,780					
18	21,842					
19	16,395					
20	15,011					
21	13,124					
22	12,973					
23	15,069					6.20
24	16,011					
25	12,112					
26	13,210					
27	18,932					
28	20,112					
29	30,126					
30	21,095	9.00		4.36	0.77	6.20
31	27,047					
Avg.	28,109	8.67		3.42	0.85	6.28
Max.	49,981	9.00		4.36	0.90	6.50
Min.	12,112	8.00		2.60	0.77	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD**KMCC-FPD Facility - Columbus, MS****Month/Year - JULY 1995**

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXX	XXXXXXXXXX	XXXXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	21,855					
2	31,077					
3	32,944					
4	30,877					
5	57,708	7.00		6.93	3.34	7.20
6	39,692					
7	35,172					
8	38,133					
9	44,081					
10	43,914					
11	40,255					
12	35,188					6.80
13	25,898					
14	39,972					
15	50,172					
16	57,362					
17	16,918					
18	19,987					
19	30,384	10.00		7.26	1.84	6.20
20	31,265					
21	30,992					
22	35,861					
23	30,546					
24	47,011					
25	21,394					
26	19,705	8.00		1.27	0.21	7.40
27	37,440					
28	36,995					
29	38,110					
30	36,088					
31	32,094					
Avg.	35,132	8.33		5.15	1.79	6.90
Max.	57,708	10.00		7.26	3.34	7.40
Min.	16,918	7.00		1.27	0.21	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

JUNE 1995

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G	PHENOLS		pH	
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	32,173					
2	30,826					
3	28,931					
4	26,844					
5	35,188					
6	25,617					
7	46,166	11.00		6.59	2.54	6.20
8	30,185					
9	32,160					
10	33,852					
11	35,545					
12	36,595					
13	41,381					
14	22,802	8.00		5.48	1.04	6.40
15	23,820					
16	18,972					
17	16,841					
18	11,868					
19	11,823					
20	40,818					
21	32,373					6.20
22	33,780					
23	35,831					
24	32,163					
25	36,443					
26	39,973					
27	37,721					
28	44,477					6.90
29	48,418					
30	33,722					
31						
Avg.	31,910	9.50		6.04	1.79	6.43
Max.	48,418	11.00		6.59	2.54	6.90
Min.	11,823	8.00		5.48	1.04	6.20

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD**KMCC-FPD Facility - Columbus, MS****Month/Year - MAY 1995**

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G	PHENOLS		pH	
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	21,957					
2	40,536					
3	30,402	10.00		4.9	1.24	7.00
4	28,432					
5	23,960					
6	28,852					
7	24,973					
8	26,933					
9	33,217					
10	13,512					6.80
11	8,276					
12	28,362					
13	29,944					
14	33,665					
15	38,021					
16	30,069					
17	28,832	8.00		4.46	1.07	6.40
18	26,985					
19	31,072					
20	33,637					
21	41,020					
22	30,321					
23	35,940					
24	28,540					6.90
25	29,620					
26	20,133					
27	28,882					
28	35,961					
29	38,233					
30	29,944					
31	30,010					7.00
Avg.	30,341	9.00		4.68	1.16	6.82
Max.	41,020	10.00		4.90	1.24	7.00
Min.	8,276	8.00		4.46	1.07	6.40

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

APRIL 1995

(Page 1 of 1)

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	27,733					
2	29,352					
3	30,171					
4	27,600					
5	20,952	7.00		1.09	0.19	6.20
6	24,357					
7	30,333					
8	28,562					
9	33,719					
10	42,788					
11	32,654					
12	42,789					6.10
13	31,785					
14	30,326					
15	36,840					
16	34,100					
17	33,879					
18	38,284					
19	35,469	7.00		3.31	0.98	6.40
20	48,973					
21	52,851					
22	49,673					
23	51,857					
24	50,559					
25	39,692					
26	18,861					6.40
27	21,394					
28	33,177					
29	30,852					
30	23,665					
31						
Avg.	34,442	7.00		2.20	0.58	6.28
Max.	52,851	7.00		3.31	0.98	6.40
Min.	18,861	7.00		1.09	0.19	6.10

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS
Month/Year - MARCH 1995

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXX	XXXXXXXXXX	XXXXXXXXXX
DATE	FLOW	mg/l	lbs.	mg/l	lbs.	SU
1	20,996	7.00		7.45	1.30	6.50
2	28,843					
3	18,972					
4	19,365					
5	23,841					
6	21,071					
7	29,726					
8	18,854	6.00		9.68	1.52	6.40
9	17,077					
10	20,395					
11	21,663					
12	35,073					
13	19,944					
14	17,885					
15	18,972					6.40
16	22,837					
17	29,441					
18	31,172					
19	18,976					
20	19,501					
21	20,173					
22	16,930	9.00		6.05	0.85	6.20
23	16,621					
24	20,193					
25	19,333					
26	19,972					
27	20,137					
28	15,231					
29	16,070					6.40
30	18,936					
31	21,792					
Avg.	21,290	7.33		7.73	1.23	6.38
Max.	35,073	9.00		9.68	1.52	6.50
Min.	15,231	6.00		6.05	0.85	6.20

See attached page.

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD**KMCC-FPD Facility - Columbus, MS****Month/Year - February 1995****(Page 1 of 1)**

Permit Requirement		O&G		PHENOLS		pH
Unit of Measurement		XXXXXXXX	XXXXXXXX	XXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	38,566					6.60
2	21,957					
3	28,962					
4	25,331					
5	27,342					
6	24,491					
7	27,869					
8	31,685	13.00		8.97	2.37	6.60
9	33,060					
10	24,961					
11	27,380					
12	30,702					
13	28,995					
14	31,247					
15	46,166					6.20
16	24,163					
17	19,872					
18	26,135					
19	20,472					
20	21,685					
21	29,160	7.00		1.81	0.44	
22	18,733					6.50
23	19,096					
24	28,972					
25	31,084					
26	32,344					
27	30,871					
28	32,962					
29						
30						
31						
Avg.	28,009	10.00		5.39	1.41	6.48
Max.	46,166	13.00		8.97	2.37	6.60
Min.	18,733	7.00		1.81	0.44	6.20

See attached page.

Table No. 2-3

FACILITY DISCHARGE MONITORING RECORD

KMCC-FPD Facility - Columbus, MS

Month/Year -

January 1995

(Page 1 of 1)

Permit Requirement Unit of Measurement		O&G		PHENOLS		pH
		XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX	XXXXXXXX
DATE	FLOW	mg/1	lbs.	mg/1	lbs.	SU
1	36,972					
2	35,851					
3	41,099					
4	34,343	9.00		6.93	1.98	6.30
5	33,981					
6	35,673					
7	31,980					
8	43,339					
9	30,402					
10	33,527					
11	20,240					6.50
12	24,491					
13	23,890					
14	26,721					
15	26,239					
16	34,625					
17	28,995					
18	53,204	9.00		10.13	4.49	6.30
19	42,788					
20	36,192					
21	30,177					
22	29,060					
23	28,713					
24	30,965					
25	33,780					6.20
26	35,892					
27	30,160					
28	28,396					
29	21,812					
30	28,432					
31	30,684					
Avg.	32,343	9.00		8.53	3.24	6.33
Max.	53,204	9.00		10.13	4.49	6.50
Min.	20,240	9.00		6.93	1.98	6.20

Facility Name/Address (include Name and Location if different)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

NAME KERR-MCCOY (COLUMBUS)

MSD090021

001 A

MINOR

For Approval

OMB No. 2040-0004

ADDRESS 20 BOX 906 COLUMBUS MS 39703

FACILITY LOCATION

ATTN: ANTHONY M. KERR, JR. PLANT MANAGER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
95	11	01	95	11	30

PREPARED BY: [Signature] APPROVED BY: [Signature] DATE: 10-31-94

PARAMETER RECEIVED (32-47) (3 Card Only) QUANTITY OR LOADING (54-61) (4 Card Only) QUALITY OR CONCENTRATION (54-61)

PARAMETER	RECEIVED	AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS	NO. EX. ANALYSIS	FREQUENCY OF ANALYSIS	SAMPLE TYPE
PH	00400 1 0 0	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT
EFFLUENT GROSS VALUE	00400 1 0 0	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT
EFFLUENT GROSS VALUE	00560 1 0 0	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT
PHENOLS	46000 1 0 0	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT
EFFLUENT GROSS VALUE	50050 1 0 0	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT
FLOW, IN CONDUIT OR TREATMENT PLANT	50050 1 0 0	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT
EFFLUENT GROSS VALUE	50050 1 0 0	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 USC § 1001 AND 33 USC § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)										
D.O. Harbrouck	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT										
TELEPHONE	DATE										
601 328-7551	95 12 08										

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

Form Approved. OMB No. 2040-0004

NAME: KERR, H.C. (COLLEGE) ADDRESS: BOX 900, COLLEGE, MS. 39703

MSD090021 PERMIT NUMBER

001 A DISCHARGE NUMBER

FACILITY: LOCATION: ATTN: ANTHONY, JAMES PLANT MANAGER

MONITORING PERIOD: YEAR 95, MO 10, DAY 01 TO YEAR 95, MO 10, DAY 31

MINOR (SUBR NO) F - FINAL PREPARED BY: APPROVED BY: DATE: 10-31-94

NOTE: Read instructions before completing this form.

PARAMETER (32-43)	AVERAGE (46-53)	MAXIMUM (54-61)	UNITS	MINIMUM (38-45)	QUALITY OR CONCENTRATION (46-53)			UNITS	NO. EX. ANALYSIS (64-68)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
					AVERAGE (46-53)	MAXIMUM (54-61)	MINIMUM (38-45)				
PH	*****	*****		*****	*****	*****					
00400 1 0 0	*****	*****		*****	*****	*****					
EFFLUENT GROSS VALUE	*****	*****		*****	*****	*****					
GREASE (FROM R-IR METH) TOT, RC	*****	*****		*****	*****	*****					
00560 1 0 0	*****	*****		*****	*****	*****					
EFFLUENT GROSS VALUE	*****	*****		*****	*****	*****					
PHENOLS	*****	*****		*****	*****	*****					
46000 1 0 0	*****	*****		*****	*****	*****					
EFFLUENT GROSS VALUE	*****	*****		*****	*****	*****					
FLOW, IN CONDUIT OR THROUGH TREATMENT PLANT	*****	*****		*****	*****	*****					
50050 1 0 0	*****	*****		*****	*****	*****					
EFFLUENT GROSS VALUE	*****	*****		*****	*****	*****					
SAMPLE MEASUREMENT	2.41	2.61	(26)	*****	9.31	9.77	(19)	0	2/31	GRAB	
PERMIT REQUIREMENT	32.6	48.8	LBS/DY	*****	52	78	MG/L	0	2/31	GRAB	
MO AVG	*****	*****		*****	*****	*****					
NO MAX	*****	*****		*****	*****	*****					
SAMPLE MEASUREMENT	0.042		(03)	*****	*****	*****					
PERMIT REQUIREMENT	*****	*****		*****	*****	*****					
MO MAX	*****	*****		*****	*****	*****					
MGD	*****	*****		*****	*****	*****					
SAMPLE MEASUREMENT	*****	*****		*****	*****	*****					
PERMIT REQUIREMENT	*****	*****		*****	*****	*****					
SAMPLE MEASUREMENT	*****	*****		*****	*****	*****					
PERMIT REQUIREMENT	*****	*****		*****	*****	*****					
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE AND I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 USC § 1001 AND 33 USC § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)										
A.N. HEWIS / PLANT MANAGER	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT										
Q.N. Helms	TELEPHONE: 601 328-7551										
AREA CODE	NUMBER										
YEAR	MO										
DAY											

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

Facility Name/Location if different

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(17-19)

Form Approved.

NAME KOB-ROBERT (COLUMBUS)
ADDRESS 20 BOX 906
COLUMBUS 39703

MSPO90021
PERMIT NUMBER

001 A
DISCHARGE NUMBER

FACILITY LOCATION
ATTN: ANTHONY N. HELMS

MONITORING PERIOD
FROM YEAR MO DAY TO YEAR MO DAY
95 09 01 95 09 30

MINOR (SUBR NOT)
F - FINAL
PRETREATED
Approval expires 10-31-94
Form Approved.
OMB No. 2040-0004

PARAMETER (32-37)
RECEIVED
OCT 14 1995
OCT 14 1995

QUANTITY OR LOADING (54-61)
AVERAGE (34-53)
MAXIMUM (34-61)
UNITS (34-61)

QUALITY OR CONCENTRATION (46-53)
AVERAGE (46-53)
MAXIMUM (54-61)
UNITS (54-61)

PH 00400 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

00400 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

00560 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

00560 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

46000 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

46000 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

50050 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

50050 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

50050 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

50050 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

50050 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

50050 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

50050 1 0 0
REFLUENT GROSS VALUE
PERMIT REQUIREMENT
SAMPLE MEASUREMENT
AVERAGE
MAXIMUM
UNITS
MINIMUM
AVERAGE
MAXIMUM
UNITS
NO. EX. ANALYSIS
FREQUENCY OF ANALYSIS
SAMPLE TYPE

(17-19)

MINOR

Form Approved.

OMB No. 2040-0004

PRETREATED APPROVAL EXPIRES 10-31-94 BOILER

001 A	DISCHARGE NUMBER
-------	------------------

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
95	08	01		95	08	31

(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ☐ ***

NOTE: Read instructions before completing this form

PRETREATED ~~Appliance Expires 10-31-94~~ BOILER

NOTE: Read instructions before completing this form.

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED THEREON, I AM IN A POSITION TO SUBSCRIBE TO THE INFORMATION SUBMITTED HEREON. ON MY OWN, I INQUIRE OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR THE INFORMATION SUBMITTED HEREON, AND BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I BELIEVE THE SUBMITTED INFORMATION IS SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION THAT THERE ARE NO SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION. I BELIEVE THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 18 USC. § 1001 AND 33 USC. § 1319. *(Penalties under these statutes may include fines up to \$10000 and/or maximum imprisonment of between 6 months and 5 years.)*

Signature of Principal Executive Officer or Authorized Agent

Anthony N. Helms

TELEPHONE		DATE		
601	328-7551	95	09	12

Facility Name/Location (if different)

ADDRESS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

MINOR (308R NO) P - FINAL PRETREATED
Approval expires 10-31-94

FORM Approved. OMB No. 2040-0004

NAME

ADDRESS

PERMIT NUMBER

DISCHARGE NUMBER

MINOR

FORM Approved.

OMB No. 2040-0004

COLUMBUS

MS 39703

MS P090021

001 A

MINOR

FORM Approved.

OMB No. 2040-0004

FACILITY

LOCATION

MONITORING PERIOD

DISCHARGE NUMBER

MINOR

FORM Approved.

OMB No. 2040-0004

ATTN: ANTHONY N HELMS

PLANT MANAGER

MONITORING PERIOD

DISCHARGE NUMBER

MINOR

FORM Approved.

OMB No. 2040-0004

FROM YEAR 95 MO 07 DAY 01 TO YEAR 95 MO 07 DAY 31

MONITORING PERIOD

DISCHARGE NUMBER

MINOR

FORM Approved.

OMB No. 2040-0004

PARAMETER (32-37)

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

PH

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

00400 1 0 0

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

EFFLUENT GROSS VALUE

AVERAGE (46-53)

MAXIMUM (54-61)

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

NO. EX. ANALYSIS (64-68)

PAGE 1 OF

1

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

MINOR (SUBR NO) FORM APPROVED, OMB NO. 2040-0004

PRETREATED APPROVAL EXPIRES 10-31-94 BOILER

NAME: KERR-LOGAN (COLUMBUS)
ADDRESS: P.O. BOX 906
COLUMBUS, MS 39703

WSP090021
PERMIT NUMBER

001A
DISCHARGE NUMBER

FACILITY: ANTHONY N HELMS PLANT
LOCATION: MANAGER

MONITORING PERIOD
FROM: YEAR 95 MO 06 DAY 01 TO YEAR 95 MO 06 DAY 30

PARAMETER (32-37)

QUANTITY OR LOADING (34-61)

MONITORING PERIOD

QUALITY OR CONCENTRATION (46-53)

UNIT (54-61)

NO. EX. ANALYSIS (62-63)

FREQUENCY (64-68)

SAMPLE TYPE (69-70)

PH

SAMPLE MEASUREMENT

AVERAGE

MAXIMUM

UNITS

MINIMUM

AVERAGE

MAXIMUM

UNITS

NO. EX. ANALYSIS

SAMPLE TYPE

00400 1 0 0
EFFLUENT GROSS VALUE

PERMIT REQUIREMENT

5.0
MINIMUM

9.5
MAXIMUM

50

1/7

GRAB

00560 1 0 0
EFFLUENT GROSS VALUE

SAMPLE MEASUREMENT

9.5
REPORT NO. AVG

11.00
NO. MAX

(19)

2/30

GRAB

PHENOLS

SAMPLE MEASUREMENT

1.79

2.54

(26)

6.04

6.59

(19)

2/30

GRAB

46000 1 0 0
EFFLUENT GROSS VALUE

PERMIT REQUIREMENT

32.6
NO. AVG

48.8
NO. MAX

48.8
LBS/DY

52
NO. AVG

78
NO. MAX

MG/L

2/30

GRAB

FLOW, IN CONDUIT OR
THRU TREATMENT PLANT

SAMPLE MEASUREMENT

0.048

(03)

30/30

CONT

50050 1 0 0
EFFLUENT GROSS VALUE

PERMIT REQUIREMENT

0.075
NO. MAX

MGD

EFFLUENT GROSS VALUE

SAMPLE MEASUREMENT

EFFLUENT GROSS VALUE

SAMPLE MEASUREMENT

EFFLUENT GROSS VALUE

SAMPLE MEASUREMENT

EFFLUENT GROSS VALUE

SAMPLE MEASUREMENT

EFFLUENT GROSS VALUE

SAMPLE MEASUREMENT

EFFLUENT GROSS VALUE

SAMPLE MEASUREMENT

EFFLUENT GROSS VALUE

SAMPLE MEASUREMENT

EFFLUENT GROSS VALUE

SAMPLE MEASUREMENT

EFFLUENT GROSS VALUE

SAMPLE MEASUREMENT

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME LENN MCGEE (COLLEBUS)
ADDRESS P.O. BOX 908
COLLEBUS
MS. 39703

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(2-16)
MSD090021
PERMIT NUMBER
001 A
DISCHARGE NUMBER
(17-19)

FACILITY
LOCATION
ATTN: ANTHONY N HELMS PLANT MANAGER

FROM
YEAR 95 MO 04 DAY 01
TO YEAR 95 MO 04 DAY 30
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

MONITORING PERIOD
YEAR 95 MO 04 DAY 01
TO YEAR 95 MO 04 DAY 30
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

MINOR (SUBR NO) FORM Approved.
F - FINAL OMB No. 2040-0004
PRETREATED APPROVED BY 10-31-94 BOILER

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)		UNITS	QUALITY OR CONCENTRATION (4 Card Only) (38-45)		AVERAGE (46-53)	MAXIMUM (34-61)	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
			AVERAGE	MAXIMUM		MINIMUM	MAXIMUM						
PH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	PERMIT REQUIREMENT	*****	*****	*****	5.0 MINIMUM	*****	*****	6.4	(12)		1/7	GRAB
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	7.0	(19)		2/30	GRAB
00560 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	7.0	(19)		2/30	GRAB
PHENOLS	SAMPLE MEASUREMENT	PERMIT REQUIREMENT	0.58	0.98	(26)	*****	*****	*****	2.20	3.31		2/30	GRAB
46000 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	PERMIT REQUIREMENT	32.6 MO AVG	48.8 MO MAX	LBS/DY (03)	*****	*****	*****	52	78		7/7	CONT.
THRU TREATMENT PLANT	SAMPLE MEASUREMENT	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****	*****		7/7	CONT.
50050 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****	*****		7/7	CONT.
PERMIT REQUIREMENT	PERMIT REQUIREMENT	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****	*****		7/7	CONT.
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)												
A.N. HELMS	A.N. Helms												
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT												
COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)	TELEPHONE NUMBER DATE												
	601 328-7551 95 05 22												

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME Lowndes
ADDRESS PO BOX 906
COLUMBUS
MS 39703

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
(17-19)

MSDP090021
PERMIT NUMBER

001 A
DISCHARGE NUMBER

FACILITY
LOCATION
ATTN: ANTHONY N HELMS PLANT MANAGER

MONITORING PERIOD
FROM YEAR MO DAY TO YEAR MO DAY
95 03 01 95 03 31
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

MINOR (SUBR NO) Form Approved. OMB NO. 2040-0004
P - FINAL PREPARED Approval expires 10-31-94
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUALITY OR CONCENTRATION (4 Card Only) (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
PH										
00400 1 0 0	SAMPLE MEASUREMENT	*****	*****	*****	6.2	*****	6.5	(12)	1/7	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	5.0 MINIMUM	*****	9.5 MAXIMUM	50	WEEKLY GRAB	
GREASE (FIBER & IR METH) TOT, RC	SAMPLE MEASUREMENT	*****	*****	*****	*****	7.33	9.00	(19)	2/31	GRAB
00560 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT NO AVG	59 NO MAX	MG/L	TWICE/MONTH	
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****	7.73	9.68	(19)	2/31	GRAB
PHENOLS	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****	TWICE/MONTH	
46000 1 0 0	SAMPLE MEASUREMENT	*****	*****	*****	*****	52	78	MG/L	7/7	CONT.
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****	DAILY CONTIN	
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****	*****	
50050 1 0 0	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****	*****	
EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****	*****	
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****	*****	
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****	*****	
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****	*****	
	SAMPLE MEASUREMENT	*****	*****	*****	*****	*****	*****	*****	*****	
	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	*****	*****	*****	
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I HAVE SUBMITTED INFORMATION IS TRUE AND CORRECT. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT SEE 19 USC § 1001 AND 18 USC § 1011. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)									
A.N. HELMS	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT									
TYPED OR PRINTED	TELEPHONE									
	DATE									

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

31-94
BOLLER

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

CONCENTRATION	NO	FREQUENCY	SAMPLE
---------------	----	-----------	--------

MAXIMUM	UNITS	EA	ANALYSIS	...
		(62-63)	(64-68)	(69-)

6.6	117	683
-----	-----	-----

maximu	su	
--------	----	--

13	2/28	60k
13	2/28	60k

NO.	MAX	PG/T	MONTH
1	19		

0111	720	twice/err
78		

NO. MAX	NO. L	NO. A
7/7		

DAILY CON

--	--	--	--	--

--	--	--	--

[illegible]

TELEPHONE		DATE	

2

PRINCIPAL EXECUTIVE AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO
	601	228-1301	12	03

font

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Lowwides

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR) (2-16)

MINOR

NSP090021 PERMIT NUMBER

001 A DISCHARGE NUMBER

(SUBR NO) F - FINAL

Form Approved OMB No. 2040-0004

Approval expires 10-31-94

ADDRESS P.O. BOX 906

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

COLUMBUS

US 39703

COLUMBUS

BOILER

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR) (17-19)

MINOR

Permit Approved.

OMB No. 2040-0004

Approval expires 10-31-94

(2-16)

MSDP090021 PERMIT NUMBER

001 Y DISCHARGE NUMBER

(SUBR NO)

F - FINAL

PROCESS WAS APPROVED

ADDRESS BOX 906 COLUMBUS MS 39703

COLUMBUS

MS 39703

FACILITY

LOCATION

ATTN: ANTHONY N HELMS PLANT MANAGER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
95	01	01	95	12	31

FROM (20-21) (22-23) (24-25) TO (26-27) (28-29) (30-31)

*** NO DISCHARGE *** NOTE: Read instructions before completing this form.

PARAMETER (32-37)

AVERAGE (3 Card Only) (46-53)

QUANTITY OR LOADING (34-61)

UNITS

MINIMUM (38-45)

AVERAGE (46-53)

MAXIMUM (54-61)

UNITS

NO. EX (62-63)

FREQUENCY OF ANALYSIS (64-68)

SAMPLE TYPE (69-70)

ARSENIC, TOTAL (AS AS)

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

0.010

(26)

0.038

0.06

(19)

0

2/365

COMP.

01002 1 0 0

PERMIT REQUIREMENT

1.48

ANNUAL MAX

LBS/DY

REPORT

ANNUAL AVG

2.36

ANNUAL MAX

MG/L

0

01034 1 0 0

PERMIT REQUIREMENT

1.48

ANNUAL MAX

LBS/DY

REPORT

ANNUAL AVG

2.36

ANNUAL MAX

MG/L

0

01042 1 0 0

PERMIT REQUIREMENT

1.85

ANNUAL MAX

LBS/DY

REPORT

ANNUAL AVG

2.95

ANNUAL MAX

MG/L

0

COPPER, TOTAL (AS CU)

SAMPLE MEASUREMENT

0.008

(26)

0.024

0.03

(19)

0

2/365

COMP.

01042 1 0 0

PERMIT REQUIREMENT

1.85

ANNUAL MAX

LBS/DY

REPORT

ANNUAL AVG

2.95

ANNUAL MAX

MG/L

0

PENTACHLOROPHENOL

SAMPLE MEASUREMENT

0.085

0.204

(26)

0.512

1.30

(19)

0

2/365

GRAB

39032 1 0 0

PERMIT REQUIREMENT

0.744

ANNUAL AVG

1.12

ANNUAL MAX

LBS/DY

1.19

ANNUAL AVG

1.79

ANNUAL MAX

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

D.O. YARBROUGH / Pres. Supt.

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC, § 1001 AND 33 USC, § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

601 328-7551

96 1 23

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

COMPOSITE SAMPLES SHOULD CONSIST OF MANUAL GRAB SAMPLES OF EQUAL ALIQUOT VOLUMES TAKEN EVERY FOUR HOURS FOR THE DURATION OF THE DISCHARGE DURING THE 24-HOUR PERIOD.



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

December 18, 1998

RECEIVED
DEC 23 1998
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Kirk Shelton

Dear Mr. Shelton:

Attached, please find the Discharge Monitoring Report for the month of November 1998. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

R.P. Murphey
Plant Manager

Enclosures

RPM/cjs

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

November 24, 1998

RECEIVED
NOV 30 1998
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Kirk Shelton

Dear Mr. Shelton:

Attached, please find the Discharge Monitoring Report for the month of October 1998. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

R.P. Murphey
Plant Manager

Enclosures

RPM/cjs

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

October 24, 1998

RECEIVED
OCT 28 1998
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209


Attention: Kirk Shelton

Dear Mr. Shelton:

Attached, please find the Discharge Monitoring Report for the month of September 1998. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION


R.P. Murphey
Plant Manager

Enclosures

RPM/cjs

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

pretreatment
~~MSD 090021~~
MSP 090021
Lowndes County
Kerr McGEE Forestry Products

September 28, 1998

RECEIVED
OCT - 2 1998
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Kirk Shelton

Dear Mr. Shelton:

Attached, please find the Discharge Monitoring Report for the month of August 1998. If you have any questions please contact me at 601/328-7551.

Sincerely,

**KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION**

R. P. Murphey
R.P. Murphey
Plant Manager

Enclosures

RPM/cjs

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

August 26, 1998

RECEIVED
AUG 31 1998
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Kirk Shelton

Dear Mr. Shelton:

Attached, please find the Discharge Monitoring Report for the month of July 1998. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

R. P. Murphey

R.P. Murphey
Plant Manager

Enclosures

RPM/cjs

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

July 24, 1998

RECEIVED
JUL 27 1998
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Kirk Shelton

Dear Mr. Shelton:

Attached, please find the Discharge Monitoring Report for the month of June 1998. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

R.P. Murphey
Plant Manager

Enclosures

RPM/cjs

cc: N. Bock





MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

James I. Palmer, Jr., Executive Director

July 8, 1998

FILE COPY

Mr. Ron Murphey, Plant Manger
Kerr-McGee Chemical Corporation
P.O. Box 906
Columbus, MS 39703

Dear Mr. Murphey:

Re: Pretreatment Permit No. MSP090021
Lowndes County

Enclosed is a copy of the Compliance Monitoring Inspection Report and analytical laboratory results on samples taken at the Kerr-McGee facility on March 23, 1998. The results of this inspection may be used as a guide for complying with the requirements and limitations as stated by your Pretreatment Permit.

If you have any questions, please contact me at 601-961-5333.

Sincerely,

A handwritten signature in black ink, appearing to read "Kirk A. Shelton".

Kirk A. Shelton
Compliance Division

pc: Mr. David Lee, MDEQ
Mr. Dewitt Spurgeon, MDEQ/NRO



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

June 24, 1998

RECEIVED
JUN 26 1998
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of May 1998. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL LLC
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
JUN - 1 1998
Dept. of Environmental Quality
Office of Pollution Control

May 27, 1998

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of April 1998. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL LLC
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
APR 22 1998
Dept. of Environmental Quality
Office of Pollution Control

April 17, 1998

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of March 1998. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL LLC
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/cjs

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
MAR 30 1998
Dept. of Environmental Quality
Office of Pollution Control

March 24, 1998

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of February 1998. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL LLC
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

James I. Palmer, Jr., Executive Director

Compliance - Timber - Kirk

To: ~~Milton Brumfield~~
From: Dewitt A. Spurgeon, NRO
Date: March 23, 1998

Subject: Compliance Monitoring
Kerr-McGee Chemical
Permit # 90021
Lowndes County

On March 23, 1998, I traveled to Lowndes County, to collect grab samples from the discharge at the above facility. I met with Mr. Charles Swann, Supervisor Of Treating Operations. Mr. Swann accompanied me to the sampling point at his facility and requested that we split samples.

The water I collected my grab samples from was an oily brown color with a slight oil sheen on the surface. I collected grab samples for Cr, Cu, As, Oil & Grease, Phenol and Penta Chlorophenol. The pH of the water I sampled was 7.4 and the flow was .02469 mgd.

I found no problems during this sampling period.

If I can be of further assistance, please advise.

Respectfully,

DAS:das

File
Pre-treatment
Loudens County
RMP 090021



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

February 23, 1998

RECEIVED
MAR - 2 1998
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: ~~Milton Brumfield~~ *WY*

Dear ~~Mr. Brumfield~~:

Attached, please find the Discharge Monitoring Report for the month of January 1998. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL LLC
FOREST PRODUCTS DIVISION

Ron P. Murphey

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
JAN 28 1998
Dept. of Environmental Quality
Office of Pollution Control

January 27, 1998

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

WCB

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of December 1997. Also, please find attached our 1997 annual Discharge Monitoring Report which includes our bi-annual testing. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL LLC
FOREST PRODUCTS DIVISION

Ron P. Murphey
Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-McGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

January 23, 1998

WCB

Milton Brumfield
Industrial Pretreatment Section
Office of Pollution Control
P. O. Box 10385
Jackson, MS 39289-0385

RECEIVED
JAN 28 1998
Dept. of Environmental Quality
Office of Pollution Control

Re: Kerr-McGee Chemical Corporation Name Changed to Kerr-McGee Chemical LLC
(Pretreatment Permit # MSP090021, Lowndes County)

Dear Mr. Brumfield:

This is to advise you that effective January 1, 1998, Kerr-McGee Chemical Corporation was included in an overall corporate reorganization and its name was changed to Kerr-McGee Chemical LLC.

This object of the reorganization is to make Kerr-McGee more competitive in its businesses through a more efficient corporate structure.

Kerr-McGee Chemical LLC operations are managed and directed by the same personnel that previously managed Kerr-McGee Chemical Corporation. Further, Kerr-McGee Chemical LLC continues to be 100% owned by Kerr-McGee Corporation just as Kerr-McGee Chemical Corporation was prior to the reorganization.

The above referenced permit has not been assigned, conveyed nor transferred. However, we are providing you this notification so that you may be prepared as our company letterhead changes over the course of the next year.

Should you have any questions please contact me directly at (601) 328-7551.

Sincerely,

KERR-McGEE CHEMICAL LLC
FOREST PRODUCTS DIVISION

Ronald P. Murphey

Ronald P. Murphey
Plant Manager

RPM/tjj

cc: N. E. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

December 24, 1997

RECEIVED
JAN - 5 1998
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

WBS

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of November 1997. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

D.O. Yarbrough
Production Superintendent

Enclosures

DOY/cjs

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
NOV 24 1997
Dept. of Environmental Quality
Office of Pollution Control

November 21, 1997

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

web

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of October 1997. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ronald P. Murphey

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
OCT 24 1997
Dept. of Environmental Quality
Office of Pollution Control

October 22, 1997

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

MSB

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of September 1997. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron Murphey
Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

September 24, 1997

RECEIVED
OCT - 2 1997
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

WJB

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of August 1997. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ronald A. Murphey

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock



LOWNDES



KERR-McGEE CHEMICAL CORPORATION

P.O. BOX 908 • COLUMBUS, MISSISSIPPI 39703-0908

August 25, 1997

RECEIVED
AUG 27 1997
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of July 1997. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-McGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock



**KERR-MCGEE CHEMICAL CORPORATION**

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

MRB

July 21, 1997

RECEIVED
JUL 24 1997
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of June 1997. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





FILE COPY

STATE OF MISSISSIPPI
DEPARTMENT OF ENVIRONMENTAL QUALITY
JAMES I. PALMER, JR.
EXECUTIVE DIRECTOR

July 8, 1997

Mr. Ron Murphey
Kerr-McGee Chemical Corporation
P.O. Box 906
Columbus, Mississippi 39703

Dear Mr. Murphey:

Re: Pretreatment Permit No. MSP090021
Lowndes County

Enclosed is a copy of the Compliance Evaluation Inspection Report completed as a result of this office's inspection at Kerr-McGee Chemical Corporation on June 24, 1997. The report should be used by you as a guide for complying with requirements and limitations stated in your pretreatment permit.

If you have any questions concerning this matter, please contact us at 961-5171.

Respectfully,

Milton Brumfield
Industrial Pretreatment Section

MB
Enclosures

M E M O R A N D U M

TO: File-Kerr-McGee Chemical Corp. (MSP090021)
FROM: Milton Brumfield
SUBJECT: Compliance Evaluation Inspection (CEI)

On June 24, 1997, I met with Mr. Chuck Swann of Kerr-McGee Chemical Corp. for a compliance evaluation inspection. Mr. Swann accompanied me on an inspection of the facility and grounds. The following were noted:

1. The discharge flow has been decreased because they are not treating as much groundwater as previously.
2. Flow measurement is adequate.
3. In possession of pretreatment permit.
4. DMR's were in order and calculations were correct.
5. Operations appeared sufficient.
6. No problems were noted.



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
JUN 23 1997
Dept. of Environmental Quality
Office of Pollution Control

June 20, 1997

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield *MB*

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of June 1997. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





FILE COPY

STATE OF MISSISSIPPI
DEPARTMENT OF ENVIRONMENTAL QUALITY
JAMES I. PALMER, JR.
EXECUTIVE DIRECTOR

June 20, 1997

Mr. R.P. Murphey
Kerr-McGee Chemical Corporation
P.O. Box 906
Columbus, Mississippi 39703

Dear Mr. Murphey:

Re: Pretreatment Permit No. MSP090021
Compliance Sampling

Enclosed is a copy of the analytical laboratory results on samples taken at Kerr-McGee Chemical Corporation on March 19, 1997. You may use these results in determining your compliance status.

If you have any questions or if we can be of assistance, please advise.

Respectfully,

Milton Brumfield
Industrial Pretreatment Section

MB
Enclosure

LOWNDES



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
MAY 21 1997
Dept. of Environmental Quality
Office of Pollution Control

May 15, 1997

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

WRB

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of April 1997. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

April 14, 1997

RECEIVED
APR 15 1997
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of March 1997. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
MAR 27 1997
Dept. of Environmental Quality
Office of Pollution Control

March 25, 1997

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of February 1997. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





De

STATE OF MISSISSIPPI

DEPARTMENT OF ENVIRONMENTAL QUALITY

JAMES I. PALMER, JR.
EXECUTIVE DIRECTOR

To: Milton Brumfield
From: Dewitt A. Spurgeon, NRO
Date: March 19, 1997

Subject: Compliance Monitoring
Kerr McGee Chemicals
Permit # 90021
Lowndes County

On March 19, 1997, I traveled to Lowndes County, to collect grab samples at the above facility. I met with Mr. Ronald Murphey, Plant Manager. Mr. Murphey accompanied me to their discharge point. I split samples with Mr. Murphey.

The water I sampled at discharge # 001, was clear with a slight odor. I collected grab samples for Cr, Cu, As, Oil & Grease, Phenols and Pentachlorophenol. The pH of the water I sampled was 8.6 and the flow was .00078 mgd.

I found no problems during this sampling period.

If I can be of further assistance, please advise.

Respectfully,

Dewitt A. Spurgeon, Environmental Analyst

DS:ds



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

February 19, 1997

RECEIVED
FEB 21 1997
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

WRB

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of January 1997. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey
Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
JAN 27 1997
Dept. of Environmental Quality
Office of Pollution Control

January 23, 1997

WAB

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of December 1996. Also please find attached our Discharge Monitoring Report for our semi-annual composite samples. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
DEC 23 1996
Dept. of Environmental Quality
Office of Pollution Control

December 18, 1996

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

WRB

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of November 1996. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ronald P. Murphey

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
DEC 10 1996
Dept. of Environmental Quality
Office of Pollution Control

December 6, 1996

WPA

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of October 1996. The monthly maximum gallons per day was left blank in error. Attached is a corrected copy. I apologize for any inconvenience this may have caused you. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ronald P. Murphey

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

November 15, 1996

WJY

RECEIVED
NOV 20 1996
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of October 1996. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

October 28, 1996

RECEIVED
OCT 30 1996
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

In reference to our letter to you dated October 24, 1996, containing the discharge monitoring reports for the Columbus facility. These reports are for the month of September instead of October. If you have any questions, please don't hesitate to call me.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock



WCB

RECEIVED
OCT 28 1996
Dept. of Environmental Quality
Office of Pollution Control

October 24, 1996

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209


Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of October 1996. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION



Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
SEP 26 1996
Dept. of Environmental Quality
Office of Pollution Control

September 24, 1996

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of August 1996. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

August 20, 1996

RECEIVED
AUG 22 1996
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of July 1996. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ron P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock

certified # Z387296691





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

July 22, 1996

RECEIVED

JUL 24 1996

Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of June 1996. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Donnie Yarbrough
Production Superintendent

Enclosures

DOY/tjj

cc: N. Bock



**FOREST
PRODUCTS**



FILE COPY

STATE OF MISSISSIPPI
DEPARTMENT OF ENVIRONMENTAL QUALITY
JAMES I. PALMER, JR.
EXECUTIVE DIRECTOR

June 25, 1996

Mr. R. P. Murphey
Kerr-McGee Chemical Corporation
P.O. Box 906
Columbus, Mississippi 39703

Dear Mr. Murphey:

Re: MSP090021
Compliance Sampling

We are in receipt of your results from the split sample that was taken during our compliance monitoring sampling inspection at Kerr-McGee Chemical Corporation on March 19, 1996. Our laboratory has reconfirmed that their analytical result of 106 mg/L for Oil & Grease is accurate; therefore, we cannot change this number. We will accept your results for the requirements stated in our correspondence dated May 29, 1996 and we will not pursue any further action because of these results.

If you have any questions concerning this matter, please contact us at 961-5171.

Respectfully,

Milton Brumfield
Industrial Pretreatment Section



KERR-McGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
JUN 19 1996
Dept. of Environmental Quality
Office of Pollution Control

June 17, 1996

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of May 1996. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ronald P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

June 7, 1996

RECEIVED
JUN 11 1996
Dept. of Environmental Quality
Office of Pollution Control

Mr. Milton Brumfield
Mississippi Department of Environmental Quality
Office of Pollution Control
Industrial Pretreatment Section
P.O. Box 10385
Jackson, Mississippi 39289-0385

Re: Notice of Violation

Dear Mr. Brumfield:

This letter is reference to the letter received from your office dated May 29, 1996 regarding MSP090021 compliance sampling. In your letter you reported an Oil and Grease sample result of 106 mg/l which exceeded our permit requirement of 59 mg/l. At the time of sampling on March 19, 1996, Chuck Swann, Supervisor of Treating Operations at Kerr McGee, split samples with Cliff Jeter of the MSDEQ. These samples were immediately taken to EnviroLab in Starkville, Mississippi to be analyzed. The Oil and Grease result we received was 46 mg/l. These results are well within our permit requirements of 59 mg/l. Kerr McGee contacted EnviroLab to run a Quality Assurance/ Quality Control check on the above referenced sample. A fluctuation from 46 mg/l to 106 mg/l on a split sample does not seem probable.

Based upon our compliance record over the past 21 months and the split sample results, we do not believe the facility experienced a non-compliance for Oil and Grease on March 19, 1996. Kerr McGee is requesting that the MSDEQ remove the alleged non-compliance from the facilities compliance history.

Should you desire any additional information or have any questions please call me at 601-328-7551. Thank you for your time and consideration.

Sincerely,
KERR MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION



R.P. Murphey
Plant Manager

attachments





FILE COPY

STATE OF MISSISSIPPI
DEPARTMENT OF ENVIRONMENTAL QUALITY
JAMES I. PALMER, JR.
EXECUTIVE DIRECTOR

May 29, 1996

Mr. R. P. Murphey
Kerr-McGee Chemical Corporation
P.O. Box 906
Columbus, Mississippi 39703

Dear Mr. Murphey:

Re: MSP090021
Compliance Sampling

Enclosed is a copy of the analytical laboratory results on samples taken at Kerr-McGee Chemical Corporation on March 19, 1996. These results indicate that the referenced permittee was not in compliance with the effluent limitations of their pretreatment permit for March 19, 1996. The following violation(s) were noted.

<u>Parameter</u>	<u>Permit Requirement</u>	<u>Sample Results</u>
Oil&Grease (Max.)	59 mg/L	106 mg/L

Please advise the office in writing by June 14, 1996 of the probable causes of these violations and any remedial actions taken to assure future compliance with permit conditions. If you have any questions concerning this matter, please contact us at 961-5171.

Respectfully,

Milton Brumfield
Industrial Pretreatment Section

Enclosure

cc: Mr. Paul Zetterholm, OPC (w/enclosure)



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

May 2, 1996

RECEIVED
MAY - 6 1996
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of April 1996. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ronald P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





FILE COPY

STATE OF MISSISSIPPI
DEPARTMENT OF ENVIRONMENTAL QUALITY
JAMES I. PALMER, JR.
EXECUTIVE DIRECTOR

April 25, 1996

Mr. Donnie Yarbrough
Kerr-McGee Chemical Company
P.O. Box 906
Columbus, Mississippi 39701

Dear Mr. Yarbrough:

Re: Permit No. MSP090021
Lowndes County

Enclosed is a copy of the Compliance Evaluation Inspection Report completed as a result of this office's inspection at Kerr-McGee Chemical Company on April 17, 1996. The report should be used by you as a guide for complying with requirements and limitations stated in your pretreatment permit.

If you have any questions concerning this matter, please contact us at 961-5171.

Respectfully,

Milton Brumfield
Industrial Pretreatment Section

Enclosures
cc: Mr. Paul Zetterholm (w/attachment)



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

April 18, 1996

RECEIVED
APR 22 1996
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of March 1996. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Ronald P. Murphey
Plant Manager

Enclosures

RPM/tjj

cc: N. Bock





STATE OF MISSISSIPPI
DEPARTMENT OF ENVIRONMENTAL QUALITY
JAMES I. PALMER, JR.
EXECUTIVE DIRECTOR

To: Milton Brumfield
From: Clift Jeter, NRO
Date: March 19, 1996

Subject: Compliance Monitoring
Kerr McGee #90021
Lowndes County

On March 18,19, 1996, I traveled to the above facility to perform scheduled compliance monitoring. I met with Mr. Jim Swann at the site and he accompanied me on the inspection.

Samples were collected for Cr,Cu,As and Oil & Grease. Also grabs were taken for Phenol and Pentachlorophenol. The pH was 6.85 with a flow of .038mgd. The water was clearish with an oily sheen present. Samples were split with the facility during the inspection. No major problems were noted on these dates.

If I can be of further assistance please call.

RCJ:cj



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
MAR 15 1996
Dept. of Environmental Quality
Office of Pollution Control

March 14, 1996

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of February 1996. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Donnie O. Yarbrough
Production Superintendent

Enclosures

DOY/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

February 22, 1996

RECEIVED
FEB 26 1996
Miss. Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of January 1996. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Donnie O. Yarbrough
Production Superintendent

Enclosures

DOY/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
JAN 24 1996
Dept. of Environmental Quality
Office of Pollution Control

January 23, 1996

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of December 1995. Also attached are the discharge monitoring reports containing the results of our facilities semi annual sampling requirements. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Donnie O. Yarbrough
Production Superintendent

Enclosures

DOY/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
DEC 13 1995
Dept. of Environmental Quality
Office of Pollution Control

December 8, 1995

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of November 1995. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Donnie O. Yarbrough
Production Superintendent

Enclosures

DOY/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

November 28, 1995

RECEIVED
NOV 29 1995
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of October 1995. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Anthony N. Helms
Plant Manager

Enclosures

ANH/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

October 16, 1995

RECEIVED
OCT 19 1995
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of September 1995. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Anthony N. Helms

Anthony N. Helms
Plant Manager

Enclosures

ANH/cjs

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

September 12, 1995

RECEIVED
SEP 14 1995
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of August 1995. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Anthony N. Helms
Plant Manager

Enclosures

ANH/tjj

cc: N. Bock





KERR-McGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
AUG 14 1995
Dept. of Environmental Quality
Office of Pollution Control

August 10, 1995

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of July 1995. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-McGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Anthony N. Helms

Anthony N. Helms
Plant Manager

Enclosures

ANH/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

July 11, 1995

RECEIVED

JUL 13 1995

Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of June 1995. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Anthony N. Helms

Anthony N. Helms
Plant Manager

Enclosures

ANH/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED

JUN 2 1995

Dept. of
Office of Pollution Control

June 20, 1995

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of June 1995. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Anthony N. Helms

Anthony N. Helms
Plant Manager

Enclosures

ANH/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

RECEIVED
MAY 22 1995
Dept. of Environmental Quality
Office of Pollution Control

May 22, 1995

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of May 1995. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Anthony N. Helms

Anthony N. Helms
Plant Manager

Enclosures

ANH/tjj

cc: N. Bock





FILE COPY

STATE OF MISSISSIPPI
DEPARTMENT OF ENVIRONMENTAL QUALITY
JAMES I. PALMER, JR.
EXECUTIVE DIRECTOR

May 3, 1995

Mr. Anthony N. Helms, Plant Manager
Kerr-McGee Chemical Corporation
P. O. Box 906
Columbus, Mississippi 39703

Dear Mr. Helms:

Re: MSP090021
Lowndes County
Compliance Sampling

Enclosed is a copy of the analytical laboratory results on samples taken at Kerr-McGee Chemical Corporation on February 21, 1995. You may use these results in determining your compliance status.

If you have any questions or if we can be of assistance, please advise.

Respectfully,

Milton Brumfield
Industrial Pretreatment Section

MRB:ap
Enclosure
cc: Mr. Paul Zetterholm, OPC (w/enclosure)



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

April 24, 1995

RECEIVED
APR 26 1995
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of March 1995. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Anthony N. Helms

Anthony N. Helms
Plant Manager

Enclosures

ANH/tjj

cc: N. Bock





FILE COPY

STATE OF MISSISSIPPI
DEPARTMENT OF ENVIRONMENTAL QUALITY
JAMES I. PALMER, JR.
EXECUTIVE DIRECTOR

April 10, 1995

Mr. Anthony N. Helms, Plant Manager
Kerr-McGee Chemical Corporation
P. O. Box 906
Columbus, Mississippi 39703

Dear Mr. Helms:

Re: Permit No. MSP090021
Lowndes County

Enclosed is a copy of the Compliance Evaluation Inspection Report completed as a result of this office's inspection at Kerr-McGee Chemical Corporation on April 4, 1995. The report should be used by you as a guide for complying with requirements and limitations stated in your pretreatment permit.

If you have any questions concerning this matter, please contact us at 961-5171.

Respectfully,

Milton Brumfield
Industrial Pretreatment Section

MRB:ap
Enclosures
cc: Mr. Paul Zetterholm (w/attachment)

M E M O R A N D U M

TO: File- (MSP090021) Kerr-McGee Chemical Corp.

FROM: Milton Brumfield

SUBJECT: Compliance Evaluation Inspection (CEI)

On April 4, 1995, I met with Mr. Chuck Swann of Kerr-McGee Chemical Corp. for a compliance evaluation inspection. Mr. Swann accompanied me on an inspection of the facility and grounds. The following were noted:

1. Good record keeping.
2. pH is checked on site by outside lab.
3. No non-compliance discharges were noted.
4. Flow measurement is adequate.
5. In possession of pretreatment permit.
6. DMR's were in order and calculations were correct.
7. Operations appeared sufficient.
8. No problems were noted.



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

March 21, 1995

RECEIVED
MAR 23 1995
Dept. of Environmental Quality
Office of Pollution Control

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of February 1995. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Anthony N. Helms

Anthony N. Helms
Plant Manager

Enclosures

ANH/tjj

cc: N. Bock



WES



DW

STATE OF MISSISSIPPI
DEPARTMENT OF ENVIRONMENTAL QUALITY
JAMES I. PALMER, JR.
EXECUTIVE DIRECTOR

To: Milton Brumfield
From: Dewitt Spurgeon NRO
Date: February 22, 1995
Subject: Compliance Monitoring
Kerr McGee Permit # 90021
Lowndes County

On February 21, 1995, Clift Jeter and I traveled to Lowndes County, to collect grab samples at the above facility and perform a scheduled O/M Inspection. We met with Mr. A. N. Helms, Plant Manager. Mr. Helms accompanied us to the sampling point.

The water we sampled at discharge point # 001, was brown in color with a slight odor. The pH of the water we sampled was 7.9 and the flow was .027306 mgd.

We found no problems during our inspection.

If we can be of further assistance, please advise.

DS:ds



KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906



February 22, 1995

Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of January 1995. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Anthony N. Helms

Anthony N. Helms
Plant Manager

Enclosures

ANH/tjj

cc: N. Bock





KERR-MCGEE CHEMICAL CORPORATION

P.O. BOX 906 • COLUMBUS, MISSISSIPPI 39703-0906

January 17, 1995



Mississippi Department of Natural Resources
Bureau of Pollution Control
P. O. Box 10385
Jackson, MS 39209

Attention: Milton Brumfield

Dear Mr. Brumfield:

Attached, please find the Discharge Monitoring Report for the month of December 1994. If you have any questions please contact me at 601/328-7551.

Sincerely,

KERR-MCGEE CHEMICAL CORPORATION
FOREST PRODUCTS DIVISION

Anthony N. Helms

Anthony N. Helms
Plant Manager


Enclosures

ANH/tjj

cc: N. Bock




**WASTEWATER OIL & GREASE COLUMBUS, MS
FACILITY
FEBRUARY 1997**




■ MG/L

**WASTEWATER PHENOL COLUMBUS, MS FACILITY
FEBRUARY 1997**



■ LBS/DAY


WASTEWATER PH COLUMBUS, MS FACILITY FEBRUARY 1997



■ SU

WASTEWATER PH COLUMBUS, MS FACILITY

FEBRUARY 1996




■ SU

Lower Limit 5 SU
Upper Limit 9.5 SU

WASTEWATER OIL & GREASE COLUMBUS, MS FACILITY

FEBRUARY 1996




■ MG/L

59 mg/l Monthly Maximum

WASTEWATER PHENOL COLUMBUS, MS FACILITY

FEBRUARY 1996




■ LBS/DAY

48.8 lbs. Daily Maximum/32.6 lbs. Monthly Average

WASTEWATER PHENOL COLUMBUS, MS FACILITY

SEPTEMBER 1995




■ LBS/DAY

48.8 lbs. Daily Maximum/32.6 lbs. Monthly Average

WASTEWATER OIL & GREASE COLUMBUS, MS FACILITY

SEPTEMBER 1995




■ MG/L

59 mg/l Monthly Maximum


WASTEWATER PH COLUMBUS, MS FACILITY

SEPTEMBER 1995




WASTEWATER PH COLUMBUS, MS FACILITY

JULY 1995



WASTEWATER OIL & GREASE COLUMBUS, MS FACILITY

JULY 1995




■ MG/L

59 mg/l Monthly Maximum

WASTEWATER PHENOL COLUMBUS, MS FACILITY

JULY 1995



■ LBS/DAY

48.8 lbs. Daily Maximum/32.6 lbs. Monthly Average