

**September 2015
Second Semiannual Sampling
Report
Former Holley Automotive Facility
Water Valley, Mississippi**

Prepared for:

**Coltec, Inc.
Charlotte, North Carolina**


Prepared by:




PROFESSIONAL ENGINEER CERTIFICATION PAGE

I hereby certify that the *September 2015 Second Semiannual Sampling Report for the Former Holley Automotive Facility, Water Valley, Mississippi* was prepared under my direct personal supervision and that I am a duly licensed Professional Engineer under the laws of the State of Mississippi. I have reviewed this document in sufficient depth to accept full responsibility for its contents and to assure code compliance and coordination.

Name: Neil Joseph Brown
License Number: 26367
State: Mississippi
Expiration: December 31, 2016




Neil Joseph Brown

April 18, 2016

Date

1.0 Introduction

On September 14 through 16, 2015, Ecology & Environment, Inc. (E & E) performed the 2015 second semiannual sampling event at the Former Holley Automotive Facility located in Water Valley, Mississippi. This report summarizes the results of the sampling.

2.0 Groundwater Elevations and Groundwater Flow Direction

On September 14, 2015, E & E collected one set of groundwater elevations (see Table 1). Figure 1 shows the potentiometric surface, based on shallow groundwater elevations, recorded on September 14. The aquifer below the site consists of interbedded, discontinuous lenses of sandy and clayey sediments. The potentiometric surface map based on this interpretation is consistent with historical data and indicates that for the majority of the site, groundwater flow is to the north towards Otoucalofa Creek; however, in the area near the former Holley Automotive plant, a westerly component of groundwater flow is present.

As first reported in the September 2008 Sampling Report, two piezometers, PZ-1 and PZ-2, were installed on August 8, 2008, north of Otoucalofa Creek to a depth of 35 feet. These wells were initially intended to help determine the flow direction of groundwater in the area north of Otoucalofa Creek. The data indicated that the creek bottom is at a lower elevation than the groundwater north of the creek. Therefore, groundwater from the northern side of Otoucalofa Creek drains towards the creek rather than away from it. The creek thereby serves as a natural barrier to the migration of the plume farther north of the creek.

3.0 Groundwater Sampling

Twenty-six groundwater samples were collected during the September 2015 semiannual sampling event, which includes one duplicate sample. Groundwater samples were obtained in accordance with United States Environmental Protection Agency (EPA) Region 4 groundwater standard operating procedures. As with all previous events, wells were purged using low-flow sampling techniques to ensure that a representative sample was collected from each monitoring well. Water levels were recorded to reduce well drawdown, and the field parameters of temperature, pH, turbidity, conductivity, dissolved oxygen (DO), and oxidation/reduction potential (ORP) were measured and recorded. Table 2 presents the well purging data for each well that was sampled during the September 2015 semiannual sampling. Groundwater purging and sampling equipment were calibrated prior to use and decontaminated between each sampling location.

After collection, groundwater samples, including trip blanks (for quality assurance and quality control [QA/QC]) were immediately labeled, custody-sealed, and placed on ice for shipment to TestAmerica Laboratories, Inc (TestAmerica). As with our past analytical protocol, the samples were analyzed by TestAmerica for chlorinated organic compounds by EPA Method 8260B.

4.0 Groundwater Analytical Results

Groundwater analytical results for chlorinated organics from the September 2015 sampling are presented in Table 3. Figure 2 illustrates the extent of trichloroethene (TCE) concentrations measured in groundwater at the site. Shallow and deep wells are

presented on one map to illustrate the overall lateral and vertical extent of the TCE plume.

TCE was detected above the maximum concentration level (MCL) value of 5 micrograms per liter ($\mu\text{g/L}$) in the monitoring wells sampled, with exception of the following wells: MW-28S, MW-28D, MW-30S, MW-31S, MW-34, MW-38, MW-45, MW-47, and MW-48. MW-34 (2.1 $\mu\text{g/L}$) and MW-48 (2.4 $\mu\text{g/L}$) were the only wells sampled that had a concentration below the MCL but above the laboratory method detection limit (MDL). The TCE concentrations exceeding the MCL ranged from 6.8 $\mu\text{g/L}$ to 2900 $\mu\text{g/L}$. Five-year trend graphs for the TCE concentration in each monitoring well over time are presented as Attachment A.

TCE was detected in MW-30D for the first time over MCL during this sampling event with a concentration of 6.8 $\mu\text{g/L}$; the previous 3 events detected TCE below the MCL but above the lab MDL. TCE was not detected in this well prior to June 2014.

Concentrations of cis-1,2-dichloroethene (cis-1,2-DCE) were detected at or above the MCL (70 $\mu\text{g/L}$) in six of the wells sampled: MW-22S (180 $\mu\text{g/L}$), MW-22D (83 $\mu\text{g/L}$), MW-27 (220 $\mu\text{g/L}$), MW-37 (74 $\mu\text{g/L}$), MW-41 (71 $\mu\text{g/L}$), and MW-44 (74 $\mu\text{g/L}$).

The September 2015 semiannual sampling event analytical results indicate that the concentrations of 1,1-dichloroethene (1,1-DCE), trans-1,2-dichloroethene (trans-1,2-DCE), and vinyl chloride were detected below MCL values of 7 $\mu\text{g/L}$, 100 $\mu\text{g/L}$, and 2 $\mu\text{g/L}$ respectively. Table 3 provides analytical results for the monitoring wells sampled. TestAmerica laboratory reports are located in Appendix B.

5.0 Groundwater Natural Attenuation Results

A summary of the field-measured parameters collected during the September 2015 semiannual sampling event is provided in Table 2. An evaluation of the field-measured parameters is provided below:

Temperature: Temperature affects the solubility of dissolved gases and other geochemical species. The rate of biodegradation is accelerated in groundwater temperatures greater than 20 degrees Celsius ($^{\circ}\text{C}$). During the September 2015 semiannual sampling event, the sample temperatures ranged from 16.49 $^{\circ}\text{C}$ to 25.29 $^{\circ}\text{C}$.

pH: pH levels affect the presence and activity of microbial populations in groundwater. The optimal pH range for biodegradation is between 5 standard units (SUs) and 9 SUs. During the September 2015 semiannual sampling event, the sample pH values ranged from 4.06 SUs to 5.79 SUs.

Dissolved Oxygen: DO is the most geochemically favored electron acceptor used by microbes for aerobic biodegradation. Anaerobic bacteria become nonfunctional at concentrations that exceed 5 milligrams per liter (mg/L) (or 55% @ 20 $^{\circ}\text{C}$), causing reductive dechlorination to cease. During the September 2015 semiannual sampling event, the DO ranged from 0.1 % to 73.9%.

Oxidation-Reduction Potential: ORP is a measure of the relative tendency of a solution to accept or transfer electrons. ORP levels between 50 millivolts (mV) and -100 (mV) hold potential for reductive dechlorination, and levels between -100 mV and -400 mV are optimal for reductive dechlorination. During the September 2015 semiannual sampling event, the ORP levels ranged from 47.3 mV to 270 mV.

6.0 Surface Water Analytical Results

Three creek water samples, CS-1, CS-2, and CS-3, were collected for laboratory analysis. The samples were collected from the bank of the creek in three locations along Otoucalofa Creek (depicted in Figure 2). It should be noted that the water level in the creek was low (~2ft deep) and flowing slowly. Each creek sample was shown to be non-detect for TCE, cis-1,2-DCE, 1,1-DCE, trans-1,2-DCE, and vinyl chloride.

As seen in Table 3, TCE concentrations in the three creek samples have fluctuated over the last four years. The first detection was made in December of 2010 and since that first detection, concentrations have fluctuated from below MDLs, up to 7.5 µg/L. However, for the four most recent events, June 2014, September 2014, March 2015 and now September 2015, all contaminants of concern have been below the lab MDL and are considered absent during this time frame.

The USEPA Ambient Water Quality Criteria (AWQC) for TCE in water was updated in June 2015 from 2.5 µg/L to 0.6 µg/L. The laboratory reported all results in this associated report to the PQL, which is still 1.0 µg/L. In all future events, the laboratory will report down to the MDL which is below the updated AWQC standard for TCE.

The case narrative completed by Test America reported that all calibration, blanks, and surrogates acceptance criteria were met. Analytical or quality problems observed are detailed in the Case Narrative of the lab pack, provided as Attachment B.

7.0 Conclusions

The size of the identified dissolved TCE plume has remained relatively stable for the past five years. The analytical results of the wells that were installed to monitor plume migration (MW-28S, MW-28D, MW-34, MW-45, MW-47, and MW-48) were below the laboratory MDLs for all constituents with the exception of trace detections (below the MCL) in MW-34 and MW-48 in this event. This indicates that the TCE plume has not migrated with any significance to the east or west as previously speculated, although MW-34 and MW-48 will be closely monitored in future events for any indications of significant plume migration. A review of the past five years of quarterly sampling data indicates that the concentrations of 1,1-DCE, trans-1,2-DCE, and vinyl chloride have continuously been detected below laboratory MDLs for MW-28S, MW-28D, MW-31S, MW-34, MW-38, MW-38S and MW-45.

Though TCE concentrations in several of the monitoring wells sampled exceeded the MCL, the presence of cis-1,2-DCE indicates breakdown of the TCE through anaerobic degradation. Natural attenuation monitoring parameters indicate the aquifer is conducive

for anaerobic degradation; however, the rate of degradation may be limited in a few areas by pH, dissolved oxygen, and ORP.

Creek surface water samples have exhibited concentrations below lab MDLs for the past four samplings. E & E will continue to monitor TCE levels in the creek so that these concentrations remain below the updated AWQC of 0.6 µg/L.

Quarterly groundwater sampling events at the Former Holley Automotive facility have been conducted every quarter since May 2006, with semiannual sampling starting in 2015. An examination of these data and a review of the previously mentioned five-year trend graphs indicate that TCE trends have overwhelmingly been constant but in a few cases have increased slightly (MW-25D, MW-35, MW-46). A small, increasing trend in a few wells can be expected due to the amoebic-like nature of a groundwater plume. These noted trends will continue to be monitored to ensure that significant plume migration is not taking place.

TABLES AND FIGURES

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
MW-10	3/14/2013	9.7	<1.0	2	<1.0	<1.0
MW-11	9/20/2006	300	<10	<10	<10	<10
	12/19/2006	160	<10	<10	<10	<10
	3/27/2007	230	<5.0	<5.0	<5.0	<5.0
	6/20/2007	210	1.1	<1.0	<1.0	<1.0
	9/8/2007	160	<5.0	<5.0	<5.0	<5.0
	12/5/2007	210	1.9	<1.0	<1.0	<1.0
	3/11/2008	740	5.2	<1.0	<1.0	<1.0
	6/16/2008	620	<10	<10	<10	<10
	9/18/2008	260	<10	<10	<10	<10
	12/4/2008	340	<8.6	<8.6	<8.6	<8.6
Dup	12/4/2008	330	<8.6	<8.6	<8.6	<8.6
	3/25/2009	680	<10	<10	<10	<10
	6/16/2009	850	<10	<10	<10	<10
	9/29/2009	260	<10	<10	<10	<10
	12/15/2009	550	<1.0	<1.0	<1.0	<1.0
	3/24/2010	580	11	<1.0	<1.0	<1.0
	7/28/2010	250	<10	<10	<10	<10
	9/22/2010	300	7.9	<5.0	<5.0	<5.0
	12/14/2010	300	11	<5.0	<5.0	<5.0
	3/30/2011	450	11	<5.0	<5.0	<5.0
	6/15/2011	270	<10	<10	<10	<10
	9/21/2011	270	15	<10	<10	<10
	12/28/2011	430	13	<10	<10	<10
	3/21/2012	610	13	<10	<10	<10
	6/20/2012	320	12	<10	<10	<10
	9/26/2012	250	11	<10	<10	<10
	12/19/2012	320	12	<10	<10	<10
	3/13/2013	730	21	<10	<10	<10
	6/28/2013	590	20	<20	<20	<20
	9/25/2013	310	15	<5.0	<5.0	<5.0
	12/18/2013	560	19	<1.0	<1.0	<1.0
	3/18/2014	950	27	<1.0	<1.0	<1.0
	6/24/2014	630	24	<1.0	<1.0	<1.0
	9/8/2014	330	18	<2.0	<2.0	<2.0
	3/24/2015	1600	57	<20.0	<20.0	<20.0
	9/15/2015	330	19	<1.0	<1.0	<1.0
MW-12	3/14/2013	40	<1.0	<1.0	<1.0	<1.0
MW-14	3/14/2013	<1.0	<1.0	<1.0	<1.0	<1.0
MW-15	3/14/2013	3.7	<1.0	<1.0	<1.0	<1.0
MW-16	3/14/2013	7.4	<1.0	<1.0	<1.0	<1.0
MW-22S*	9/19/2006	4300	130	<1.0	16	<100
Dup	9/19/2006	4100	130	<100	<100	<100
	12/19/2006	3300	170	<100	<100	<100

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	3/27/2007	3700	170	<100	<100	<100
	6/20/2007	3200	190	<100	<100	<100
	9/9/2007	2200	160	<100	<100	<100
	12/5/2007	2800	150	<100	<100	<100
	3/11/2008	3300	220	<1.0	<1.0	<1.0
	6/16/2008	4600	290	<50	<50	<50
	9/18/2008	<50	<50	<50	<50	<50
	12/3/2008	<50	<50	<50	<50	<50
	3/25/2009	<50	<50	<50	<50	<50
	6/16/2009	<50	<50	<50	<50	<50
	9/29/2009	<50	<50	<50	<50	<50
	12/15/2009	1200	53	<50	<50	<50
	3/24/2010	1500	78	<50	<50	<50
	7/28/2010	5200	180	<50	<50	<50
	9/22/2010	3200	170	<100	<100	<100
	12/14/2010	3300	220	<100	<100	<100
	3/30/2011	3700	290	<100	<100	<100
	6/15/2011	3000	190	<100	<100	<100
	9/21/2011	2900	220	<50	<50	<50
	12/28/2011	4300	330	<50	<50	<50
	3/21/2012	3200	200	<50	<50	<50
	6/20/2012	2400	170	<50	<50	<50
	9/26/2012	2100	160	<50	<50	<50
	12/19/2012	2800	180	<50	<50	<50
	3/13/2013	2800	180	<50	<50	<50
Dup	3/13/2013	2500	170	<50	<50	<50
	6/28/2013	2100	150	<50	<50	<50
	9/25/2013	2800	220	<50	<50	<50
	12/17/2013	1900	140	<50	<50	<50
	3/18/2014	3600	250	<10	<10	<10
	6/24/2014	2700	160	<10	<10	<10
Dup	6/24/2014	2700	170	<10	<10	<10
Dup	9/8/2014	3100	230	<10	<10	<10
	3/25/2015	2800	190	<50.0	<50.0	<50.0
	9/15/2015	2900	180	<10	<10	<10
MW-22D	9/19/2006	860	60	<25	<25	<25
Dup	9/19/2006	900	59	<25	<25	<25
	12/19/2006	490	58	<25	<25	<25
	3/27/2007	510	49	<25	<25	<25
	6/20/2007	830	100	<25	<25	<25
	9/9/2007	640	84	<25	<25	<25
	12/5/2007	590	75	<25	<25	<25
	3/11/2008	640	82	<1.0	<1.0	<1.0
	6/16/2008	1200	150	<10	<10	<10

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	9/18/2008	1200	130	<10	<10	<10
	12/3/2008	1000	130	<50	<50	<10
	3/25/2009	1900	250	<50	<50	<50
	6/16/2009	820	85	<50	<50	<50
	9/29/2009	640	65	<50	<50	<50
	12/15/2009	730	86	<50	<50	<50
	3/24/2010	700	73	<50	<50	<50
	7/28/2010	650	75	<50	<50	<50
	9/22/2010	910	75	<10	<10	<10
	12/14/2010	690	76	<10	<10	<10
	3/30/2011	940	100	<10	<10	<10
	6/15/2011	820	84	<10	<10	<10
	9/21/2011	940	110	<50	<50	<50
	12/28/2011	1300	120	<50	<50	<50
	3/21/2012	710	65	<50	<50	<50
	6/20/2012	780	80	<10	<10	<10
	9/26/2012	760	75	<10	<10	<10
	12/19/2012	880	79	<10	<10	<10
	3/13/2013	590	60	<10	<10	<10
	6/28/2013	640	72	<10	<10	<10
	9/25/2013	660	70	<10	<10	<10
	12/17/2013	730	73	<10	<10	<10
	3/18/2014	830	86	<1.0	<1.0	<1.0
	6/24/2014	650	67	<1.0	<1.0	<1.0
	9/8/2014	780	90	<2.0	<2.0	<2.0
	3/25/2015	690	72	<10.0	<10.0	<10.0
	9/15/2015	890	83	<10.0	<10.0	<10.0
MW-25D	9/19/2006	91	<1.0	<1.0	<1.0	<1.0
	12/19/2006	71	1	<1.0	<1.0	<1.0
	3/27/2007	89	5.3	<1.0	<1.05	<1.0
	6/20/2007	93	1.1	<1.0	<1.0	<1.0
	9/9/2007	72	1.4	<1.0	<1.0	<1.0
	12/5/2007	93	1.3	<1.0	<1.0	<1.0
	3/11/2008	65	2.1	<1.0	<1.0	<1.0
	6/16/2008	130	2.6	<1.0	<1.0	<1.0
	9/17/2008	120	<5.0	<1.0	<1.0	<1.0
	12/3/2008	110	<5.0	<5.0	<5.0	<5.0
	3/24/2009	140	<5.0	<5.0	<5.0	<5.0
	6/16/2009	100	<5.0	<5.0	<5.0	<5.0
	9/29/2009	140	<5.0	<5.0	<5.0	<5.0
	12/15/2009	94	<5.0	<5.0	<5.0	<5.0
	3/24/2010	110	<5.0	<5.0	<5.0	<5.0
	7/28/2010	150	<5.0	<5.0	<5.0	<5.0
	9/22/2010	160	<5.0	<5.0	<5.0	<5.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	12/14/2010	140	<5.0	<5.0	<5.0	<5.0
	3/30/2011	150	6.7	<5.0	<5.0	<5.0
	6/15/2011	160	5.3	<5.0	<5.0	<5.0
	9/21/2011	180	10	<5.0	<5.0	<5.0
	12/28/2011	210	10	<5.0	<5.0	<5.0
	3/21/2012	170	7.3	<5.0	<5.0	<5.0
	6/19/2012	170	9.4	<5.0	<5.0	<5.0
	9/26/2012	170	9.4	<5.0	<5.0	<5.0
	12/19/2012	190	12	<5.0	<5.0	<5.0
Dup	12/19/2012	190	11	<5.0	<5.0	<5.0
	3/13/2013	180	11	<5.0	<5.0	<5.0
	6/28/2013	180	12	<5.0	<5.0	<5.0
	9/25/2013	220	16	<1.0	<1.0	<1.0
	12/17/2013	210	15	<10	<10	<10
Dup	12/17/2013	220	16	<10	<10	<10
	3/18/2014	320	19	<1.0	<1.0	<1.0
	6/24/2014	250	20	<1.0	<1.0	<1.0
	9/8/2014	270	24	<1.0	<1.0	<1.0
	3/24/2015	350	27	<2.0	<2.0	<2.0
	9/15/2015	330	28	<1.0	<1.0	<1.0
MW-27*	9/20/2006	660	320	<25	<25	<25
	12/19/2006	220	140	<10	<10	<10
	3/27/2007	700	490	<10	14	<10
	6/21/2007	520	440	<10	16	14
	9/9/2007	550	250	<10	<10	<10
	12/5/2007	350	190	<10	<10	<10
	3/12/2008	1200	190	1.7	3.7	1.6
	6/16/2008	1300	340	<20	<20	<20
	9/18/2008	1100	290	<20	<20	<20
	12/4/2008	1200	200	<17	<17	<17
	3/25/2009	940	380	<50	<50	<50
	6/16/2009	740	260	<50	<50	<50
	9/29/2009	640	100	<50	<50	<50
	12/16/2009	590	64	<50	<50	<50
	3/24/2010	600	170	<50	<50	<50
	7/28/2010	870	170	<50	<50	<50
	9/22/2010	750	170	<20	<20	<20
	12/14/2010	410	37	<20	<20	<20
	3/30/2011	450	83	<1.0	2.1	1.8
	6/16/2011	900	170	1.5	4.1	1.3
	9/21/2011	760	120	<50	<50	<50
	12/28/2011	1200	130	<50	<50	<50
	3/21/2012	720	160	<50	<50	<50
	6/20/2012	740	160	<20	<20	<20

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	9/26/2012	650	140	<20	<20	<20
	12/19/2012	810	110	<20	<20	<20
	3/13/2013	470	130	<20	<20	<20
	6/28/2013	750	310	<20	<20	<20
	9/25/2013	1000	200	<20	<20	<20
	12/17/2013	850	100	<20	<20	<20
	3/18/2014	1000	200	3.0	9.7	<2.0
Dup	3/18/2014	940	190	3.1	9.7	2.0
	6/24/2014	950	190	2.9	10	<2.0
	9/9/2014	1200	250	<2.0	9.9	<2.0
	3/24/2015	720	130	<10.0	<10.0	<10.0
	9/15/2015	1100	220	2.9	11	<2.0
MW-28S*	9/19/2006	<1.0	<1.0	<1.0	<1.0	<1.0
	12/18/2006	1.2	<1.0	<1.0	<1.0	<1.0
	3/27/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	6/19/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	12/4/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	3/10/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	12/3/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	9/29/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	12/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	7/27/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	9/21/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	12/13/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	3/29/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/15/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	9/20/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	12/27/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	3/20/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	6/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	9/26/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	12/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	3/13/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	6/28/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	9/25/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	6/24/2014	<1.0	<1.0	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	9/8/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2015	<1.0	<1.0	<1.0	<1.0	<1.0
	9/15/2015	<1.0	<1.0	<1.0	<1.0	<1.0
Dup	9/15/2015	<1.0	<1.0	<1.0	<1.0	<1.0
MW-28D	9/19/2006	5.5	<1.0	<1.0	<1.0	<1.0
	12/18/2006	<1.0	<1.0	<1.0	<1.0	<1.0
	3/26/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	6/19/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	12/4/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	3/10/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	9/17/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	12/3/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	6/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	9/29/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	12/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	7/27/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	9/21/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	3/29/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/15/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	9/20/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	12/27/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	3/21/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	6/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	9/26/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	12/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	3/13/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	6/28/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	9/25/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	6/24/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2014	<1.	<1.0	<1.0	<1.0	<1.0
	3/23/2015	<1.0	<1.0	<1.0	<1.0	<1.0
	9/15/2015	<1.0	<1.0	,1.0	<1.0	<1.0
MW-30S*	9/18/2006	<1.0	<1.0	<1.0	<1.0	<1.0
	12/18/2006	<1.0	<1.0	<1.0	<1.0	<1.0
	3/26/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	12/4/2007	<1.0	<1.0	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	3/10/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	9/16/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	12/2/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	6/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	9/28/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	7/27/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	9/21/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	12/13/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	3/29/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/14/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	9/20/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	12/27/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	3/20/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	6/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	9/26/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	12/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	3/12/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	6/28/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	9/25/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	6/24/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2015	<1.0	<1.0	<1.0	<1.0	<1.0
Dup	3/23/2015	<1.0	<1.0	<1.0	<1.0	<1.0
	9/14/2015	<1.0	<1.0	<1.0	<1.0	<1.0
MW-30D	9/18/2006	<1.0	<1.0	<1.0	<1.0	<1.0
	12/18/2006	<1.0	<1.0	<1.0	<1.0	<1.0
	3/26/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	12/4/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	3/10/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	9/16/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	12/2/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	6/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	9/28/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2010	<1.0	<1.0	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	7/27/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	9/21/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	12/13/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	3/29/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/14/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	9/20/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	12/27/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	3/20/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	6/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	9/26/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	12/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	3/12/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	6/28/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	9/25/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	6/24/2014	1.2	<1.0	<1.0	<1.0	<1.0
	9/8/2014	2.1	<1.0	<1.0	<1.0	<1.0
	3/23/2015	3.1	<1.0	<1.0	<1.0	<1.0
	9/14/2015	6.8	<1.0	<1.0	<1.0	<1.0
MW-31S*	9/18/2006	<1.0	<1.0	<1.0	<1.0	<1.0
	12/18/2006	<1.0	<1.0	<1.0	<1.0	<1.0
	3/26/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	6/19/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	12/4/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	3/10/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	9/16/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	12/3/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	6/15/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	9/28/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	7/27/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	9/21/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	12/13/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	3/29/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/14/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	9/20/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	12/27/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	3/20/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	6/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	9/26/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	12/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	3/12/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	6/28/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	9/25/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2015	<1.0	<1.0	<1.0	<1.0	<1.0
	9/15/2015	<1.0	<1.0	<1.0	<1.0	<1.0
MW-31D	9/18/2006	1.3	<1.0	<1.0	<1.0	<1.0
	12/18/2006	1.3	<1.0	<1.0	<1.0	<1.0
	3/26/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	6/19/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	12/4/2007	1.1	<1.0	<1.0	<1.0	<1.0
	3/10/2008	3.6	<1.0	<1.0	<1.0	<1.0
	6/16/2008	5.9	<1.0	<1.0	<1.0	<1.0
	9/16/2008	5.5	<1.0	<1.0	<1.0	<1.0
	12/3/2008	6.3	<1.0	<1.0	<1.0	<1.0
	3/24/2009	7.9	1.2	<1.0	<1.0	<1.0
	6/15/2009	8.8	1.3	<1.0	<1.0	<1.0
	9/29/2009	14	2.3	<1.0	<1.0	<1.0
	12/14/2009	12	2.5	<1.0	<1.0	<1.0
	3/23/2010	18	3.4	<1.0	<1.0	<1.0
	7/27/2010	24	5.2	<1.0	<1.0	<1.0
	9/21/2010	38	8.4	<1.0	<1.0	<1.0
	12/13/2010	43	6.8	<1.0	<1.0	<1.0
	3/29/2011	38	7.9	<1.0	<1.0	<1.0
	6/14/2011	31	5.8	<1.0	<1.0	<1.0
	9/20/2011	42	7.6	<1.0	<1.0	<1.0
	12/27/2011	75	16	<1.0	<1.0	<1.0
	3/20/2012	31	7.2	<1.0	<1.0	<1.0
	6/19/2012	38	9.1	<1.0	<1.0	<1.0
	9/26/2012	58	13	<1.0	<1.0	<1.0
	12/19/2012	72	14	<1.0	<1.0	<1.0
	3/12/2013	60	12	<1.0	<1.0	<1.0
	6/28/2013	39	10	<1.0	<1.0	<1.0
	9/25/2013	62	14	<1.0	<1.0	<1.0
	12/16/2013	92	19	<1.0	<1.0	<1.0
	3/18/2014	95	14	<1.0	<1.0	<1.0
	3/23/2015	58	13	<1.0	<1.0	<1.0
	9/15/2015	86	20	<1.0	<1.0	<1.0
MW-34	9/19/2006	90	4.4	<1.0	<1.0	<1.0
	12/19/2006	19	<1.0	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
Dup	12/19/2006	19	<1.0	<1.0	<1.0	<1.0
	3/27/2007	7.6	<1.0	<1.0	<1.0	<1.0
	6/19/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	12/5/2007	22	1.1	<1.0	<1.0	<1.0
	3/11/2008	48	1.3	<1.0	<1.0	<1.0
	6/16/2008	44	1.6	<1.0	<1.0	<1.0
	9/17/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	9/18/2008	<1.0	<1.1	<1.0	<1.0	<1.0
	3/24/2009	<1.0	<1.2	<1.0	<1.0	<1.0
	6/16/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	9/29/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	12/15/2009	1.6	<1.0	<1.0	<1.0	<1.0
	3/24/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	7/27/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	9/22/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	3/30/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/15/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	9/21/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	12/28/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	3/21/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	6/20/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	9/26/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	12/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	3/14/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	6/28/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	9/25/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	6/24/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	9/8/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	3/23/2015	<1.0	<1.0	<1.0	<1.0	<1.0
	9/16/2015	2.1	<1.0	<1.0	<1.0	<1.0
MW-35*	9/18/2006	27	<1.0	<1.0	<1.0	<1.0
	12/18/2006	14	<1.0	<1.0	<1.0	<1.0
	3/26/2007	23	<1.0	<1.0	<1.0	<1.1
	6/19/2007	22	<1.0	<1.0	<1.0	<1.0
	9/8/2007	24	<1.0	<1.0	<1.0	<1.0
	12/4/2007	25	<1.0	<1.0	<1.0	<1.0
	3/10/2008	28	<1.0	<1.0	<1.0	<1.0
	6/16/2008	63	<1.0	<1.0	<1.0	<1.0
	9/16/2008	56	<1.0	<1.0	<1.0	<1.0
	12/2/2008	59	<1.0	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	3/24/2009	74	<1.0	<1.0	<1.0	<1.0
	6/15/2009	70	<1.0	<1.0	<1.0	<1.0
	9/28/2009	83	<1.0	<1.0	<1.0	<1.0
	12/14/2009	78	<5.0	<5.0	<5.0	<5.0
	3/23/2010	89	<1.0	<1.0	<1.0	<1.0
	7/27/2010	58	<1.0	<1.0	<1.0	<1.0
	9/21/2010	84	<2.0	<2.0	<2.0	<2.0
	12/13/2010	88	<1.0	<1.0	<1.0	<1.0
	3/29/2011	130	<2.0	<2.0	<2.0	<2.0
	6/14/2011	98	<2.0	<2.0	<2.0	<2.0
	9/20/2011	230	3	<2.0	<2.0	<2.0
	12/27/2011	330	<10	<10	<10	<10
	3/20/2012	170	<10	<10	<10	<10
	6/19/2012	220	<5.0	<5.0	<5.0	<5.0
	9/26/2012	170	<5.0	<5.0	<5.0	<5.0
	12/19/2012	310	4.2	<5.0	<5.0	<5.0
	3/12/2013	290	<5.0	>5.0	>5.0	>5.0
	6/28/2013	260	<10	<10	<10	<10
	9/25/2013	240	4.7	<1.0	<1.0	<1.0
	12/26/2013	260	5.2	<1.0	<1.0	<1.0
	3/18/2014	320	4.3	<1.0	<1.0	<1.0
	6/24/2014	240	4.6	<1.0	<1.0	<1.0
	9/8/2014	310	6.1	<1.0	<1.0	<1.0
	3/23/2015	230	4.4	<2.0	<2.0	<2.0
Dup	3/23/2015	230	4.3	<2.0	<2.0	<2.0
	9/14/2015	270	5.4	<1.0	<1.0	<1.0
MW-37*	9/20/2006	880	60	<50	<50	<50
	12/19/2006	490	59	<20	<20	<20
	3/27/2007	440	44	<20	<20	<20
	6/21/2007	580	62	<20	<20	<20
	9/8/2007	680	74	<20	<20	<20
	12/5/2007	810	79	<20	<20	<20
	3/12/2008	940	96	<1.0	<1.0	<1.0
	6/16/2008	1100	110	<20	<20	<20
	9/18/2008	590	60	<20	<20	<20
	12/4/2008	890	99	<17	<17	<17
	3/25/2009	460	41	<10	<10	<10
	6/17/2009	820	89	<10	<10	<10
	9/29/2009	600	55	<10	<10	<10
	12/16/2009	590	59	<10	<10	<10
	3/24/2010	720	63	<10	<10	<10
	7/28/2010	690	64	<10	<10	<10
	9/22/2010	740	69	<10	<10	<10
	12/14/2010	760	79	<10	<10	<10

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	3/30/2011	980	100	<10	<10	<10
	6/16/2011	900	100	<10	<10	<10
	9/21/2011	720	66	<10	<10	<10
	12/28/2011	890	100	<10	<10	<10
Dup	12/28/2011	840	91	<10	<10	<10
	3/21/2012	830	88	<10	<10	<10
	6/20/2012	590	64	<20	<20	<20
	9/26/2012	500	50	<20	<20	<20
	12/19/2012	670	69	<20	<20	<20
	3/13/2013	960	100	<20	<20	<20
	6/28/2013	660	78	<20	<20	<20
	9/25/2013	720	83	<20	<20	<20
	12/17/2013	620	66	<20	<20	<20
	3/18/2014	790	99	<2.0	2.0	<2.0
	6/25/2014	650	78	<2.0	<2.0	<2.0
	9/9/2014	700	87	<2.0	<2.0	<2.0
DUP	9/9/2014	700	86	<2.0	<2.0	<2.0
	3/24/2015	790	88	<10.0	<10.0	<10.0
	9/15/2015	720	74	<2.0	<2.0	<2.0
MW-38	9/20/2006	1.8	<1.0	<1.0	<1.0	<1.0
	12/19/2006	9.1	<10	<1.0	<1.0	<1.0
	3/27/2007	6.2	1	<1.0	<1.0	<1.0
	6/20/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2007	12	1	<1.0	<1.0	<1.0
	12/6/2007	9.1	<1.0	<1.0	<1.0	<1.0
	3/12/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2008	16	<1.0	<1.0	<1.0	<1.0
	9/17/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	12/4/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	3/26/2009	25	<1.0	<1.0	<1.0	<1.0
	6/17/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	9/30/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2009	NA	NA	NA	NA	NA
	3/24/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	7/28/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	9/22/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	12/14/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	3/30/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/15/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	9/21/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	12/28/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	3/21/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	6/20/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	9/26/2012	<1.0	<1.0	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	12/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	3/13/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	6/28/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	9/25/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	12/17/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	6/24/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2015	<1.0	<1.0	<1.0	<1.0	<1.0
	9/16/2015	<1.0	<1.0	<1.0	<1.0	<1.0
MW-38S*	9/20/2006	35	1.5	<1.0	<1.0	<1.0
	12/19/2006	16	<1.0	<1.0	<1.0	<1.0
	3/27/2007	15	1.6	<1.0	<1.0	<1.0
	6/20/2007	14	<1.0	<1.0	<1.0	<1.0
	9/9/2007	30	1.8	<1.0	<1.0	<1.0
Dup	9/9/2007	32	1.8	<1.0	<1.0	<1.0
	12/6/2007	13	<1.0	<1.0	<1.0	<1.0
	3/12/2008	5.4	<1.0	<1.0	<1.0	<1.0
	6/16/2008	20	1.1	<1.0	<1.0	<1.0
	9/16/2008	2.7	1.1	<1.0	<1.0	<1.0
	12/4/2008	3.4	<1.0	<1.0	<1.0	<1.0
	3/26/2009	84	<1.0	<1.0	<1.0	<1.0
	6/17/2009	3.5	<1.0	<1.0	<1.0	<1.0
	9/30/2009	4.5	<1.0	<1.0	<1.0	<1.0
	12/16/2009	2.7	<1.0	<1.0	<1.0	<1.0
	3/24/2010	2.8	<1.0	<1.0	<1.0	<1.0
	7/28/2010	15	<1.0	<1.0	<1.0	<1.0
	9/22/2010	10	<1.0	<1.0	<1.0	<1.0
	12/14/2010	2.2	<1.0	<1.0	<1.0	<1.0
	3/30/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/15/2011	4.7	<1.0	<1.0	<1.0	<1.0
	9/21/2011	6.1	<1.0	<1.0	<1.0	<1.0
	12/28/2011	3.7	<1.0	<1.0	<1.0	<1.0
	3/21/2012	3.4	<1.0	<1.0	<1.0	<1.0
	6/20/2012	9.6	<1.0	<1.0	<1.0	<1.0
	9/26/2012	2.5	<1.0	<1.0	<1.0	<1.0
	12/19/2012	1.2	<1.0	<1.0	<1.0	<1.0
	3/13/2013	1.7	<1.0	<1.0	<1.0	<1.0
	6/28/2013	9.6	<1.0	<1.0	<1.0	<1.0
	9/25/2013	14	<1.0	<1.0	<1.0	<1.0
	12/17/2013	2.6	<1.0	<1.0	<1.0	<1.0
	3/18/2014	3.9	<1.0	<1.0	<1.0	<1.0
	6/24/2014	7.5	<1.0	<1.0	<1.0	<1.0
	9/9/2014	12	<1.0	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL (µg/L)	5	70	7	100	2
	AWQC (µg/L)**	0.6	-	300	100	0.022
	3/24/2015	1.1	<1.0	<1.0	<1.0	<1.0
	9/16/2015	7.4	<1.0	<1.0	<1.0	<1.0
MW-41	12/19/2006	170	17	<10	<10	<10
	3/27/2007	250	16	<5	<5	<5
	3/27/2007	240	16	<5	<5	<5
Dup	6/20/2007	240	25	<1.0	<1.0	<1.0
	9/8/2007	200	20	<5.0	<5.0	<5.0
	12/4/2007	240	21	<5.0	<5.0	<5.0
	3/11/2008	250	35	<1.0	<1.0	<1.0
	6/16/2008	400	44	<1.0	<1.0	<1.0
	9/17/2008	460	38	<1.0	<1.0	<1.0
	12/3/2008	450	43	<10	<10	<10
	3/24/2009	620	75	<10	<10	<10
	6/16/2009	520	39	<10	<10	<10
	9/29/2009	390	34	<1.0	<1.0	<1.0
	12/15/2009	400	37	<10	<10	<10
	3/24/2010	390	33	<10	<10	<10
	7/28/2010	490	47	<10	<10	<10
	9/22/2010	570	64	<10	<10	<10
	12/14/2010	480	46	<20	<20	<20
	3/30/2011	600	61	<20	<20	<20
	6/15/2011	500	46	<20	<20	<20
	9/21/2011	560	51	<10	<10	<10
	12/28/2011	720	83	<20	<20	<20
	3/21/2012	550	51	<20	<20	<20
	6/19/2012	480	53	<20	<20	<20
	9/26/2012	450	45	<20	<20	<20
	12/19/2012	550	57	<20	<20	<20
	3/3/2013	540	57	<20	<20	<20
	6/28/2013	530	57	<10	<10	<10
	9/25/2013	630	65	<20	<20	<20
	12/17/2013	540	58	<10	<10	<10
	3/18/2014	1000	82	<1.0	<1.0	<1.0
	6/24/2014	540	55	<1.0	<1.0	<1.0
	9/8/2014	590	70	<2.0	<2.0	<2.0
	3/24/2015	620	66	<10.0	<10.0	<10.0
	9/15/2015	680	71	<1.0	2.8	<1.0
MW-43	6/20/2012	600	<10	<10	<10	<10
MW-44	9/20/2006	400	<10	<10	<10	<10
	12/20/2006	370	<10	<10	<10	<10
	12/20/2006	350	<10	<10	<10	<10
Dup	3/28/2007	350	<10	<10	<10	<10
	6/20/2007	510	<10	<10	<10	<10
	9/9/2007	410	<10	<10	<10	<10

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	12/6/2007	690	<10	<10	<10	<10
	3/11/2008	1000	<1.0	<1.0	<1.0	<1.0
	6/16/2008	1100	<20	<20	<20	<20
	9/18/2008	1000	<20	<20	<20	<20
	12/4/2008	1400	<17	<17	<17	<17
	3/26/2009	2100	<50	<50	<50	<50
	6/17/2009	2100	<50	<50	<50	<50
	9/30/2009	2200	<50	<50	<50	<50
	12/16/2009	3500	<50	<50	<50	<50
	3/24/2010	2600	<50	<50	<50	<50
	7/28/2010	2800	<50	<50	<50	<50
	9/22/2010	2100	<50	<50	<50	<50
	12/15/2010	2700	<50	<50	<50	<50
	3/30/2011	3200	<50	<50	<50	<50
	6/16/2011	3400	<50	<50	<50	<50
	9/21/2011	3000	<50	<50	<50	<50
	12/29/2011	4300	<50	<50	<50	<50
	3/21/2012	3500	<50	<50	<50	<50
Dup	3/21/2012	3300	<50	<50	<50	<50
	6/20/2012	3500	<500	<500	<500	<500
	6/20/2012	2700	<50	<50	<50	<50
	9/26/2012	3100	<100	<100	<100	<100
Dup	9/26/2012	3100	<100	<100	<100	<100
	12/19/2012	3500	<100	<100	<100	<100
	3/13/2013	3000	<100	<100	<100	<100
	6/28/2013	3300	<100	<100	<100	<100
	9/25/2013	3200	<100	<100	<100	<100
	12/17/2013	3300	<100	<100	<100	<100
	3/18/2014	3100	68	<10	<10	<10
	6/24/2014	2300	75	<1.0	<1.0	<1.0
	9/9/2014	2700	86	<5.0	<5.0	<5.0
	3/24/2015	2500	74	<50.0	<50.0	<50.0
	9/16/2015	2800	74	<10	<10	<10
MW-45	12/20/2006	9.1	<1.0	<1.0	<1.0	<1.0
	3/28/2007	9.6	<1.0	<1.0	<1.0	<1.0
	6/20/2007	6.5	<1.0	<1.0	<1.0	<1.0
	9/9/2007	14	<1.0	<1.0	<1.0	<1.0
	12/6/2007	18	<1.0	<1.0	<1.0	<1.0
	3/12/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2008	31	<1.0	<1.0	<1.0	<1.0
	9/17/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	12/4/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	3/25/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	6/17/2009	<1.0	<1.0	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	9/30/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	7/28/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	9/22/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	12/15/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	3/31/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/15/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	9/21/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	12/29/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	3/21/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	6/20/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	9/26/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	12/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	3/13/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	6/28/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	9/25/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	12/18/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	6/24/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2015	NS	NS	NS	NS	NS
	9/16/2015	<1.0	<1.0	<1.0	<1.0	<1.0
MW-46	9/21/2006	36	<1.0	<1.0	<1.0	<1.0
Dup	12/20/2006	32	<1.0	<1.0	<1.0	<1.0
	3/28/2007	49	<1.0	<1.0	<1.0	<1.0
	6/20/2007	39	<1.0	<1.0	<1.0	<1.0
	9/9/2007	39	<1.0	<1.0	<1.0	<1.0
	12/6/2007	36	<1.0	<1.0	<1.0	<1.0
	3/12/2008	64	<1.0	<1.0	<1.0	<1.0
	6/16/2008	63	1.4	<1.0	<1.0	<1.0
	9/17/2008	30	17	<1.0	<1.0	<1.0
	12/4/2008	40	13	<1.0	<1.0	<1.0
	3/25/2009	63	4.2	<1.0	<1.0	<1.0
	6/17/2009	50	7.7	<1.0	<1.0	<1.0
	9/30/2009	69	8.0	<1.0	<1.0	<1.0
	12/16/2009	64	2.2	<1.0	<1.0	<1.0
	3/24/2010	25	<1.0	<1.0	<1.0	<1.0
	7/28/2010	68	4.5	<1.0	<1.0	<1.0
	9/22/2010	87	5	<1.0	<1.0	<1.0
	12/15/2010	75	5	<1.0	<1.0	<1.0
	3/31/2011	3	<1.0	<1.0	<1.0	<1.0
	6/16/2011	55	2.6	<1.0	<1.0	<1.0
	9/21/2011	44	2.8	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	12/29/2011	14	1.6	<1.0	<1.0	<1.0
	3/21/2012	59	3.1	<1.0	<1.0	<1.0
	6/20/2012	86	8.8	<1.0	<1.0	<1.0
	9/26/2012	88	18	<1.0	<1.0	<1.0
	12/19/2012	96	16	<1.0	<1.0	<1.0
	3/13/2013	25	3.4	<1.0	<1.0	<1.0
	6/28/2013	62	30	<1.0	<1.0	<1.0
	9/25/2013	74	54	<1.0	<1.0	<1.0
	12/18/2013	78	31	<1.0	<1.0	<1.0
	3/18/2014	110	18	<1.0	<1.0	<1.0
	6/24/2014	130	13	<1.0	<1.0	<1.0
	9/9/2014	190	12	<1.0	<1.0	<1.0
	3/24/2015	NS	NS	NS	NS	NS
	9/16/2015	210	11	<1.0	<1.0	<1.0
MW-47*	3/18/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	6/24/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2015	<1.0	<1.0	<1.0	<1.0	<1.0
	9/16/2015	<1.0	<1.0	<1.0	<1.0	<1.0
MW-48*	3/18/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	6/24/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2014	1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2015	<1.0	<1.0	<1.0	<1.0	<1.0
	9/16/2015	2.4	<1.0	<1.0	<1.0	<1.0
CS-1	6/20/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	12/6/2007	1.2	<1.0	<1.0	<1.0	<1.0
	3/12/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	9/18/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	12/4/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	3/25/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	6/17/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	9/30/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	7/28/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	9/22/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	12/15/2010	4.1	<1.0	<1.0	<1.0	<4.1
	3/31/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2011	3.1	<1.0	<1.0	<1.0	<1.0
	9/21/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	12/28/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	3/21/2012	2.3	<1.0	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
	6/20/2012	1.0	<1.0	<1.0	<1.0	<1.0
	9/26/2012	5.8	<1.0	<1.0	<1.0	<1.0
	12/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	3/12/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	6/28/2013	2.9	<1.0	<1.0	<1.0	<1.0
	9/25/2013	2.1	<1.0	<1.0	<1.0	<1.0
	12/17/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2014	5.3	<1.0	<1.0	<1.0	<1.0
	6/24/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	3/25/2015	<1.0	<1.0	<1.0	<1.0	<1.0
	9/16/2015	<1.0	<1.0	<1.0	<1.0	<1.0
CS-2	6/20/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	12/6/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	3/12/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	9/18/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	12/4/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	3/25/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	6/17/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	9/30/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	7/28/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	9/22/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	12/15/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	3/31/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2011	4.5	<1.0	<1.0	<1.0	<1.0
	9/21/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	12/28/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	3/21/2012	2.4	<1.0	<1.0	<1.0	<1.0
	6/20/2012	2.9	<1.0	<1.0	<1.0	<1.0
	9/26/2012	4.8	<1.0	<1.0	<1.0	<1.0
	12/19/2012	<1.0	<1.0	<1.0	<1.0	<1.0
	3/12/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	6/28/2013	2.9	<1.0	<1.0	<1.0	<1.0
	9/25/2013	2.9	1.2	<1.0	<1.0	<1.0
	12/17/2013	1.1	<1.0	<1.0	<1.0	<1.0
	3/18/2014	4.9	<1.0	<1.0	<1.0	<1.0
	6/24/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	3/25/2015	<1.0	<1.0	<1.0	<1.0	<1.0
	9/16/2015	<1.0	<1.0	<1.0	<1.0	<1.0

GROUNDWATER ANALYTICAL RESULTS SUMMARY FOR CHLORINATED ORGANICS
WATER VALLEY, MISSISSIPPI

Well No.	Date	Trichloroethene	cis-1,2-Dichloroethene	1,1-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
	MCL ($\mu\text{g/L}$)	5	70	7	100	2
	AWQC ($\mu\text{g/L}$)**	0.6	-	300	100	0.022
CS-3	6/20/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	12/6/2007	<1.0	<1.0	<1.0	<1.0	<1.0
	3/12/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	9/18/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	12/4/2008	<1.0	<1.0	<1.0	<1.0	<1.0
	3/25/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	6/17/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	9/30/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	12/16/2009	<1.0	<1.0	<1.0	<1.0	<1.0
	3/24/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	7/28/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	9/22/2010	<1.0	<1.0	<1.0	<1.0	<1.0
	12/15/2010	2.8	<1.0	<1.0	<1.0	<2.8
	3/31/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	6/16/2011	4.9	<1.0	<1.0	<1.0	<1.0
	9/21/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	12/28/2011	<1.0	<1.0	<1.0	<1.0	<1.0
	3/21/2012	2.3	<1.0	<1.0	<1.0	<1.0
	6/20/2012	3.5	<1.0	<1.0	<1.0	<1.0
	9/26/2012	5.5	<1.0	<1.0	<1.0	<1.0
	12/19/2012	1	<1.0	<1.0	<1.0	<1.0
	3/12/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	6/28/2013	2.7	<1.0	<1.0	<1.0	<1.0
	9/25/2013	1.5	<1.0	<1.0	<1.0	<1.0
	12/17/2013	<1.0	<1.0	<1.0	<1.0	<1.0
	3/18/2014	7.5	<1.0	<1.0	<1.0	<1.0
	6/24/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	9/9/2014	<1.0	<1.0	<1.0	<1.0	<1.0
	3/25/2015	<1.0	<1.0	<1.0	2.8	<1.0
	9/16/2015	<1.0	<1.0	<1.0	<1.0	<1.0
RW-2	3/14/2013	91	6.6	<1.0	<1.0	<1.0
RW-3	3/14/2013	1.2	<1.0	<1.0	<1.0	<1.0

Note: All results in micrograms per liter ($\mu\text{g/L}$)

**= AWQC changed June 2015. Prior to June 2015 update: (in ug/L)

TCE 2.5

cis-1,2-DCE none

trans-1,2-DCE 140

1,1-DCE 330

VC 0.025

Key:

Dup = Duplicate sample results

NA = Not analyzed

Above Maximum

Bold = Contaminant Level (MCL)

Laboratory Reporting

Italic = Limit above MCL

• = Shallow wells

CS = Creek Sample

Water Valley, Mississippi September 14-16, 2015							
Well		Temp	Conductivity	Dissolved oxygen		Turbidity	Volume Purged
Number	Time	(°C)	(µS/cm)	(%)	pH (Sus)	ORP (mV)	(NTUs)
MW-11	1420	19.67	0.05	10.93	5.28	188.00	1.75
	1425	19.46	0.05	10.90	5.10	178.40	1.97
	1430	19.53	0.05	10.88	5.12	173.40	1.64
	1435	Samples collected					
MW-22S	1310	19.82	0.06	10.95	5.12	170.10	10.10
	1315	19.56	0.06	10.91	4.61	189.80	4.14
	1320	19.34	0.06	10.74	4.51	197.00	2.35
	1325	19.38	0.06	10.86	4.58	192.00	1.86
MW-22D	1330	Samples collected					
	1335	19.69	0.04	10.91	4.68	186.00	1.12
	1340	19.40	0.04	10.87	4.46	201.10	1.10
	1345	19.21	0.04	11.14	4.50	200.30	0.64
MW-25D	1350	19.18	0.04	10.81	4.49	200.60	0.58
	1355	Samples collected					
	1125	19.66	0.05	10.97	5.10	189.70	9.86
	1130	19.45	0.05	10.94	4.71	206.90	5.21
MW-27	1135	19.38	0.05	10.87	4.65	207.20	3.52
	1140	19.31	0.05	10.84	4.69	204.40	2.12
	1140	Samples collected					
	1455	23.34	0.30	11.73	5.46	158.40	140.00
MW-28S	1505	23.20	0.28	11.23	5.64	148.00	38.40
	1510	23.07	0.26	11.68	5.35	157.10	17.80
	1515	22.97	0.20	11.67	5.26	157.40	7.60
	1520	Samples collected					
MW-28D	930	19.58	0.16	12.25	5.71	93.70	62.40
	935	19.54	0.16	10.91	5.57	93.50	34.20
	940	19.41	0.15	10.48	5.57	85.90	19.30
	945	19.37	0.16	11.11	5.58	76.40	18.60
MW-30D	950	19.42	0.16	10.77	5.63	62.50	16.00
	955	Samples collected					
	1015	18.72	0.16	10.48	5.53	59.40	42.30
	1020	18.67	0.16	10.77	5.54	53.00	17.60
MW-30S	1025	18.64	0.16	10.45	5.60	46.30	8.81
	1030	18.65	0.16	10.00	5.50	47.30	7.43
	1035	Samples collected					
	1335	17.88	0.06	10.54	4.11	152.90	4.57
MW-30S	1340	17369.00	0.06	10.48	4.05	150.90	2.94
	1345	17.53	0.06	10.45	4.13	144.70	1.87
	1400	17.52	0.06	10.51	4.36	127.80	0.98
	1400	Samples collected-Field Dup/MS/MSD on this site					
MW-30S	1415	18.79	0.04	10.22	4.59	104.00	10.10
	1420	18.70	0.03	11.00	4.22	125.90	10.00
	1425	18.76	0.03	11.25	4.35	118.60	8.65
	1430	18.77	0.03	10.67	4.37	116.70	9.22
	1440	Samples collected					

Water Valley, Mississippi September 14-16, 2015							
Well		Temp	Conductivity	Dissolved oxygen		Turbidity	Volume Purged
Number	Time	(°C)	(µS/cm)	(%)	pH (Sus)	ORP (mV)	(NTUs)
MW-31S	840	17.42	0.49	10.36	5.21	95.80	12.20
	845	17.46	0.13	10.34	6.30	95.00	10.30
	850	17.49	0.14	10.55	5.41	87.80	11.00
	855	17.42	0.13	10.18	5.41	86.70	9.30
	855	Samples collected					
MW-31D	800	16.41	0.18	10.40	5.75	65.40	1.59
	805	16.49	0.18	10.24	5.81	60.70	1.83
	810	16.50	0.17	9.76	5.81	51.00	1.72
	815	16.49	0.18	9.53	5.79	53.00	1.69
MW-34	825	Samples collected					
	810	19.37	0.04	10.88	3.86	285.20	2.00
	815	19.31	0.04	10.85	4.01	275.80	2.38
	820	19.30	0.04	10.79	4.10	269.20	0.93
	825	19.21	0.04	10.83	4.06	271.00	0.63
MW-35	825	Samples collected					
	1505	20.32	0.06	11.58	4.62	119.70	30.20
	1510	20.42	0.06	10.77	4.50	114.20	13.20
	1515	20.31	0.07	10.77	4.68	97.70	6.48
	1520	20.34	0.07	10.71	4.73	90.70	5.23
MW-37	1525	Samples collected, FD					
	1530	26.15	0.18	12.39	5.60	163.70	1.22
	1535	25.86	0.18	12.30	5.53	167.20	1.88
	1540	25.48	0.19	12.15	5.30	169.40	3.26
	1545	25.29	0.19	11.91	5.01	173.50	2.21
MW-38S	1550	Samples collected					
	850	19.93	0.13	11.02	5.13	223.90	28.60
	855	20.00	0.13	10.98	5.42	242.00	18.50
	900	19.98	0.13	10.97	4.57	242.60	13.10
	905	19.84	0.13	10.99	4.50	241.20	11.80
MW-38	910	19.89	0.13	10.89	4.56	231.60	9.10
	915	Samples collected					
	920	20.70	0.05	11.24	5.20	180.30	61.80
	925	20.65	0.05	11.22	5.07	184.30	34.80
	930	20.72	0.05	11.16	4.88	181.40	18.20
MW-41	935	20.67	0.05	11.21	4.98	177.60	18.80
	940	20.61	0.05	11.33	4.97	176.30	17.20
	945	Samples collected					
	1055	20.07	0.04	11.03	4.87	164.90	4.23
	1100	19.97	0.04	11.01	4.47	195.40	2.92
MW-44	1105	19.91	0.04	10.67	4.43	205.30	2.14
	1110	19.95	0.04	11.01	4.47	206.00	2.22
	1115	Samples collected					
	1005	19.02	0.05	10.82	4.29	288.80	7.42
	1010	18.89	0.05	10.73	4.20	231.90	3.31
MW-45	1015	18.80	0.05	10.75	4.33	226.30	1.99
	1020	18.81	0.05	10.74	4.36	225.00	2.03
	1025	Samples collected					
	1115	19.12	0.04	10.18	4.87	194.90	21.10
	1120	19.01	0.03	10.77	4.34	223.30	7.04

Water Valley, Mississippi

September 14-16, 2015

September 11, 2010							
Well		Temp	Conductivity	Dissolved oxygen		Turbidity	Volume Purged
Number	Time	(°C)	(µS/cm)	(%)	pH (Sus)	ORP (mV)	(NTUs)
	1125	19.01	0.04	10.77	4.37	223.40	2.06
	1130	18.94	0.03	10.76	4.45	220.60	1.76
	1135	Samples collected					
MW-46	1345	18.20	0.14	10.86	5.47	227.60	25.30
	1350	17.92	0.13	10.42	5.14	244.50	17.10
	1355	17.94	0.13	10.63	5.23	223.60	18.60
	1400	18.00	0.13	10.55	5.28	215.20	18.60
	1405	Samples collected, FD					
MW-47	1045	18.83	0.04	10.76	4.76	207.20	82.10
	1050	18.72	0.04	10.71	4.55	209.30	22.40
	1055	18.73	0.04	10.71	4.54	214.90	17.30
	1100	18.69	0.04	10.78	4.58	209.90	8.31
	1105	Samples collected					
MW-48	1305	19.49	0.07	10.97	4.84	235.40	8.37
	1310	19.34	0.66	10.86	4.77	238.00	4.41
	1315	19.22	0.07	10.82	4.74	228.00	4.56
	1320	19.09	0.07	10.79	4.72	227.00	3.81
	1325	Samples collected					

Water Valley, Mississippi

WELL ID	MW-11	MW-12	MW-15	MW-16	MW-22S	MW-22D	MW-23D	MW-24	MW-25S	MW-25D	MW-27
WELL DEPTH FROM TOC	43.60	40.94	43.37	19.23	29.24	46.80	42.77	21.70	37.43	45.94	31.91
TOC ELEVATION	279.99	277.24	276.27	277.12	282.46	282.61	276.15	275.96	286.92	286.74	286.87

DATE	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV			
9/18/2006	270.88	9.11	266.22	11.02	268.50	7.77	266.94	10.18	273.32	9.14	274.73	7.88	264.25	11.90	268.22	7.74	270.57	16.35	270.58	16.16	277.73	9.14
12/18/2006	272.29	7.70	269.48	7.76	271.97	4.30	270.62	6.50	274.30	8.16	275.63	6.98	265.53	10.62	270.26	5.70	271.28	15.64	271.21	15.53	278.23	8.64
3/27/2007	272.00	7.99	267.17	10.07	270.59	5.68	268.96	8.16	274.31	8.15	275.59	7.02	260.94	15.21	--	--	271.45	15.47	271.45	15.29	278.31	8.56
6/19/2007	271.51	8.48	267.13	10.11	270.26	6.01	268.48	8.64	273.78	8.68	275.11	7.50	261.46	14.69	272.22	3.74	270.79	16.13	270.80	15.94	277.86	9.01
9/7/2007	270.84	9.15	266.47	10.77	268.73	7.54	267.36	9.76	273.16	9.30	274.43	8.18	263.65	12.50	271.50	4.46	270.68	16.24	270.32	16.42	277.41	9.46
12/7/2007	271.89	8.10	269.22	8.02	271.96	4.31	270.59	6.53	273.83	8.63	275.15	7.46	264.01	12.14	273.28	2.68	270.72	16.20	270.69	16.05	277.66	9.21
3/10/2008	272.85	7.14	270.27	6.97	272.41	3.86	271.19	5.93	274.71	7.75	275.90	6.71	265.70	10.45	274.51	1.45	271.88	15.04	271.63	15.11	278.33	8.54
6/16/2008	272.23	7.76	269.00	8.24	270.87	5.40	269.75	7.37	274.32	8.14	275.55	7.06	266.05	10.10	273.42	2.54	271.52	15.40	271.52	15.22	278.25	8.62
9/16/2008	274.88	5.11	267.98	9.26	271.16	5.11	268.82	8.30	273.52	8.94	274.84	7.77	265.01	11.14	272.47	3.49	270.64	16.28	270.64	16.10	278.56	8.31
12/2/2008	275.26	4.73	269.32	7.92	271.85	4.42	270.35	6.77	273.81	8.65	275.11	7.50	265.72	10.43	273.34	2.62	270.82	16.10	270.68	16.06	277.69	9.18
3/23/2009	276.32	3.67	270.21	7.03	271.99	4.28	270.91	6.21	274.70	7.76	275.84	6.77	267.22	8.93	274.33	1.63	271.72	15.20	271.69	15.05	278.34	8.53
6/15/2009	276.48	3.51	270.32	6.92	272.53	3.74	271.04	6.08	274.96	7.50	276.13	6.48	267.35	8.80	274.66	1.30	272.22	14.70	271.97	14.77	278.66	8.21
9/28/2009	275.85	4.14	270.87	6.37	272.69	3.58	271.76	5.36	274.49	7.97	275.76	6.85	267.30	8.85	274.48	1.48	271.44	15.48	271.21	15.53	278.16	8.71
12/14/2009	276.71	3.28	271.22	6.02	273.08	3.19	271.75	5.37	275.11	7.35	276.29	6.32	268.09	8.06	275.23	0.73	272.24	14.68	272.02	14.72	278.72	8.15
3/23/2010	276.83	3.16	270.93	6.31	272.74	3.53	271.52	5.60	275.45	7.01	276.59	6.02	269.85	6.30	275.23	0.73	272.56	14.36	272.39	14.35	279.11	7.76
7/27/2010	274.79	5.20	267.22	10.02	269.14	7.13	267.80	9.32	273.72	8.74	275.08	7.53	264.61	11.54	272.12	3.84	270.94	15.98	270.97	15.77	278.02	8.85
9/21/2010	0.00	0.00	267.64	9.60	268.77	7.50	267.43	9.69	273.16	9.30	274.36	8.25	263.93	12.22	271.54	4.42	270.42	16.50	270.44	16.30	277.53	9.34
12/13/2010	275.00	4.99	269.12	8.12	271.63	4.64	270.10	7.02	273.74	8.72	275.10	7.51	265.44	10.71	273.09	2.87	270.60	16.32	270.62	16.12	277.77	9.10
3/29/2011	276.15	3.84	271.16	6.08	272.89	3.38	271.79	5.33	274.77	7.69	275.92	6.69	267.91	8.24	274.93	1.03	271.76	15.16	271.60	15.14	278.34	8.53
6/14/2011	275.10	4.89	268.46	8.78	270.35	5.92	268.95	8.17	273.85	8.61	275.07	7.54	265.47	10.68	272.85	3.11	271.02	15.90	271.03	15.71	277.81	9.06
9/20/2011	274.45	5.54	267.65	9.59	270.39	5.88	268.37	8.75	273.16	9.30	274.49	8.12	264.53	11.62	272.28	3.68	270.18	16.74	270.19	16.55	276.94	9.93
12/27/2011	275.31	4.68	270.98	6.26	273.16	3.11	271.69	5.43	274.35	8.11	275.57	7.04	268.13	8.02	274.77	1.19	271.20	15.72	270.83	15.91	277.94	8.93
3/20/2012	276.05	3.94	270.02	7.22	271.79	4.48	270.77	6.35	274.49	7.97	275.63	6.98	267.10	9.05	274.25	1.71	271.38	15.54	271.57	15.17	278.04	8.83
6/19/2012	274.54	5.45	267.75	9.49	269.64	6.63	268.47	8.65	273.24	9.22	274.51	8.10	266.60	9.55	272.24	3.72	270.29	16.63	270.12	16.62	277.20	9.67
9/26/2012	274.09	5.90	266.98	10.26	269.16	7.11	267.80	9.32	272.75	9.71	274.09	8.52	264.16	11.99	271.66	4.30	270.01	16.91	270.03	16.71	276.82	10.05
12/18/2012	274.96	5.03	269.55	7.69	272.07	4.20	270.65	6.47	273.68	8.78	274.93	7.68	265.91	10.24	273.50	2.46	270.68	16.24	270.61	16.13	277.36	9.51
3/12/2013	276.25	3.74	270.29	6.95	272.30	3.97	271.00	6.12	274.60	7.86	275.72	6.89	266.67	9.48	274.64	1.32	271.75	15.17	271.70	15.04	278.02	8.85
6/25/2013	275.65	4.34	268.96	8.28	-	-	269.70	7.42	274.28	8.18	275.47	7.14	-	-	273.47	2.49	271.56	15.36	271.58	15.16	278.00	8.87
9/16/2013	274.35	5.64	267.18	10.06	-	-	-	-	273.12	9.34	274.28	8.33	266.07	10.08	271.82	4.14	270.54	16.38	270.56	16.18	277.14	9.73

Water Valley, Mississippi

WELL ID	MW-11	MW-12	MW-15	MW-16	MW-22S	MW-22D	MW-23D	MW-24	MW-25S	MW-25D	MW-27
WELL DEPTH FROM TOC	43.60	40.94	43.37	19.23	29.24	46.80	42.77	21.70	37.43	45.94	31.91
TOC ELEVATION	279.99	277.24	276.27	277.12	282.46	282.61	276.15	275.96	286.92	286.74	286.87

DATE	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV			
12/16/2013	275.77	4.22	270.86	6.38	-	-	271.43	5.69	274.44	8.02	275.64	6.97	269.71	6.44	274.69	1.27	271.58	15.34	271.07	15.67	277.92	8.95
3/17/2014	274.63	5.36	269.86	7.38	-	-	270.55	6.57	274.71	7.75	275.81	6.80	266.79	9.36	274.19	1.77	271.80	15.12	271.77	14.97	277.86	9.01
6/24/2014	275.84	4.15	269.46	7.78	-	-	269.96	7.16	274.41	8.05	275.56	7.05	266.62	9.53	273.78	2.18	271.42	15.50	271.64	15.10	278.11	8.76
9/9/2014	274.69	5.30	267.40	9.84	-	-	268.10	9.02	273.45	9.01	274.55	8.06	265.94	10.21	272.16	3.80	270.79	16.13	270.81	15.93	277.39	9.48
3/25/2015	274.01	5.98	270.70	6.54	-	-	269.91	7.21	275.32	7.14	276.21	6.40	267.59	8.56	272.98	2.98	275.50	11.42	276.43	10.31	277.39	9.48
9/14/2015	274.92	5.07	-	-	-	-	-	-	273.66	8.80	274.96	7.65	264.88	11.27	268.61	7.35	270.90	16.02	270.89	15.85	277.76	9.11

Key:

TOC = Top of Casing

Shaded = Shallow wells

ELEV = Water Table Elevation,
NGVD

-- = Casing damaged

NGVD = National Geodetic Vertical
Datum, 1929

[] - Not measured

DTW = Depth to water

Water Valley, Mississippi

WELL ID	MW-28S	MW-28D	MW-29S	MW-29D	MW-30S	MW-30D	MW-31S	MW-31D	MW-32	MW-33	MW-34
WELL DEPTH FROM TOC	25.03	39.77	25.04	41.81	19.81	39.95	24.84	42.04	34.91	36.94	42.20
TOC ELEVATION	272.63	274.14	275.27	274.89	272.77	274.07	276.28	274.29	276.02	274.61	277.16

DATE	ELEV	DTW	ELEV	DTW	ELEV	DTW																
9/18/2006	259.70	12.93	259.30	14.84	261.73	13.54	261.06	13.83	258.66	14.11	262.67	11.40	258.40	17.88	259.26	15.03	267.65	8.37	267.04	7.57	267.73	9.43
12/18/2006	261.77	10.86	259.87	14.27	260.44	14.83	259.37	15.52	259.63	13.14	263.04	11.03	258.78	17.50	259.45	14.84	268.21	7.81	267.77	6.84	271.69	5.47
3/27/2007	260.92	11.71	259.61	14.53	260.25	15.02	259.06	15.83	259.84	12.93	262.93	11.14	259.00	17.28	259.29	15.00	266.99	9.03	266.89	7.72	270.31	6.85
6/19/2007	260.06	12.57	262.46	11.68	260.17	15.10	259.07	15.82	258.42	14.35	263.86	10.21	258.35	17.93	264.47	9.82	-	NS	266.72	7.89	269.10	8.06
9/7/2007	259.90	12.73	259.09	15.05	260.99	14.28	260.35	14.54	258.95	13.82	262.67	11.40	258.20	18.08	258.95	15.34	-	NS	266.63	7.98	268.12	9.04
12/7/2007	262.10	10.53	259.73	14.41	262.85	12.42	261.88	13.01	259.40	13.37	263.06	11.01	258.42	17.86	259.30	14.99	268.47	7.55	268.00	6.61	271.86	5.30
3/10/2008	263.52	9.11	260.45	13.69	264.14	11.13	263.47	11.42	262.05	10.72	264.06	10.01	259.48	16.80	260.05	14.24	270.01	6.01	269.51	5.10	272.13	5.03
6/16/2008	261.59	11.04	259.72	14.42	263.07	12.20	262.43	12.46	260.97	11.80	263.16	10.91	259.27	17.01	259.45	14.84	268.76	7.26	268.64	5.97	270.43	6.73
9/16/2008	260.49	12.14	259.34	14.80	262.00	13.27	261.36	13.53	258.82	13.95	262.57	11.50	258.34	17.94	259.16	15.13	267.64	8.38	267.58	7.03	269.56	7.60
12/2/2008	260.95	11.68	259.64	14.50	262.40	12.87	261.74	13.15	258.67	14.10	262.84	11.23	258.46	17.82	259.39	14.90	268.27	7.75	268.03	6.58	271.48	5.68
3/23/2009	262.83	9.80	260.22	13.92	264.09	11.18	263.45	11.44	261.95	10.82	263.76	10.31	261.89	14.39	259.84	14.45	270.01	6.01	269.56	5.05	271.70	5.46
6/15/2009	263.57	9.06	260.40	13.74	264.30	10.97	263.64	11.25	262.20	10.57	264.04	10.03	260.02	16.26	259.97	14.32	270.24	5.78	269.75	4.86	271.98	5.18
9/28/2009	264.82	7.81	260.80	13.34	263.84	11.43	263.21	11.68	259.57	13.20	263.73	10.34	259.02	17.26	260.17	14.12	270.00	6.02	269.38	5.23	272.46	4.70
12/14/2009	265.11	7.52	261.04	13.10	264.89	10.38	264.27	10.62	262.54	10.23	264.81	9.26	260.06	16.22	260.62	13.67	270.88	5.14	270.31	4.30	272.80	4.36
3/23/2010	264.75	7.88	261.30	12.84	265.21	10.06	264.58	10.31	263.52	9.25	265.04	9.03	261.52	14.76	260.97	13.32	270.77	5.25	270.51	4.10	272.28	4.88
7/27/2010	260.23	12.40	259.38	14.76	261.95	13.32	261.35	13.54	259.27	13.50	262.89	11.18	258.50	17.78	259.27	15.02	267.27	8.75	267.47	7.14	268.40	8.76
9/21/2010	259.69	12.94	258.99	15.15	261.30	13.97	260.71	14.18	258.59	14.18	262.42	11.65	258.06	18.22	258.87	15.42	266.42	9.60	266.83	7.78	268.20	8.96
12/13/2010	260.53	12.10	259.46	14.68	262.10	13.17	261.46	13.43	258.49	14.28	262.85	11.22	258.28	18.00	259.30	14.99	267.92	8.10	267.84	6.77	271.31	5.85
3/29/2011	265.35	7.28	260.87	13.27	264.48	10.79	263.87	11.02	261.41	11.36	264.34	9.73	259.23	17.05	260.34	13.95	270.76	5.26	269.94	4.67	272.63	4.53
6/14/2011	261.34	11.29	259.56	14.58	262.47	12.80	261.85	13.04	260.13	12.64	262.98	11.09	258.73	17.55	259.29	15.00	268.15	7.87	268.06	6.55	269.97	7.19
9/20/2011	259.81	12.82	259.71	14.43	261.77	13.50	261.15	13.74	258.49	14.28	263.36	10.71	258.07	18.21	259.98	14.31	267.08	8.94	267.23	7.38	269.35	7.81
12/27/2011	265.18	7.45	262.23	11.91	264.91	10.36	264.27	10.62	260.98	11.79	265.77	8.30	258.84	17.44	262.35	11.94	271.16	4.86	269.85	4.76	272.85	4.31
3/20/2012	258.86	13.77	260.18	13.96	264.04	11.23	263.40	11.49	261.98	10.79	263.84	10.23	261.58	14.70	259.92	14.37	270.03	5.99	269.51	5.10	271.44	5.72
6/19/2012	260.60	12.03	259.28	14.86	261.95	13.32	261.32	13.57	259.12	13.65	262.55	11.52	258.41	17.87	259.14	15.15	-	NA	267.47	7.14	269.18	7.98
9/26/2012	259.96	12.67	259.12	15.02	261.43	13.84	260.80	14.09	258.54	14.23	262.36	11.71	258.02	18.26	259.05	15.24	-	NA	266.89	7.72	268.62	8.54
12/18/2012	260.91	11.72	259.85	14.29	262.65	12.62	262.01	12.88	258.99	13.78	263.21	10.86	258.54	17.74	259.75	14.54	-	NA	268.21	6.40	271.65	5.51
3/12/2013	259.70	12.93	264.86	9.28	264.53	10.74	264.41	10.48	262.67	10.10	264.98	9.09	259.95	16.33	261.09	13.20	-	5.47	270.00	4.61	271.69	5.47
6/25/2013	261.51	11.12	259.81	14.33	263.23	12.04	262.63	12.26	261.46	11.31	263.31	10.76	259.50	16.78	259.62	14.67	268.85	7.17	268.76	5.85	270.27	6.89
9/16/2013	260.32	12.31	259.26	14.88	261.68	13.59	261.06	13.83	259.15	13.62	262.51	11.56	258.34	17.94	259.11	15.18	-	-	267.18	7.43	268.37	8.79

Water Valley, Mississippi

WELL ID	MW-28S	MW-28D	MW-29S	MW-29D	MW-30S	MW-30D	MW-31S	MW-31D	MW-32	MW-33	MW-34
WELL DEPTH FROM TOC	25.03	39.77	25.04	41.81	19.81	39.95	24.84	42.04	34.91	36.94	42.20
TOC ELEVATION	272.63	274.14	275.27	274.89	272.77	274.07	276.28	274.29	276.02	274.61	277.16

DATE	ELEV	DTW	ELEV	DTW	ELEV	DTW																
12/16/2013	259.19	13.44	265.84	8.30	264.57	10.70	264.44	10.45	263.76	9.01	264.36	9.71	259.58	16.70	260.38	13.91	270.85	5.17	269.97	4.64	272.09	5.07
3/17/2014	258.70	13.93	263.96	10.18	263.71	11.56	263.08	11.81	261.64	11.13	263.82	10.25	259.65	16.63	259.96	14.33	269.67	6.35	269.38	5.23	271.13	6.03
6/24/2014	262.22	10.41	260.03	14.11	263.73	11.54	263.11	11.78	262.31	10.46	263.64	10.43	-	-	-	-	-	-	269.16	5.45	270.62	6.54
9/9/2014	260.25	12.38	259.29	14.85	261.93	13.34	261.33	13.56	259.60	13.17	262.77	11.30	-	-	-	-	-	-	267.48	7.13	268.73	8.43
3/25/2015	261.51	11.12	260.59	13.55	-	-	-	-	261.83	10.94	264.39	9.68	261.40	14.88	261.73	12.56	-	-	268.96	5.65	268.98	8.18
9/14/2015	260.78	11.85	259.56	14.58	-	-	-	-	259.51	13.26	262.94	11.13	258.58	17.70	258.39	15.90	267.47	8.55	267.67	6.94	269.03	8.13

Key:

TOC = Top of Casing

Shaded = Shallow wells

ELEV = Water Table Elevation, NGVD

-- = Casing damaged

NGVD = National Geodetic Vertical Datum, 1929

- Not measured

DTW = Depth to water

Water Valley, Mississippi

WELL ID	MW-35	MW-37	MW-38	MW-38S	MW-39	MW-40	MW-41	MW-42	MW-43	MW-44	MW-45	MW-46
WELL DEPTH FROM TOC	46.42	27.43	62.24	33.24	67.33	41.56	44.60	46.44	62.80	67.46	52.03	35.74
TOC ELEVATION	274.51	284.60	295.55	295.43	305.67	277.04	284.08	300.99	283.42	292.90	276.61	270.84

DATE	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	
9/18/2006	259.19	15.32	275.48	9.12	270.75	24.80	270.76	24.67	270.34	35.33	266.72	10.32	276.20	7.88	270.36	30.63	269.88	13.54	270.28	22.62
12/18/2006	258.83	15.68	275.64	8.96	271.39	24.16	271.17	24.26	270.86	34.81	267.33	9.71	276.80	7.28	270.87	30.12	270.44	12.98	270.76	22.14
3/27/2007	258.71	15.80	275.98	8.62	271.54	24.01	271.55	23.88	271.17	34.50	267.28	9.76	276.98	7.10	271.17	29.82	270.66	12.76	271.07	21.83
6/19/2007	258.91	15.60	275.57	9.03	270.91	24.64	270.88	24.55	270.53	35.14	266.78	10.26	276.44	7.64	270.48	30.51	270.04	13.38	270.39	22.51
9/7/2007	258.77	15.74	275.19	9.41	270.65	24.90	270.66	24.77	270.27	35.40	266.51	10.53	275.93	8.15	270.28	30.71	269.78	13.64	270.18	22.72
12/7/2007	259.59	14.92	275.17	9.43	270.67	24.88	270.67	24.76	270.34	35.33	267.31	9.73	276.27	7.81	270.28	30.71	269.94	13.48	270.23	22.67
3/10/2008	260.98	13.53	276.03	8.57	271.54	24.01	271.51	23.92	271.23	34.44	268.81	8.23	277.03	7.05	271.19	29.80	270.90	12.52	271.15	21.75
6/16/2008	260.08	14.43	275.92	8.68	271.45	24.10	271.45	23.98	271.24	34.43	269.09	7.95	276.86	7.22	271.17	29.82	270.79	12.63	271.11	21.79
9/16/2008	259.20	15.31	275.40	9.20	270.81	24.74	270.79	24.64	270.35	35.32	267.01	10.03	276.13	7.95	270.36	30.63	269.94	13.48	270.27	22.63
12/2/2008	259.51	15.00	275.30	9.30	270.80	24.75	270.78	24.65	270.33	35.34	267.22	9.82	276.27	7.81	270.32	30.67	269.92	13.50	270.22	22.68
3/23/2009	260.94	13.57	276.18	8.42	271.74	23.81	271.73	23.70	-	NS	268.74	8.30	277.04	7.04	271.31	29.68	271.02	12.40	271.26	21.64
6/15/2009	260.98	13.53	276.50	8.10	270.03	25.52	271.82	23.61	-	NS	269.00	8.04	277.34	6.74	271.55	29.44	271.22	12.20	271.47	21.43
9/28/2009	260.80	13.71	276.03	8.57	271.14	24.41	271.10	24.33	-	NS	268.21	8.83	276.88	7.20	270.66	30.33	270.42	13.00	270.62	22.28
12/14/2009	261.71	12.80	276.46	8.14	272.00	23.55	271.94	23.49	-	NS	269.37	7.67	277.41	6.67	271.56	29.43	271.29	12.13	271.49	21.41
3/23/2010	262.18	12.33	276.98	7.62	272.35	23.20	272.32	23.11	-	NS	269.70	7.34	277.82	6.26	271.91	29.08	271.60	11.82	271.80	21.10
7/27/2010	259.34	15.17	275.86	8.74	271.07	24.48	271.05	24.38	-	NS	267.13	9.91	276.55	7.53	270.66	30.33	270.20	13.22	270.57	22.33
9/21/2010	257.79	16.72	275.29	9.31	270.60	24.95	270.61	24.82	-	NS	0.00	0.00	276.03	8.05	270.70	30.29	269.70	13.72	270.10	22.80
12/13/2010	259.31	15.20	275.27	9.33	270.77	24.78	270.73	24.70	-	NS	267.03	10.01	276.31	7.77	270.31	30.68	269.90	13.52	270.21	22.69
3/29/2011	260.13	14.38	276.23	8.37	271.51	24.04	271.52	23.91	-	NS	268.77	8.27	277.05	7.03	271.10	29.89	270.84	12.58	270.03	22.87
6/14/2011	259.67	14.84	275.73	8.87	271.07	24.48	271.10	24.33	-	NS	267.49	9.55	276.46	7.62	270.72	30.27	270.31	13.11	270.64	22.26
9/20/2011	259.35	15.16	274.86	9.74	270.32	25.23	270.31	25.12	-	NS	266.62	10.42	275.75	8.33	269.66	31.33	269.49	13.93	269.79	23.11
12/27/2011	260.87	13.64	275.44	9.16	271.04	24.51	271.03	24.40	-	NS	268.38	8.66	276.59	7.49	270.62	30.37	270.36	13.06	270.54	22.36
3/20/2012	259.94	14.57	275.91	8.69	271.53	24.02	271.55	23.88	-	NS	268.68	8.36	276.79	7.29	271.18	29.81	270.88	12.54	271.10	21.80
6/19/2012	258.28	16.23	275.14	9.46	270.57	24.98	270.59	24.84	-	NS	266.92	10.12	275.83	8.25	270.20	30.79	269.77	13.65	270.06	22.84
9/26/2012	257.96	16.55	274.63	9.97	270.22	25.33	270.20	25.23	-	NS	266.37	10.67	276.36	7.72	269.75	31.24	269.33	14.09	269.69	23.21
12/18/2012	258.76	15.75	275.04	9.56	270.64	24.91	270.64	24.79	-	NS	267.25	9.79	275.48	8.60	270.24	30.75	269.90	13.52	270.17	22.73
3/12/2013	260.80	13.71	275.95	8.65	271.64	23.91	271.65	23.78	-	NS	269.03	8.01	276.80	7.28	271.25	29.74	270.97	12.45	271.33	21.57
6/25/2013	259.33	15.18	276.05	8.55	271.61	23.94	271.54	23.89	-	NS	268.12	8.92	276.72	7.36	271.25	29.74	270.88	12.54	271.18	21.72
9/16/2013	258.22	16.29	275.10	9.50	270.72	24.83	270.69	24.74	-	NS	266.78	10.26	275.74	8.34	270.32	30.67	269.81	13.61	270.21	22.69

Water Valley, Mississippi

WELL ID	MW-35	MW-37	MW-38	MW-38S	MW-39	MW-40	MW-41	MW-42	MW-43	MW-44	MW-45	MW-46
WELL DEPTH FROM TOC	46.42	27.43	62.24	33.24	67.33	41.56	44.60	46.44	62.80	67.46	52.03	35.74
TOC ELEVATION	274.51	284.60	295.55	295.43	305.67	277.04	284.08	300.99	283.42	292.90	276.61	270.84

DATE	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW	ELEV	DTW		
12/16/2013	260.77	13.74	275.69	8.91	271.46	24.09	271.20	24.23	-	-	268.72	8.32	276.56	7.52	270.95	30.04	270.70	12.72	270.88	22.02	270.66	5.95	264.19	6.65
3/17/2014	259.76	14.75	274.00	10.60	271.95	23.60	271.76	23.67	-	-	-	-	276.96	7.12	271.37	29.62	271.05	12.37	271.37	21.53	270.31	6.30	264.62	6.22
6/24/2014	259.87	14.64	276.20	8.40	271.64	23.91	271.63	23.80	-	-	268.50	8.54	276.84	7.24	271.31	29.68	270.91	12.51	271.22	21.68	270.13	6.48	263.78	7.06
9/9/2014	258.48	16.03	275.59	9.01	270.93	24.62	270.91	24.52	-	-	267.06	9.98	276.05	8.03	270.58	30.41	270.10	13.32	270.45	22.45	269.34	7.27	262.27	8.57
3/25/2015	262.15	12.36	277.07	7.53	274.11	21.44	274.67	20.76	-	-	269.46	7.58	275.53	8.55	271.42	29.57	271.85	11.57	272.54	20.36	-	-	-	-
9/14/2015	258.73	15.78	276.19	8.41	270.98	24.57	270.95	24.48	-	-	267.28	9.76	276.33	7.75	270.61	30.38	270.16	13.26	270.50	22.40	263.29	13.32	262.53	8.31

Key:

TOC = Top of Casing

Shaded = Shallow wells

ELEV = Water Table Elevation, NGVD

-- = Casing damaged


NGVD = National Geodetic Vertical Datum, 1929


Not measured

Depth to water

-


DTW =






ATTACHMENT A


Former Holley Automotive TCE Concentrations
(Five Year Trend - Shallow Wells: Non-Detect to 0.10 mg/L)




Former Holley Automotive TCE Concentrations
(Five Year Trend - Deep Wells: Non Detect to 0.01 mg/L)




Former Holley Automotive TCE Concentrations
(Five Year Trend - Shallow Wells: 0.01 mg/L to 0.10 mg/L)




Former Holley Automotive TCE Concentrations
(Five Year Trend - Shallow Wells: 0.10 mg/L to 0.50 mg/L)




Former Holley Automotive TCE Concentrations
(Five Year Trend - Deep Wells: 0.10 mg/L to 0.50 mg/L)



Former Holley Automotive TCE Concentrations
(Five Year Trend - Shallow Wells >0.50 mg/L)



Former Holley Automotive TCE Concentrations
(Five Year Trend - Deep Wells >0.50 mg/L)



ATTACHMENT B

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pensacola

3355 McLemore Drive

Pensacola, FL 32514

Tel: (850)474-1001

TestAmerica Job ID: 400-110980-1

Client Project/Site: Water Valley Mississippi, Former Holley

For:

Ecology and Environment, Inc.

700 South Palafox

Suite 100

Pensacola, Florida 32502

Attn: Mr. Andrew M Hill



Authorized for release by:

9/30/2015 2:55:19 PM

Matt Jones, Project Management Assistant I

(850)878-3994

matt.jones@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions	3
Case Narrative	4
Sample Summary	5
Client Sample Results	6
QC Sample Results	18
Chronicle	23
Method Summary	28
Chain of Custody	29

Definitions/Glossary

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

Case Narrative

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Job ID: 400-110980-1

Laboratory: TestAmerica Pensacola

Narrative

Job Narrative 400-110980-1

Comments

No additional comments.

Receipt

The samples were received on 9/15/2015 at 9:31 AM, 9/16/2015 at 9:26 AM and 9/17/2015 at 8:56 AM. The samples arrived in good condition, properly preserved, and on ice. The temperatures of the 3 coolers at receipt time were 2.7° C, 2.7° C and 3.6° C.

GC/MS VOA

Method 8260B: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-37 (400-111034-3), MW-22S (400-111034-6), MW-25D (400-111034-7), MW-27 (400-111034-9), and MW-44 (400-111097-4). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Sample Summary

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-110980-1	TRIP BLANK 091415	Water	09/14/15 12:00	09/15/15 09:31
400-110980-2	MW-30D	Water	09/14/15 14:00	09/15/15 09:31
400-110980-3	MW-30S	Water	09/14/15 14:40	09/15/15 09:31
400-110980-4	MW-35	Water	09/14/15 15:25	09/15/15 09:31
400-111034-1	MW-28S	Water	09/15/15 09:55	09/16/15 09:26
400-111034-2	MW-28S-DUP	Water	09/15/15 09:55	09/16/15 09:26
400-111034-3	MW-37	Water	09/15/15 15:50	09/16/15 09:26
400-111034-4	MW-11	Water	09/15/15 14:35	09/16/15 09:26
400-111034-5	MW-41	Water	09/15/15 11:15	09/16/15 09:26
400-111034-6	MW-22S	Water	09/15/15 13:30	09/16/15 09:26
400-111034-7	MW-25D	Water	09/15/15 13:55	09/16/15 09:26
400-111034-8	MW-31S	Water	09/15/15 08:55	09/16/15 09:26
400-111034-9	MW-27	Water	09/15/15 15:20	09/16/15 09:26
400-111034-10	MW-28D	Water	09/15/15 10:35	09/16/15 09:26
400-111034-11	MW-25D	Water	09/15/15 11:45	09/16/15 09:26
400-111034-12	MW-31D	Water	09/15/15 08:25	09/16/15 09:26
400-111034-13	TRIP BLANK 091515	Water	09/15/15 08:00	09/16/15 09:26
400-111097-1	MW-34	Water	09/16/15 08:25	09/17/15 08:56
400-111097-2	MW-38S	Water	09/16/15 09:15	09/17/15 08:56
400-111097-3	MW-38	Water	09/16/15 09:45	09/17/15 08:56
400-111097-4	MW-44	Water	09/16/15 10:25	09/17/15 08:56
400-111097-5	MW-47	Water	09/16/15 11:05	09/17/15 08:56
400-111097-6	MW-45	Water	09/16/15 11:35	09/17/15 08:56
400-111097-7	MW-48	Water	09/16/15 13:25	09/17/15 08:56
400-111097-8	MW-46	Water	09/16/15 14:05	09/17/15 08:56
400-111097-9	CS-1	Water	09/16/15 14:45	09/17/15 08:56
400-111097-10	CS-2	Water	09/16/15 14:50	09/17/15 08:56
400-111097-11	CS-3	Water	09/16/15 14:55	09/17/15 08:56
400-111097-12	Trip Blank	Water	09/16/15 00:00	09/17/15 08:56

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: TRIP BLANK 091415

Date Collected: 09/14/15 12:00

Date Received: 09/15/15 09:31

Lab Sample ID: 400-110980-1

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/17/15 16:16	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/17/15 16:16	1
Tetrachloroethene	<1.0		1.0		ug/L			09/17/15 16:16	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/17/15 16:16	1
Trichloroethene	<1.0		1.0		ug/L			09/17/15 16:16	1
Vinyl chloride	<1.0		1.0		ug/L			09/17/15 16:16	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98			70 - 130				09/17/15 16:16	1
Dibromofluoromethane	103			70 - 130				09/17/15 16:16	1
Toluene-d8 (Surr)	100			70 - 130				09/17/15 16:16	1

Client Sample ID: MW-30D

Date Collected: 09/14/15 14:00

Date Received: 09/15/15 09:31

Lab Sample ID: 400-110980-2

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/17/15 16:35	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/17/15 16:35	1
Tetrachloroethene	<1.0		1.0		ug/L			09/17/15 16:35	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/17/15 16:35	1
Trichloroethene	6.8		1.0		ug/L			09/17/15 16:35	1
Vinyl chloride	<1.0		1.0		ug/L			09/17/15 16:35	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98			70 - 130				09/17/15 16:35	1
Dibromofluoromethane	102			70 - 130				09/17/15 16:35	1
Toluene-d8 (Surr)	98			70 - 130				09/17/15 16:35	1

Client Sample ID: MW-30S

Date Collected: 09/14/15 14:40

Date Received: 09/15/15 09:31

Lab Sample ID: 400-110980-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/17/15 16:53	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/17/15 16:53	1
Tetrachloroethene	<1.0		1.0		ug/L			09/17/15 16:53	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/17/15 16:53	1
Trichloroethene	<1.0		1.0		ug/L			09/17/15 16:53	1
Vinyl chloride	<1.0		1.0		ug/L			09/17/15 16:53	1
Surrogate		%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99			70 - 130				09/17/15 16:53	1
Dibromofluoromethane	101			70 - 130				09/17/15 16:53	1
Toluene-d8 (Surr)	99			70 - 130				09/17/15 16:53	1

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-35

Date Collected: 09/14/15 15:25

Date Received: 09/15/15 09:31

Lab Sample ID: 400-110980-4

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	5.4		1.0		ug/L			09/17/15 17:12	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/17/15 17:12	1
Tetrachloroethene	<1.0		1.0		ug/L			09/17/15 17:12	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/17/15 17:12	1
Vinyl chloride	<1.0		1.0		ug/L			09/17/15 17:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 130		09/17/15 17:12	1
Dibromofluoromethane	103		70 - 130		09/17/15 17:12	1
Toluene-d8 (Surr)	97		70 - 130		09/17/15 17:12	1

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	270		10		ug/L			09/17/15 17:31	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 130		09/17/15 17:31	10
Dibromofluoromethane	102		70 - 130		09/17/15 17:31	10
Toluene-d8 (Surr)	99		70 - 130		09/17/15 17:31	10

Client Sample ID: MW-28S

Lab Sample ID: 400-111034-1

Matrix: Water

Date Collected: 09/15/15 09:55

Date Received: 09/16/15 09:26

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:49	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:49	1
Tetrachloroethene	<1.0		1.0		ug/L			09/28/15 10:49	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:49	1
Trichloroethene	<1.0		1.0		ug/L			09/28/15 10:49	1
Vinyl chloride	<1.0		1.0		ug/L			09/28/15 10:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		70 - 130		09/28/15 10:49	1
Dibromofluoromethane	103		70 - 130		09/28/15 10:49	1
Toluene-d8 (Surr)	104		70 - 130		09/28/15 10:49	1

Client Sample ID: MW-28S-DUP

Lab Sample ID: 400-111034-2

Matrix: Water

Date Collected: 09/15/15 09:55

Date Received: 09/16/15 09:26

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 14:14	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/28/15 14:14	1
Tetrachloroethene	<1.0		1.0		ug/L			09/28/15 14:14	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 14:14	1
Trichloroethene	<1.0		1.0		ug/L			09/28/15 14:14	1
Vinyl chloride	<1.0		1.0		ug/L			09/28/15 14:14	1

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-28S-DUP

Lab Sample ID: 400-111034-2

Matrix: Water

Date Collected: 09/15/15 09:55

Date Received: 09/16/15 09:26

Surrogate

	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	100		70 - 130
Dibromofluoromethane	103		70 - 130
Toluene-d8 (Surr)	104		70 - 130

Prepared

09/28/15 14:14	1
09/28/15 14:14	1
09/28/15 14:14	1

Client Sample ID: MW-37

Lab Sample ID: 400-111034-3

Matrix: Water

Date Collected: 09/15/15 15:50

Date Received: 09/16/15 09:26

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	74		2.0		ug/L			09/28/15 16:14	2
1,1-Dichloroethene	<2.0		2.0		ug/L			09/28/15 16:14	2
Tetrachloroethene	<2.0		2.0		ug/L			09/28/15 16:14	2
trans-1,2-Dichloroethene	<2.0		2.0		ug/L			09/28/15 16:14	2
Vinyl chloride	<2.0		2.0		ug/L			09/28/15 16:14	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 130		09/28/15 16:14	2
Dibromofluoromethane	104		70 - 130		09/28/15 16:14	2
Toluene-d8 (Surr)	103		70 - 130		09/28/15 16:14	2

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	720		20		ug/L			09/28/15 11:06	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		70 - 130		09/28/15 11:06	20
Dibromofluoromethane	104		70 - 130		09/28/15 11:06	20
Toluene-d8 (Surr)	102		70 - 130		09/28/15 11:06	20

Client Sample ID: MW-11

Lab Sample ID: 400-111034-4

Matrix: Water

Date Collected: 09/15/15 14:35

Date Received: 09/16/15 09:26

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	19		1.0		ug/L			09/28/15 15:57	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/28/15 15:57	1
Tetrachloroethene	<1.0		1.0		ug/L			09/28/15 15:57	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 15:57	1
Vinyl chloride	<1.0		1.0		ug/L			09/28/15 15:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 130		09/28/15 15:57	1
Dibromofluoromethane	102		70 - 130		09/28/15 15:57	1
Toluene-d8 (Surr)	101		70 - 130		09/28/15 15:57	1

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	330		10		ug/L			09/28/15 15:05	10

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-11

Date Collected: 09/15/15 14:35

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-4

Matrix: Water

Surrogate

	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	100		70 - 130
Dibromofluoromethane	111		70 - 130
Toluene-d8 (Surr)	106		70 - 130

Prepared

09/28/15 15:05	10
09/28/15 15:05	10
09/28/15 15:05	10

Client Sample ID: MW-41

Date Collected: 09/15/15 11:15

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-5

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	71		1.0		ug/L			09/28/15 16:31	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/28/15 16:31	1
Tetrachloroethene	<1.0		1.0		ug/L			09/28/15 16:31	1
trans-1,2-Dichloroethene	2.8		1.0		ug/L			09/28/15 16:31	1
Vinyl chloride	<1.0		1.0		ug/L			09/28/15 16:31	1

Surrogate

	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		70 - 130				09/28/15 16:31	1
Dibromofluoromethane	103		70 - 130				09/28/15 16:31	1
Toluene-d8 (Surr)	100		70 - 130				09/28/15 16:31	1

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	680		10		ug/L			09/28/15 11:08	10
Surrogate									
4-Bromofluorobenzene	101		70 - 130					09/28/15 11:08	10
Dibromofluoromethane	99		70 - 130					09/28/15 11:08	10
Toluene-d8 (Surr)	96		70 - 130					09/28/15 11:08	10

Client Sample ID: MW-22S

Date Collected: 09/15/15 13:30

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-6

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	180		10		ug/L			09/28/15 15:23	10
1,1-Dichloroethene	<10		10		ug/L			09/28/15 15:23	10
Tetrachloroethene	<10		10		ug/L			09/28/15 15:23	10
trans-1,2-Dichloroethene	<10		10		ug/L			09/28/15 15:23	10
Vinyl chloride	<10		10		ug/L			09/28/15 15:23	10

Surrogate

	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		70 - 130				09/28/15 15:23	10
Dibromofluoromethane	105		70 - 130				09/28/15 15:23	10
Toluene-d8 (Surr)	102		70 - 130				09/28/15 15:23	10

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	2900		100		ug/L			09/28/15 11:27	100

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-22S

Date Collected: 09/15/15 13:30

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-6

Matrix: Water

Surrogate

	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	98		70 - 130
Dibromofluoromethane	102		70 - 130
Toluene-d8 (Surr)	95		70 - 130

Prepared

09/28/15 11:27	100
09/28/15 11:27	100
09/28/15 11:27	100

Client Sample ID: MW-25D

Date Collected: 09/15/15 13:55

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-7

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	83		2.0		ug/L			09/28/15 16:49	2
1,1-Dichloroethene	<2.0		2.0		ug/L			09/28/15 16:49	2
Tetrachloroethene	<2.0		2.0		ug/L			09/28/15 16:49	2
trans-1,2-Dichloroethene	<2.0		2.0		ug/L			09/28/15 16:49	2
Vinyl chloride	<2.0		2.0		ug/L			09/28/15 16:49	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 130		09/28/15 16:49	2
Dibromofluoromethane	103		70 - 130		09/28/15 16:49	2
Toluene-d8 (Surr)	100		70 - 130		09/28/15 16:49	2

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	890		10		ug/L			09/28/15 11:40	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		70 - 130		09/28/15 11:40	10
Dibromofluoromethane	104		70 - 130		09/28/15 11:40	10
Toluene-d8 (Surr)	103		70 - 130		09/28/15 11:40	10

Client Sample ID: MW-31S

Date Collected: 09/15/15 08:55

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-8

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:50	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:50	1
Tetrachloroethene	<1.0		1.0		ug/L			09/28/15 10:50	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:50	1
Trichloroethene	<1.0		1.0		ug/L			09/28/15 10:50	1
Vinyl chloride	<1.0		1.0		ug/L			09/28/15 10:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		70 - 130		09/28/15 10:50	1
Dibromofluoromethane	102		70 - 130		09/28/15 10:50	1
Toluene-d8 (Surr)	96		70 - 130		09/28/15 10:50	1

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-27

Date Collected: 09/15/15 15:20

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-9

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	2.9		2.0		ug/L			09/28/15 17:06	2
Tetrachloroethene	<2.0		2.0		ug/L			09/28/15 17:06	2
trans-1,2-Dichloroethene	11		2.0		ug/L			09/28/15 17:06	2
Vinyl chloride	<2.0		2.0		ug/L			09/28/15 17:06	2

Surrogate

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 130		09/28/15 17:06	2
Dibromofluoromethane	102		70 - 130		09/28/15 17:06	2
Toluene-d8 (Surr)	100		70 - 130		09/28/15 17:06	2

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	220		20		ug/L			09/28/15 11:58	20
Trichloroethene	1100		20		ug/L			09/28/15 11:58	20
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 130					09/28/15 11:58	20
Dibromofluoromethane	106		70 - 130					09/28/15 11:58	20
Toluene-d8 (Surr)	107		70 - 130					09/28/15 11:58	20

Client Sample ID: MW-28D

Lab Sample ID: 400-111034-10

Matrix: Water

Date Collected: 09/15/15 10:35

Date Received: 09/16/15 09:26

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 14:31	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/28/15 14:31	1
Tetrachloroethene	<1.0		1.0		ug/L			09/28/15 14:31	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 14:31	1
Trichloroethene	<1.0		1.0		ug/L			09/28/15 14:31	1
Vinyl chloride	<1.0		1.0		ug/L			09/28/15 14:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 130					09/28/15 14:31	1
Dibromofluoromethane	102		70 - 130					09/28/15 14:31	1
Toluene-d8 (Surr)	104		70 - 130					09/28/15 14:31	1

Client Sample ID: MW-25D

Lab Sample ID: 400-111034-11

Matrix: Water

Date Collected: 09/15/15 11:45

Date Received: 09/16/15 09:26

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	28		1.0		ug/L			09/28/15 15:40	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/28/15 15:40	1
Tetrachloroethene	<1.0		1.0		ug/L			09/28/15 15:40	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 15:40	1
Vinyl chloride	<1.0		1.0		ug/L			09/28/15 15:40	1

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-25D

Date Collected: 09/15/15 11:45

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-11

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		70 - 130		09/28/15 15:40	1
Dibromofluoromethane	102		70 - 130		09/28/15 15:40	1
Toluene-d8 (Surr)	102		70 - 130		09/28/15 15:40	1

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	330		10		ug/L			09/28/15 11:46	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 130		09/28/15 11:46	10
Dibromofluoromethane	102		70 - 130		09/28/15 11:46	10
Toluene-d8 (Surr)	95		70 - 130		09/28/15 11:46	10

Client Sample ID: MW-31D

Date Collected: 09/15/15 08:25

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-12

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	20		1.0		ug/L			09/28/15 12:15	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/28/15 12:15	1
Tetrachloroethene	<1.0		1.0		ug/L			09/28/15 12:15	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 12:15	1
Vinyl chloride	<1.0		1.0		ug/L			09/28/15 12:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 130		09/28/15 12:15	1
Dibromofluoromethane	104		70 - 130		09/28/15 12:15	1
Toluene-d8 (Surr)	104		70 - 130		09/28/15 12:15	1

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	86		5.0		ug/L			09/28/15 14:48	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		70 - 130		09/28/15 14:48	5
Dibromofluoromethane	108		70 - 130		09/28/15 14:48	5
Toluene-d8 (Surr)	105		70 - 130		09/28/15 14:48	5

Client Sample ID: TRIP BLANK 091515

Date Collected: 09/15/15 08:00

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-13

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 13:56	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/28/15 13:56	1
Tetrachloroethene	<1.0		1.0		ug/L			09/28/15 13:56	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 13:56	1
Trichloroethene	<1.0		1.0		ug/L			09/28/15 13:56	1
Vinyl chloride	<1.0		1.0		ug/L			09/28/15 13:56	1

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: TRIP BLANK 091515

Date Collected: 09/15/15 08:00

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-13

Matrix: Water

Surrogate

	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	101		70 - 130
Dibromofluoromethane	108		70 - 130
Toluene-d8 (Surr)	110		70 - 130

Prepared

	Analyzed	Dil Fac
09/28/15 13:56	1	
09/28/15 13:56	1	
09/28/15 13:56	1	

Client Sample ID: MW-34

Date Collected: 09/16/15 08:25

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-1

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 09:52	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 09:52	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 09:52	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 09:52	1
Trichloroethene	2.1		1.0		ug/L			09/29/15 09:52	1
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 09:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		70 - 130		09/29/15 09:52	1
Dibromofluoromethane	105		70 - 130		09/29/15 09:52	1
Toluene-d8 (Surr)	106		70 - 130		09/29/15 09:52	1

Client Sample ID: MW-38S

Date Collected: 09/16/15 09:15

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-2

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 10:09	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 10:09	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 10:09	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 10:09	1
Trichloroethene	7.4		1.0		ug/L			09/29/15 10:09	1
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 10:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		70 - 130		09/29/15 10:09	1
Dibromofluoromethane	108		70 - 130		09/29/15 10:09	1
Toluene-d8 (Surr)	104		70 - 130		09/29/15 10:09	1

Client Sample ID: MW-38

Date Collected: 09/16/15 09:45

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 10:26	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 10:26	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 10:26	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 10:26	1
Trichloroethene	<1.0		1.0		ug/L			09/29/15 10:26	1

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-38

Date Collected: 09/16/15 09:45

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-3

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 10:26	1
Surrogate									
4-Bromofluorobenzene	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	97		70 - 130					09/29/15 10:26	1
Dibromofluoromethane			70 - 130					09/29/15 10:26	1
Toluene-d8 (Surr)			70 - 130					09/29/15 10:26	1

Client Sample ID: MW-44

Date Collected: 09/16/15 10:25

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-4

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	74		10		ug/L			09/29/15 15:46	10
1,1-Dichloroethene	<10		10		ug/L			09/29/15 15:46	10
Tetrachloroethene	<10		10		ug/L			09/29/15 15:46	10
trans-1,2-Dichloroethene	<10		10		ug/L			09/29/15 15:46	10
Vinyl chloride	<10		10		ug/L			09/29/15 15:46	10
Surrogate									
4-Bromofluorobenzene	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	97		70 - 130					09/29/15 15:46	10
Dibromofluoromethane			70 - 130					09/29/15 15:46	10
Toluene-d8 (Surr)			70 - 130					09/29/15 15:46	10

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	2800		100		ug/L			09/29/15 14:55	100
Surrogate									
4-Bromofluorobenzene	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	98		70 - 130					09/29/15 14:55	100
Dibromofluoromethane			70 - 130					09/29/15 14:55	100
Toluene-d8 (Surr)			70 - 130					09/29/15 14:55	100

Client Sample ID: MW-47

Date Collected: 09/16/15 11:05

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-5

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 10:43	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 10:43	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 10:43	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 10:43	1
Trichloroethene	<1.0		1.0		ug/L			09/29/15 10:43	1
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 10:43	1
Surrogate									
4-Bromofluorobenzene	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	98		70 - 130					09/29/15 10:43	1
Dibromofluoromethane			70 - 130					09/29/15 10:43	1
Toluene-d8 (Surr)			70 - 130					09/29/15 10:43	1

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-45

Date Collected: 09/16/15 11:35

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-6

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:01	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:01	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 11:01	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:01	1
Trichloroethene	<1.0		1.0		ug/L			09/29/15 11:01	1
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 11:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		70 - 130					09/29/15 11:01	1
Dibromofluoromethane	109		70 - 130					09/29/15 11:01	1
Toluene-d8 (Surr)	108		70 - 130					09/29/15 11:01	1

Client Sample ID: MW-48

Date Collected: 09/16/15 13:25

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-7

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:18	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:18	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 11:18	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:18	1
Trichloroethene	2.4		1.0		ug/L			09/29/15 11:18	1
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 11:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		70 - 130					09/29/15 11:18	1
Dibromofluoromethane	106		70 - 130					09/29/15 11:18	1
Toluene-d8 (Surr)	105		70 - 130					09/29/15 11:18	1

Client Sample ID: MW-46

Date Collected: 09/16/15 14:05

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-8

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	11		1.0		ug/L			09/29/15 15:29	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 15:29	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 15:29	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 15:29	1
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 15:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		70 - 130					09/29/15 15:29	1
Dibromofluoromethane	104		70 - 130					09/29/15 15:29	1
Toluene-d8 (Surr)	105		70 - 130					09/29/15 15:29	1

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	210		5.0		ug/L			09/29/15 15:12	5

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-46

Date Collected: 09/16/15 14:05

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-8

Matrix: Water

Surrogate

	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	100		70 - 130
Dibromofluoromethane	100		70 - 130
Toluene-d8 (Surr)	105		70 - 130

Prepared

	Prepared	Analyzed	Dil Fac
	09/29/15 15:12		5
	09/29/15 15:12		5
	09/29/15 15:12		5

Client Sample ID: CS-1

Date Collected: 09/16/15 14:45

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-9

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:35	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:35	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 11:35	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:35	1
Trichloroethene	<1.0		1.0		ug/L			09/29/15 11:35	1
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 11:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 130		09/29/15 11:35	1
Dibromofluoromethane	106		70 - 130		09/29/15 11:35	1
Toluene-d8 (Surr)	108		70 - 130		09/29/15 11:35	1

Client Sample ID: CS-2

Date Collected: 09/16/15 14:50

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-10

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:52	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:52	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 11:52	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 11:52	1
Trichloroethene	<1.0		1.0		ug/L			09/29/15 11:52	1
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 11:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	95		70 - 130		09/29/15 11:52	1
Dibromofluoromethane	104		70 - 130		09/29/15 11:52	1
Toluene-d8 (Surr)	105		70 - 130		09/29/15 11:52	1

Client Sample ID: CS-3

Date Collected: 09/16/15 14:55

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-11

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 12:10	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 12:10	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 12:10	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 12:10	1
Trichloroethene	<1.0		1.0		ug/L			09/29/15 12:10	1

TestAmerica Pensacola

Client Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: CS-3

Date Collected: 09/16/15 14:55

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-11

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 12:10	1
Surrogate									
4-Bromofluorobenzene	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	97		70 - 130					09/29/15 12:10	1
Dibromofluoromethane			70 - 130					09/29/15 12:10	1
Toluene-d8 (Surr)			70 - 130					09/29/15 12:10	1

Client Sample ID: Trip Blank

Date Collected: 09/16/15 00:00

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-12

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 14:38	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 14:38	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 14:38	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 14:38	1
Trichloroethene	<1.0		1.0		ug/L			09/29/15 14:38	1
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 14:38	1
Surrogate									
4-Bromofluorobenzene	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
	94		70 - 130					09/29/15 14:38	1
Dibromofluoromethane			70 - 130					09/29/15 14:38	1
Toluene-d8 (Surr)			70 - 130					09/29/15 14:38	1

TestAmerica Pensacola

QC Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 660-161398/6

Matrix: Water

Analysis Batch: 161398

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/17/15 11:19	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/17/15 11:19	1
Tetrachloroethene	<1.0		1.0		ug/L			09/17/15 11:19	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/17/15 11:19	1
Trichloroethene	<1.0		1.0		ug/L			09/17/15 11:19	1
Vinyl chloride	<1.0		1.0		ug/L			09/17/15 11:19	1

MB **MB**

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	98		70 - 130		09/17/15 11:19	1
Dibromofluoromethane	10:		70 - 130		09/17/15 11:19	1
Toluene-d8 (Surr)	98		70 - 130		09/17/15 11:19	1

Lab Sample ID: LCS 660-161398/4

Matrix: Water

Analysis Batch: 161398

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	MB	MB	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
	Result	Qualifier							
cis-1,2-Dichloroethene			10.0	10.6		ug/L	106	66 - 130	
1,1-Dichloroethene			10.0	10.2		ug/L	102	51 - 150	
Tetrachloroethene			10.0	11.1		ug/L	111	50 - 143	
trans-1,2-Dichloroethene			10.0	11.1		ug/L	111	62 - 139	
Trichloroethene			10.0	10.4		ug/L	104	63 - 139	
Vinyl chloride			10.0	10.4		ug/L	104	48 - 147	

LCS **LCS**

Surrogate	MB	MB	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	100		70 - 130
Dibromofluoromethane	98		70 - 130
Toluene-d8 (Surr)	98		70 - 130

Lab Sample ID: MB 660-161703/6

Matrix: Water

Analysis Batch: 161703

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:16	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:16	1
Tetrachloroethene	<1.0		1.0		ug/L			09/28/15 10:16	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:16	1
Trichloroethene	<1.0		1.0		ug/L			09/28/15 10:16	1
Vinyl chloride	<1.0		1.0		ug/L			09/28/15 10:16	1

MB **MB**

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	101		70 - 130		09/ 8/15 10:12	1
Dibromofluoromethane	104		70 - 130		09/ 8/15 10:12	1
Toluene-d8 (Surr)	10:		70 - 130		09/ 8/15 10:12	1

TestAmerica Pensacola

QC Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 660-161703/4

Matrix: Water

Analysis Batch: 161703

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	10.0	11.0		ug/L		110	66 - 130
1,1-Dichloroethene	10.0	10.4		ug/L		104	51 - 150
Tetrachloroethene	10.0	10.0		ug/L		100	50 - 143
trans-1,2-Dichloroethene	10.0	11.3		ug/L		113	62 - 139
Trichloroethene	10.0	10.8		ug/L		108	63 - 139
Vinyl chloride	10.0	9.63		ug/L		96	48 - 147

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	100		70 - 130
Dibromofluoromethane	102		70 - 130
Toluene-d8 (Surr)	99		70 - 130

Lab Sample ID: 400-111034-1 MS

Matrix: Water

Analysis Batch: 161703

Client Sample ID: MW-28S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	<1.0		10.0	8.85		ug/L		88	66 - 130
1,1-Dichloroethene	<1.0		10.0	8.43		ug/L		84	51 - 150
Tetrachloroethene	<1.0		10.0	7.70		ug/L		77	50 - 143
trans-1,2-Dichloroethene	<1.0		10.0	8.25		ug/L		82	62 - 139
Trichloroethene	<1.0		10.0	9.53		ug/L		95	63 - 139
Vinyl chloride	<1.0		10.0	8.53		ug/L		85	48 - 147

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene	97		70 - 130
Dibromofluoromethane	10:		70 - 130
Toluene-d8 (Surr)	99		70 - 130

Lab Sample ID: 400-111034-1 MSD

Matrix: Water

Analysis Batch: 161703

Client Sample ID: MW-28S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	<1.0		10.0	10.1		ug/L		101	66 - 130	13	30
1,1-Dichloroethene	<1.0		10.0	10.0		ug/L		100	51 - 150	18	30
Tetrachloroethene	<1.0		10.0	9.33		ug/L		93	50 - 143	19	30
trans-1,2-Dichloroethene	<1.0		10.0	10.4		ug/L		104	62 - 139	23	30
Trichloroethene	<1.0		10.0	10.2		ug/L		102	63 - 139	6	30
Vinyl chloride	<1.0		10.0	9.99		ug/L		100	48 - 147	16	30

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene	98		70 - 130
Dibromofluoromethane	99		70 - 130
Toluene-d8 (Surr)	101		70 - 130

TestAmerica Pensacola

QC Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 660-161707/6

Matrix: Water

Analysis Batch: 161707

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:18	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:18	1
Tetrachloroethene	<1.0		1.0		ug/L			09/28/15 10:18	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/28/15 10:18	1
Trichloroethene	<1.0		1.0		ug/L			09/28/15 10:18	1
Vinyl chloride	<1.0		1.0		ug/L			09/28/15 10:18	1

MB MB

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene	100		70 - 130		09/ 8/15 10:18	1
Dibromofluoromethane	99		70 - 130		09/ 8/15 10:18	1
Toluene-d8 (Surr)	94		70 - 130		09/ 8/15 10:18	1

Lab Sample ID: LCS 660-161707/4

Matrix: Water

Analysis Batch: 161707

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	MB	MB	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec.
	Result	Qualifier		Result	Qualifier				
cis-1,2-Dichloroethene			10.0	10.0		ug/L		100	66 - 130
1,1-Dichloroethene			10.0	9.21		ug/L		92	51 - 150
Tetrachloroethene			10.0	11.1		ug/L		111	50 - 143
trans-1,2-Dichloroethene			10.0	10.3		ug/L		103	62 - 139
Trichloroethene			10.0	10.5		ug/L		105	63 - 139
Vinyl chloride			10.0	7.33		ug/L		73	48 - 147

LCS LCS

Surrogate	MB	MB	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	10:		70 - 130
Dibromofluoromethane	98		70 - 130
Toluene-d8 (Surr)	92		70 - 130

Lab Sample ID: 400-111034-11 MS

Matrix: Water

Analysis Batch: 161707

Client Sample ID: MW-25D
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
cis-1,2-Dichloroethene	20		100	128		ug/L		108	66 - 130
1,1-Dichloroethene	<10		100	97.3		ug/L		97	51 - 150
Tetrachloroethene	<10		100	116		ug/L		116	50 - 143
trans-1,2-Dichloroethene	<10		100	113		ug/L		113	62 - 139
Trichloroethene	330		100	417		ug/L		89	63 - 139
Vinyl chloride	<10		100	81.7		ug/L		82	48 - 147

MS MS

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	100		70 - 130
Dibromofluoromethane	99		70 - 130
Toluene-d8 (Surr)	97		70 - 130

TestAmerica Pensacola

QC Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 400-111034-11 MSD

Matrix: Water

Analysis Batch: 161707

Client Sample ID: MW-25D

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	20		100	118		ug/L		98	66 - 130	8	30
1,1-Dichloroethene	<10		100	85.1		ug/L		85	51 - 150	13	30
Tetrachloroethene	<10		100	106		ug/L		106	50 - 143	9	30
trans-1,2-Dichloroethene	<10		100	103		ug/L		103	62 - 139	9	30
Trichloroethene	330		100	404		ug/L		75	63 - 139	3	30
Vinyl chloride	<10		100	74.3		ug/L		74	48 - 147	10	30

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	99		70 - 130
Dibromofluoromethane	98		70 - 130
Toluene-d8 (Surr)	98		70 - 130

Lab Sample ID: MB 660-161738/7

Matrix: Water

Analysis Batch: 161738

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 09:23	1
1,1-Dichloroethene	<1.0		1.0		ug/L			09/29/15 09:23	1
Tetrachloroethene	<1.0		1.0		ug/L			09/29/15 09:23	1
trans-1,2-Dichloroethene	<1.0		1.0		ug/L			09/29/15 09:23	1
Trichloroethene	<1.0		1.0		ug/L			09/29/15 09:23	1
Vinyl chloride	<1.0		1.0		ug/L			09/29/15 09:23	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 130		09/ 9/15 09 6 3	1
Dibromofluoromethane	103		70 - 130		09/ 9/15 09 6 3	1
Toluene-d8 (Surr)	105		70 - 130		09/ 9/15 09 6 3	1

Lab Sample ID: LCS 660-161738/5

Matrix: Water

Analysis Batch: 161738

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	10.0	11.1		ug/L		111	66 - 130
1,1-Dichloroethene	10.0	11.1		ug/L		111	51 - 150
Tetrachloroethene	10.0	10.4		ug/L		104	50 - 143
trans-1,2-Dichloroethene	10.0	11.4		ug/L		114	62 - 139
Trichloroethene	10.0	11.3		ug/L		113	63 - 139
Vinyl chloride	10.0	11.2		ug/L		112	48 - 147

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	91		70 - 130
Dibromofluoromethane	105		70 - 130
Toluene-d8 (Surr)	101		70 - 130

TestAmerica Pensacola

QC Sample Results

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 400-111097-1 MS

Matrix: Water

Analysis Batch: 161738

Client Sample ID: MW-34

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
cis-1,2-Dichloroethene	<1.0		10.0	8.74		ug/L		87	66 - 130
1,1-Dichloroethene	<1.0		10.0	8.02		ug/L		80	51 - 150
Tetrachloroethene	<1.0		10.0	7.95		ug/L		79	50 - 143
trans-1,2-Dichloroethene	<1.0		10.0	8.97		ug/L		90	62 - 139
Trichloroethene	2.1		10.0	10.6		ug/L		84	63 - 139
Vinyl chloride	<1.0		10.0	8.62		ug/L		86	48 - 147

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	95		70 - 130
Dibromofluoromethane	100		70 - 130
Toluene-d8 (Surr)	103		70 - 130

Lab Sample ID: 400-111097-1 MSD

Matrix: Water

Analysis Batch: 161738

Client Sample ID: MW-34

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
cis-1,2-Dichloroethene	<1.0		10.0	9.46		ug/L		95	66 - 130
1,1-Dichloroethene	<1.0		10.0	9.15		ug/L		92	51 - 150
Tetrachloroethene	<1.0		10.0	9.03		ug/L		90	50 - 143
trans-1,2-Dichloroethene	<1.0		10.0	10.4		ug/L		104	62 - 139
Trichloroethene	2.1		10.0	12.2		ug/L		100	63 - 139
Vinyl chloride	<1.0		10.0	9.19		ug/L		92	48 - 147

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene	95		70 - 130
Dibromofluoromethane	99		70 - 130
Toluene-d8 (Surr)	103		70 - 130

TestAmerica Pensacola

Lab Chronicle

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: TRIP BLANK 091415

Lab Sample ID: 400-110980-1

Matrix: Water

Date Collected: 09/14/15 12:00

Date Received: 09/15/15 09:31

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161398	09/17/15 16:16	TGP	TAL TAM

Client Sample ID: MW-30D

Lab Sample ID: 400-110980-2

Matrix: Water

Date Collected: 09/14/15 14:00

Date Received: 09/15/15 09:31

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161398	09/17/15 16:35	TGP	TAL TAM

Client Sample ID: MW-30S

Lab Sample ID: 400-110980-3

Matrix: Water

Date Collected: 09/14/15 14:40

Date Received: 09/15/15 09:31

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161398	09/17/15 16:53	TGP	TAL TAM

Client Sample ID: MW-35

Lab Sample ID: 400-110980-4

Matrix: Water

Date Collected: 09/14/15 15:25

Date Received: 09/15/15 09:31

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161398	09/17/15 17:12	TGP	TAL TAM
Total/NA	Analysis	8260B	DL	10	161398	09/17/15 17:31	TGP	TAL TAM

Client Sample ID: MW-28S

Lab Sample ID: 400-111034-1

Matrix: Water

Date Collected: 09/15/15 09:55

Date Received: 09/16/15 09:26

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161703	09/28/15 10:49	ECC	TAL TAM

Client Sample ID: MW-28S-DUP

Lab Sample ID: 400-111034-2

Matrix: Water

Date Collected: 09/15/15 09:55

Date Received: 09/16/15 09:26

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161703	09/28/15 14:14	ECC	TAL TAM

TestAmerica Pensacola

Lab Chronicle

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-37

Date Collected: 09/15/15 15:50

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	DL	20	161703	09/28/15 11:06	ECC	TAL TAM
Total/NA	Analysis	8260B		2	161703	09/28/15 16:14	ECC	TAL TAM

Client Sample ID: MW-11

Date Collected: 09/15/15 14:35

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	DL	10	161703	09/28/15 15:05	ECC	TAL TAM
Total/NA	Analysis	8260B		1	161703	09/28/15 15:57	ECC	TAL TAM

Client Sample ID: MW-41

Date Collected: 09/15/15 11:15

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161703	09/28/15 16:31	ECC	TAL TAM
Total/NA	Analysis	8260B	DL	10	161707	09/28/15 11:08	ECC	TAL TAM

Client Sample ID: MW-22S

Date Collected: 09/15/15 13:30

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	161703	09/28/15 15:23	ECC	TAL TAM
Total/NA	Analysis	8260B	DL	100	161707	09/28/15 11:27	ECC	TAL TAM

Client Sample ID: MW-25D

Date Collected: 09/15/15 13:55

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	DL	10	161703	09/28/15 11:40	ECC	TAL TAM
Total/NA	Analysis	8260B		2	161703	09/28/15 16:49	ECC	TAL TAM

Client Sample ID: MW-31S

Date Collected: 09/15/15 08:55

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161707	09/28/15 10:50	ECC	TAL TAM

TestAmerica Pensacola

Lab Chronicle

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-27

Date Collected: 09/15/15 15:20

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	DL	20	161703	09/28/15 11:58	ECC	TAL TAM
Total/NA	Analysis	8260B		2	161703	09/28/15 17:06	ECC	TAL TAM

Client Sample ID: MW-28D

Date Collected: 09/15/15 10:35

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161703	09/28/15 14:31	ECC	TAL TAM

Client Sample ID: MW-25D

Date Collected: 09/15/15 11:45

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161703	09/28/15 15:40	ECC	TAL TAM
Total/NA	Analysis	8260B	DL	10	161707	09/28/15 11:46	ECC	TAL TAM

Client Sample ID: MW-31D

Date Collected: 09/15/15 08:25

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161703	09/28/15 12:15	ECC	TAL TAM
Total/NA	Analysis	8260B	DL	5	161703	09/28/15 14:48	ECC	TAL TAM

Client Sample ID: TRIP BLANK 091515

Date Collected: 09/15/15 08:00

Date Received: 09/16/15 09:26

Lab Sample ID: 400-111034-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161703	09/28/15 13:56	ECC	TAL TAM

Client Sample ID: MW-34

Date Collected: 09/16/15 08:25

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161738	09/29/15 09:52	ECC	TAL TAM

TestAmerica Pensacola

Lab Chronicle

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-38S

Date Collected: 09/16/15 09:15

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161738	09/29/15 10:09	ECC	TAL TAM

Client Sample ID: MW-38

Date Collected: 09/16/15 09:45

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161738	09/29/15 10:26	ECC	TAL TAM

Client Sample ID: MW-44

Date Collected: 09/16/15 10:25

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	DL	100	161738	09/29/15 14:55	ECC	TAL TAM
Total/NA	Analysis	8260B		10	161738	09/29/15 15:46	ECC	TAL TAM

Client Sample ID: MW-47

Date Collected: 09/16/15 11:05

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161738	09/29/15 10:43	ECC	TAL TAM

Client Sample ID: MW-45

Date Collected: 09/16/15 11:35

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161738	09/29/15 11:01	ECC	TAL TAM

Client Sample ID: MW-48

Date Collected: 09/16/15 13:25

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161738	09/29/15 11:18	ECC	TAL TAM

TestAmerica Pensacola

Lab Chronicle

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Client Sample ID: MW-46

Date Collected: 09/16/15 14:05

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B	DL	5	161738	09/29/15 15:12	ECC	TAL TAM
Total/NA	Analysis	8260B		1	161738	09/29/15 15:29	ECC	TAL TAM

Client Sample ID: CS-1

Date Collected: 09/16/15 14:45

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161738	09/29/15 11:35	ECC	TAL TAM

Client Sample ID: CS-2

Date Collected: 09/16/15 14:50

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161738	09/29/15 11:52	ECC	TAL TAM

Client Sample ID: CS-3

Date Collected: 09/16/15 14:55

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161738	09/29/15 12:10	ECC	TAL TAM

Client Sample ID: Trip Blank

Date Collected: 09/16/15 00:00

Date Received: 09/17/15 08:56

Lab Sample ID: 400-111097-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	161738	09/29/15 14:38	ECC	TAL TAM

Laboratory References:

TAL TAM = TestAmerica Tampa, 6712 Benjamin Road, Suite 100, Tampa, FL 33634, TEL (813)885-7427

TestAmerica Pensacola

Method Summary

Client: Ecology and Environment, Inc.

Project/Site: Water Valley Mississippi, Former Holley

TestAmerica Job ID: 400-110980-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL TAM

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL TAM = TestAmerica Tampa, 6712 Benjamin Road, Suite 100, Tampa, FL 33634, TEL (813)885-7427

1

2

3

4

5

6

7

8

9

10

TestAmerica Pensacola

Sampler: _____ Lab PM: _____

Phone (850) 878-3994 Fax (850) 878-9504

Client Information		Sampler: SElliott	Lab PM: Jones, Matt	Carrier Tracking No(s):	COC No: 640-52017-7296.1																										
Client Contact: Amy Atkinson Steven Elliott		Phone: 850 288 0546	E-Mail: matt.jones@testamericanainc.com	Page: 1 of 5	Job#:																										
Ecology and Environment, Inc.		Analysis Requested																													
Address: 700 South Palafox Suite 100 City: Pensacola State, Zip: FL 32502 Phone: 850-435-8925 (Tel) Email: amitixon@ene.com Project Name: Water Valley Mississippi, Former Holley Site: SSC#:		<p>Preservation Codes:</p> <table border="0"> <tr><td>A - HCl</td><td>M - Hexane</td></tr> <tr><td>B - NaOH</td><td>N - None</td></tr> <tr><td>C - Zn Acetate</td><td>O - AsNaO2</td></tr> <tr><td>D - Nitric Acid</td><td>P - Na2O4S</td></tr> <tr><td>E - NaHSO4</td><td>Q - Na2S2O3</td></tr> <tr><td>F - MeOH</td><td>R - Na2S2O3S</td></tr> <tr><td>G - Amchlor</td><td>S - H2SO4</td></tr> <tr><td>H - Ascorbic Acid</td><td>T - TSP Dodecahydrate</td></tr> <tr><td>I - Ice</td><td>U - Acetone</td></tr> <tr><td>J - DI Water</td><td>V - MCAA</td></tr> <tr><td>K - EDTA</td><td>W - ph 4-5</td></tr> <tr><td>L - EDA</td><td>Z - other (specify)</td></tr> </table> <p>Other:</p> <p>Initial Number of Containers:</p> <p>Special Instructions/Note:</p>						A - HCl	M - Hexane	B - NaOH	N - None	C - Zn Acetate	O - AsNaO2	D - Nitric Acid	P - Na2O4S	E - NaHSO4	Q - Na2S2O3	F - MeOH	R - Na2S2O3S	G - Amchlor	S - H2SO4	H - Ascorbic Acid	T - TSP Dodecahydrate	I - Ice	U - Acetone	J - DI Water	V - MCAA	K - EDTA	W - ph 4-5	L - EDA	Z - other (specify)
A - HCl	M - Hexane																														
B - NaOH	N - None																														
C - Zn Acetate	O - AsNaO2																														
D - Nitric Acid	P - Na2O4S																														
E - NaHSO4	Q - Na2S2O3																														
F - MeOH	R - Na2S2O3S																														
G - Amchlor	S - H2SO4																														
H - Ascorbic Acid	T - TSP Dodecahydrate																														
I - Ice	U - Acetone																														
J - DI Water	V - MCAA																														
K - EDTA	W - ph 4-5																														
L - EDA	Z - other (specify)																														
		<p>Due Date Requested: TAT Requested (days):</p> <p>PO#:</p> <p>001525 EN05.08</p> <p>WO#:</p> <p>001525 EN05.08</p> <p>Project #:</p> <p>64001574</p> <p>Site:</p> <p>SSC#:</p> <p>400110980 COC</p> <p>8260B - Short List</p> <p>Sample Identification</p> <table border="1"> <thead> <tr> <th>Sample Date</th> <th>Sample Time</th> <th>Sample Type (G=Comp, G=grab, S=TIssue, A=soil)</th> <th>Matrix (Water, Sediment, Overwash, ...)</th> </tr> </thead> <tbody> <tr> <td>9/14/15</td> <td>12:00</td> <td>G=grab</td> <td>Water</td> </tr> <tr> <td></td> <td>1400</td> <td>G=grab</td> <td>Water</td> </tr> <tr> <td></td> <td>1440</td> <td>G=grab</td> <td>Water</td> </tr> <tr> <td></td> <td>1525</td> <td>G=grab</td> <td>Water</td> </tr> </tbody> </table> <p>Preservation Codes:</p> <p>2 bottles</p> <p>3 bottles</p> <p>↓</p> <p>Special Instructions/Note:</p>						Sample Date	Sample Time	Sample Type (G=Comp, G=grab, S=TIssue, A=soil)	Matrix (Water, Sediment, Overwash, ...)	9/14/15	12:00	G=grab	Water		1400	G=grab	Water		1440	G=grab	Water		1525	G=grab	Water				
Sample Date	Sample Time	Sample Type (G=Comp, G=grab, S=TIssue, A=soil)	Matrix (Water, Sediment, Overwash, ...)																												
9/14/15	12:00	G=grab	Water																												
	1400	G=grab	Water																												
	1440	G=grab	Water																												
	1525	G=grab	Water																												
		<p>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</p> <p><input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months</p> <p>Special Instructions/QC Requirements:</p> <p>Possible Hazard Identification</p> <p><input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radioactive</p> <p>Deliverable Requested: I, II, III, IV, Other (specify)</p> <p>Empty Kit Relinquished by:</p> <p>Relinquished by: <i>SElliott</i></p> <p>Date/Time: 9/14/15 1700 Company Received by: <i>ETK</i></p> <p>Relinquished by: <i>SElliott</i></p> <p>Date/Time: 9/15/15 031 Company Received by: <i>ETK</i></p> <p>Relinquished by: <i>SElliott</i></p> <p>Date/Time: 9/15/15 031 Company Received by: <i>ETK</i></p> <p>Relinquished by: <i>SElliott</i></p> <p>Date/Time: 9/15/15 031 Company Received by: <i>ETK</i></p> <p>Cooler Temperature(s) °C and Other Remarks: 3.6°C TR2-2</p>																													

Chain of Custody Record

Phone (850) 878-3994 Fax (850) 878-9504

Client Information		Sampler:	Lab Ph:	Carrier Tracking No(s):
Amy Nixon Steve Elliot		Phone: 850 288 0546	Jones, Matt	640-52017-7296-2
Ecology and Environment, Inc.		E-Mail:	matt.jones@testamericainc.com	Page: 2 of 5
Address: 700 South Palafox Suite 100 City: Pensacola State, Zip: FL 32502 Phone: 850-435-8925(Tel) Email: amixon@ene.com Project Name: Water Valley Mississippi, Former Holley Site:		<p>Analysis Requested</p> <p>Sample ID: 850 288 0546</p>  <p>400-111034 COC</p> <p>SSOW#:</p> <p>260B - Short List</p> <p>Other Numbers of Contaminants: Other:</p> <p>Special Instructions/Note:</p>		
Due Date Requested: TAT Requested (days):		<p>Preservation Codes:</p> <ul style="list-style-type: none"> A - HCl B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - H2SO4 H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Z - other (specify) 		
Sample Identification		Sample Date	Sample Time	Matrix (Water, Soil, O-waste, etc.)
MW-285	9/5	0955	S	GW
MW-285-Dup		0955	S	GW
MW-37		1550	S	GW
MW-11		1435	S	GW
MW-41		1115	S	GW
MW-225		1330	S	GW
MW-25D		1355	S	GW
MW-31S		0855	S	GW
MW-27		1520	S	GW
MW-28D		1035	S	GW
MW-25D		1145	S	GW
<p>Possible Hazard Identification</p> <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological				
<p>Deliverable Requested: I, II, III, IV, Other (specify)</p>				
Empty Kit Relinquished by:	Date/Time:	Date/Time:	Method of Shipment:	Company
Relinquished by:	Date/Time:	Date/Time:	Received By:	Company
Relinquished by:	Date/Time:	Date/Time:	Received By:	Company
Custody Seals intact:	Custody Seal No.: 161590			
Δ Yes Δ No				
Cooler Temperature(s) °C and Other Remarks:				
27°, TB-2				
Carrier Tracking No(s):	640-52017-7296-2	Page: 2 of 5	Special Instructions/Note:	
Special Instructions/OC Requirements:	<p>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</p> <p><input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months</p>			
Method of Shipment:	Carrier Tracking No:	Date/Time:	Received By:	Company
Relinquished by:	Date/Time:	Date/Time:	Received By:	Company
Relinquished by:	Date/Time:	Date/Time:	Received By:	Company

10

Chain of Custody Record

三〇三

Chain of Custody Record

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Client Information

Client Contact:	Steven Elliott	Sampler:	Lab P.M.: Jones, Matt	Carrier Tracking No(s):	CCC No.: 640-52017-7296.4
Company:	Ecology and Environment, Inc.	E-Mail:	matt.jones@testamericainc.com	Page:	Page 4 of 5
Address:	700 South Palatfox Suite 100	Due Date Requested:	Analysis Requested		
City:	Pensacola	TAT Requested (days):			
State, Zip:	FL 32502	PO #:			
Phone:	850-435-8925(Tel)	IWO #:			
Email:	amixon@ene.com	001525.EN05.08			
Project Name:	Walter Valley Mississippi, Former Holley	Project #:			
Site:	SSOW#:	164001574			
8260B - Short List					
Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Sewage, Oil/wastefall, Soil, Tissue, Ash)	Special Instructions/Note:
MW - 34	9/10/15	0825	G	SW	X
MW - 385		0915	I		X
MW - 38		0945			X
MW - 44		1625			X
MW - 47		1105			X
MW - 45		1135			X
MW - 48		1325			X
MW - 46		1405	V		X
C5-1		1445	Y	SW	X
C5-2		1450	Y	SW	X
C5-3		1455	Y	SW	X
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Special Instructions/QC Requirements:					
Possible Hazard Identification	Non-Hazard	Flammable	Skin Irritant	Poison B	Poison A
Deliverable Requested: I, II, III, IV, Other (specify)					
Empty Kit Relinquished by:	Date/Time:	Date/Time:	Received by:	Method of Shipment:	Date/Time:
Relinquished by:	Date/Time:	Date/Time:	Received by:	Method of Shipment:	Date/Time:
Custody Seals intact	Custody Seal No.:	Colder Temperature(s) °C and Other Remarks:			
△ Yes	△ No	27°C frige			

1
2
3
4
5
6
7
8
9
10



TestAmerica Pensacola

3355 McLemore Drive
Pensacola, FL 32514
Phone (850) 474-1001 Fax (850) 478-2671

Chain of Custody Record



TestAmérica

ATTACHMENT C



STATE OF MISSISSIPPI
PHIL BRYANT
GOVERNOR
MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
GARY C. RIKARD, EXECUTIVE DIRECTOR

March 7, 2016

Mr. Joe Wheatley
EnPro Industries, Inc.
5605 Carnegie Boulevard
Charlotte, NC 28209-4674

Re: *September 2015 Second Semiannual Sampling Report*
Submitted February 8, 2016
Former Holley Automotive Facility
Water Valley, Mississippi (Yalobusha County)

Dear Mr. Wheatley:

The Mississippi Department of Environmental Quality (MDEQ) has reviewed the above referenced document prepared by Ecology and Environment, Inc. (E&E) on behalf of EnPro Industries, Inc. The review has generated the following comments:

1. The Report header references the March 2015 Semiannual Report but should reference the September 2015 Semiannual Report.
2. Section 2.0 – The report contains a typographical error in that it states, “On September 14, 2014 ...”, when the subject sampling event was conducted in the year 2015; therefore, the Report should state, “On September 14, 2015 ...”
3. To echo the statement found in Section 6.0 of the Report, MDEQ requires the laboratory reporting limit (RL) be at a minimum, the MDEQ TRG value.
4. Figure 2 – MW-38S has a recorded analytical value of 7.4 µg/L therefore should be included within the 5 µg/L contour line.
5. Figure 2 – An apparent typographical error is noted in that CS-1, CS-2, and CS-3 all show a TCE value of 4 µg/L but the laboratory analytical data for these sample locations are shown to be <1 µg/L.

OFFICE OF POLLUTION CONTROL

POST OFFICE BOX 2261 • JACKSON, MISSISSIPPI 39225-2261 • TEL: (601) 961-5171 • FAX: (601) 354-6612 • www.deq.state.ms.us
AN EQUAL OPPORTUNITY EMPLOYER

Mr. Joe Wheatley

March 7, 2016

Page 2

6. Analytical reports from Test America are providing a truncated list of volatile organic analytes. At this time, MDEQ requests that EnPro Industries, Inc. report the results from the full USEPA Method 8260 volatile organic scan.
7. The referenced report is not signed, sealed, or dated. The MDEQ requests all technical documents be dated, signed, and sealed by either a Mississippi Professional Geologist (P.G.) or Mississippi Registered Professional Engineer (P.E.).

Any questions or comments can be directed to me at (601) 961-5166.

Sincerely,



Benjamin B. Lightsey
Project Manager

cc: Steven Elliot, Ecology and Environment, Inc. [via e-mail only]
John Fazzolari, Ecology and Environment, Inc. [via e-mail only]
William McKercher, P.E. – MDEQ-GARD WM