

Sub-Slab Depressurization System Progress Report for the Former Holley Automotive/ Coltec Industries Facility Water Valley, Mississippi



Bernard T. Delaney, Ph.D., P.E., BCEE

November 15, 2017

Prepared for: EnPro Industries, Inc.
1020 Highland Colony Parkway, Suite 1400
Ridgeland, MS 39157

Prepared by: First Environment, Inc.
91 Fulton Street
Boonton, New Jersey 07005

EnPro002-D-08072017



CERTIFICATION STATEMENT

I, Bernard T. Delaney, Ph.D., P.E., BCEE, certify that I am currently a registered professional engineer in the State of Mississippi and had primary direct responsibility for the implementation of the subject interim remedial measure activities. I certify that this Sub-Slab Depressurization System Progress Report was completed in conformance with the laws and regulations of the State of Mississippi. I certify that all information and statements in this certification form are true.

11041
Mississippi Professional
Engineer No.

11/15/2017
Date



B. Tod Delaney, Ph.D., P.E., BCEE

TABLE OF CONTENTS

1.0	Introduction.....	1
2.0	Indoor Air Monitoring – November 1-2, 2017.....	1
2.1	Instrumentation	1
2.2	Methodology	1
2.3	Results.....	2
3.0	Summary of Indoor Air Sampling	5
4.0	Air Permit Evaluation	5

TABLES

Table 1 – Indoor Air Sampling Results – November 1, 2017

Table 2 – Indoor Air Sampling Results Comparison – January through November 2017

FIGURES

Figure 1 – Indoor Air Sampling Results – November 1, 2017

APPENDIX

Appendix A – Analytical Report

1.0 Introduction

This Sub-Slab Depressurization System (“SSDS”) Progress Report has been prepared by First Environment, Inc. (“First Environment”) on behalf of EnPro Industries, Inc. (“EnPro”) with respect to the former Holley Automotive/Coltec Industries Facility (hereinafter referred to as the “Plant”). The Plant is located at 600 State Highway 32 in Water Valley, Yalobusha County, Mississippi.

On June 19, 2017, First Environment submitted a VI Investigation and Mitigation Report (the “Initial SSDS Report”), which included a description of the SSDS and indoor air sampling data through June 7, 2017. On July 3, 2017, First Environment submitted a SSDS Progress Report on the June 19-20, 2017 ambient and indoor air sampling results and the installation of extraction point (“EP”) No. 3. First Environment submitted SSDS Progress Reports on subsequent rounds of ambient and indoor air sampling on July 17, August 7, August 21, September 11, October 2, October 9, October 17, and November 1, 2017. On November 1-2, 2017, First Environment collected a round of ambient and indoor air samples from the four interior rooms at the Plant—the Training Room, ATS Room, Maintenance Room, and Cafeteria. As discussed in more detail below, all sampling results for TCE were below the MDEQ action level of 26 µg/m³. Additionally, as discussed in more detail below, on November 2, 2017, First Environment resampled the influent and effluent of the SSDS for an air permit evaluation.

2.0 Indoor Air Monitoring – November 1-2, 2017

2.1 Instrumentation

On November 1-2, 2017, First Environment collected ambient and indoor air samples by placing laboratory provided 6-liter capacity 24-hour Summa® canisters equipped with flow regulators calibrated to 24 hours.

2.2 Methodology

First Environment collected four indoor air samples at the four interior rooms of the Plant, and one ambient air sample outside the Plant. Standard chain-of-custody procedures were implemented for the sampling, including signing the sample lot in and out from the facility to the laboratory on a chain-of-custody sheet and dating the start and end dates/times of sample collection. First Environment also followed standard indoor air sampling techniques to collect the indoor air samples at the locations depicted in Figure 1. Wherever possible, First Environment mounted the Summa® canisters on columns or secured them in an area above the

floor at or near the “breathing space.” The vacuum measurements in Summa® canisters were noted before and after sampling to ensure that the flow regulator at each canister was working properly.

The sampling requires the Summa® canisters to be left in place for 24 hours and they are monitored by Plant security for that period of time. First Environment personnel, Borg Warner representatives, and Plant employees had access to the Summa® canisters during the 24-hour sampling period.


First Environment submitted the samples to ESC Lab Sciences for USEPA TO-15 SIM analysis. The laboratory was responsible for the decontamination of the Summa® canisters and for setting the internal vacuum and calibrating the regulators prior to sample collection.

2.3 Results


Table 1 presents the ambient and indoor air sampling results for all TO-15 analytes. Table 2 presents the results of TCE, cis-DCE, and VC in comparison of all previous rounds of sampling.

The sample results in the Cafeteria, Training Room and Maintenance Room were above USEPA’s Vapor Intrusion Screening Level (“VISL”) for TCE of 3 µg/m³ but below the MDEQ action level of 26 µg/m³. The sample results in the ATS Room were below USEPA’s VISL. The following figures show the linear regression trendline for the interior rooms.


TCE Concentration History at IA-1 (Maintenance Room)




TCE Concentration History at IA-2 (ATS Room)



TCE Concentration History at IA-6 (Training Room)



TCE Concentration History at IA-17 (Cafeteria)



A copy of the laboratory report, including the chain-of-custody forms, is attached in Appendix A.

3.0 Summary of Indoor Air Sampling

Since June 2017, the sample results in the Maintenance Room (IA-1), ATS Room (IA-2), Training Room (IA-6), and Cafeteria (IA-17) have been below the MDEQ action level of 26 $\mu\text{g}/\text{m}^3$.

On September 20, 2017, First Environment, on behalf of EnPro, submitted a letter request to the MDEQ for modification to the indoor air sampling program pursuant to Section 3.A. of the Agreed Order. The revised indoor air sampling schedule provides for bi-weekly sampling for the four interior room indoor air sampling locations (IA-1, IA-2, IA-6, & IA-17) and semi-annual sampling of three locations at the west, center, and east areas of the Plant (IA-C16, IA-K13, and IA-G4). On September 28, 2017, the MDEQ approved the sampling schedule with a request that IA-C16, IA-K13, and IA-G4 be sampled on a quarterly basis. Accordingly, IA-C16, IA-K13, and IA-G4 will be sampled quarterly. Subsequent indoor air sampling results under the approved sampling schedule will be provided to the MDEQ on an ongoing basis.

4.0 Air Permit Evaluation

As reported in First Environment's June 19, 2017 Vapor Intrusion Investigation and Mitigation Report, based on the June 13, 2017 measurements, the discharge of TCE vapors to the atmosphere were estimated to be approximately 36.4 pounds/year, which is equivalent to approximately 0.02 tons/year. On July 17, 2017, at the request of MDEQ, First Environment resampled the influent and effluent of the SSDS and estimated the discharge of TCE vapors to the atmosphere to be about 2.35×10^{-4} pounds/hour, which is equivalent to approximately 0.001 tons/year. On October 4, 2017, the MDEQ responded that "the results from the analytical sample collected during the evaluation [in July] are promising," but the agency needed additional samples. On October 11, 2017, to address the MDEQ's requests, First Environment proposed four rounds of bi-weekly sampling of the influent and effluent of the SSDS.

On October 20, 2017, First Environment sampled the influent and effluent of the SSDS and estimated the discharge of TCE vapors to the atmosphere is estimated to be about 2.37×10^{-3} pounds/hour, which is equivalent to approximately 0.01 tons/year. This round of sampling was reported in the November 1, 2017 SSDS Progress Report.

On November 2, 2017, First Environment resampled the influent and effluent of the SSDS. Prior to sampling, First Environment closed the intake control valve on the roof of the Plant so that no outside ambient air would influence the sampling results. As discussed with MDEQ, First Environment left open the ambient air extraction system intake valve located in the ATS room, which is part of the SSDS' treatment system. The discharge flow rate measured at the stack of the SSDS was about 270 cubic feet per minute ("cfm"). The effluent TCE concentration measured at the stack was $2,270 \mu\text{g}/\text{m}^3$. Based on these measurements, the discharge of TCE vapors to the atmosphere is estimated to be about 2.30×10^{-3} pounds/hour, which is equivalent to approximately 0.01 tons/year.

Subsequent influent and effluent sampling results under the approved sampling schedule will be provided to the MDEQ on an ongoing basis.

TABLES

TABLE 1
INDOOR AIR SAMPLING RESULTS
NOVEMBER 1, 2017
FORMER HOLLEY AUTOMOTIVE/COLTEC INDUSTRIES FACILITY
WATER VALLEY, MS

SAMPLE LOCATION: SAMPING DATE: LABORATORY ID:	IA-1 11/01/2017 L948263-01	IA-2 11/01/2017 L948263-02	IA-6 11/01/2017 L948263-03	IA-17 11/01/2017 L948263-04	AA-2 11/01/2017 L948263-05	SSD-EFFLU(4) 11/01/2017 L948263-06	SSD-INFLU(4) 11/01/2017 L948263-07
Analyte	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³
ACETONE	205	117	211	245	7.87	234	186
ALLYL CHLORIDE	<0.626	<0.626	<0.626	<0.626	<0.626	<1.25	<1.25
BENZENE	0.834	<0.639	0.796	0.819	<0.639	<1.28	<1.28
BENZYL CHLORIDE	<1.04	<1.04	<1.04	<1.04	<1.04	<2.08	<2.08
BROMODICHLOROMETHANE	<1.34	<1.34	<1.34	<1.34	<1.34	<2.68	<2.68
BROMOFORM	<6.21	<6.21	<6.21	<6.21	<6.21	<12.4	<12.4
BROMOMETHANE	<0.776 (J3)	<0.776 (J3)	<0.776 (J3)	<0.776 (J3)	<0.776 (J3)	<1.55 (J3)	<1.55 (J3)
1,3-BUTADIENE	<4.43	<4.43	<4.43	<4.43	<4.43	<8.85	<8.85
CARBON DISULFIDE	<0.622	<0.622	<0.622	<0.622	<0.622	<1.24	2.28
CARBON TETRACHLORIDE	<1.26	<1.26	<1.26	<1.26	<1.26	<2.52	<2.52
CHLOROBENZENE	<0.924	<0.924	<0.924	<0.924	<0.924	<1.85	<1.85
CHLOROETHANE	<0.528	<0.528	<0.528	<0.528	<0.528	<1.06	<1.06
CHLOROFORM	<0.973	<0.973	<0.973	<0.973	<0.973	<1.95	<1.95
CHLOROMETHANE	0.931	0.971	0.93	0.909	0.86	1.41	1.04
2-CHLOROTOLUENE	2.37	<1.03	1.63	1.94	<1.03	<2.06	2.93
CYCLOHEXANE	8.36	4.85	5.36	6.02	<0.689	2.18	3.14
CHLORODIBROMOMETHANE	<1.7	<1.7	<1.7	<1.7	<1.7	<3.4	<3.4
1,2-DIBROMOETHANE	<1.54	<1.54	<1.54	<1.54	<1.54	<3.08	<3.08
1,2-DICHLOROBENZENE	<1.2	<1.2	<1.2	<1.2	<1.2	<2.4	<2.4
1,3-DICHLOROBENZENE	<1.2	<1.2	<1.2	<1.2	<1.2	<2.4	<2.4
1,4-DICHLOROBENZENE	<1.2	<1.2	<1.2	<1.2	<1.2	<2.4	<2.4
1,2-DICHLOROETHANE	<0.81	<0.81	<0.81	<0.81	<0.81	<1.62	<1.62
1,1-DICHLOROETHANE	<0.802	<0.802	<0.802	<0.802	<0.802	<1.6	<1.6

TABLE 1
INDOOR AIR SAMPLING RESULTS
NOVEMBER 1, 2017
FORMER HOLLEY AUTOMOTIVE/COLTEC INDUSTRIES FACILITY
WATER VALLEY, MS

SAMPLE LOCATION: SAMPING DATE: LABORATORY ID:	IA-1 11/01/2017 L948263-01	IA-2 11/01/2017 L948263-02	IA-6 11/01/2017 L948263-03	IA-17 11/01/2017 L948263-04	AA-2 11/01/2017 L948263-05	SSD-EFFLU(4) 11/01/2017 L948263-06	SSD-INFLU(4) 11/01/2017 L948263-07
Analyte	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³
1,1-DICHLOROETHENE	<0.793	<0.793	<0.793	<0.793	<0.793	<1.59	1.62
CIS-1,2-DICHLOROETHENE	1.83	<0.793	2.89	2.33	<0.793	1100	1430
TRANS-1,2-DICHLOROETHENE	0.905	<0.793	0.965	1.08	<0.793	13.9	17.5
1,2-DICHLOROPROPANE	<0.924	<0.924	<0.924	<0.924	<0.924	<1.85	<1.85
CIS-1,3-DICHLOROPROPENE	<0.908	<0.908	<0.908	<0.908	<0.908	<1.82	<1.82
TRANS-1,3-DICHLOROPROPENE	<0.908	<0.908	<0.908	<0.908	<0.908	<1.82	<1.82
1,4-DIOXANE	1.27	0.769	0.875	0.954	<0.721	<1.44	<1.44
ETHANOL	3,840 (E)	1840	4,060 (E)	5,520 (E)	5.57	3300	5,010 (E)
ETHYLBENZENE	1.5	0.944	1.22	1.34	<0.867	<1.73	<1.73
4-ETHYLtolUENE	1.45	<0.982	<0.982	1.26	<0.982	<1.96	<1.96
TRICHLOROFUOROMETHANE	1.26	1.31	1.3	1.26	1.13	<2.25	<2.25
DICHLORODIFLUOROMETHANE	1.31	1.63	1.5	1.44	1.39	<1.98	<1.98
1,1,2-TRICHLOROTRIFLUOROETHANE	<1.53	<1.53	<1.53	<1.53	<1.53	18.7	22.7
1,2-DICHLOROTETRAFLUOROETHANE	<1.4	<1.4	<1.4	<1.4	<1.4	<2.8	<2.8
HEPTANE	92.5	53.7	58.6	65.1	<0.818	23.9	33.9
HEXAChLORO-1,3-BUTADIENE	<6.73	<6.73	<6.73	<6.73	<6.73	<13.5	<13.5
N-HEXANE	0.841	1.15	<0.705	<0.705	<0.705	<1.41	<1.41
ISOPROPYLBENZENE	<0.983	<0.983	<0.983	<0.983	<0.983	<1.97	<1.97
METHYLENE CHLORIDE	<0.694	2.8	<0.694	<0.694	<0.694	<1.39	<1.39
METHYL BUTYL KETONE	<5.11	<5.11	<5.11	<5.11	<5.11	<10.2	<10.2
2-BUTANONE (MEK)	445	219	458	581	<3.69	281	539
4-METHYL-2-PENTANONE (MIBK)	<5.12	<5.12	<5.12	<5.12	<5.12	<10.2	<10.2
METHYL METHACRYLATE	1.81	1.09	1.52	1.76	<0.819	3.43	1.77
METHYL TERT-BUTYL ETHER	<0.721	<0.721	<0.721	<0.721	<0.721	<1.44	<1.44
NAPHTHALENE	<3.3	<3.3	<3.3	<3.3	<3.3	<6.6	<6.6
2-PROPANOL	6,160 (E)	3,960 (E)	4,520 (E)	5,490 (E)	8.22	5,590 (E)	8,820 (E)

TABLE 1
INDOOR AIR SAMPLING RESULTS
NOVEMBER 1, 2017
FORMER HOLLEY AUTOMOTIVE/COLTEC INDUSTRIES FACILITY
WATER VALLEY, MS

SAMPLE LOCATION: SAMPING DATE: LABORATORY ID:	IA-1 11/01/2017 L948263-01	IA-2 11/01/2017 L948263-02	IA-6 11/01/2017 L948263-03	IA-17 11/01/2017 L948263-04	AA-2 11/01/2017 L948263-05	SSD-EFFLU(4) 11/01/2017 L948263-06	SSD-INFLU(4) 11/01/2017 L948263-07
Analyte	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³
PROPENE	51.4	26.2	46.6	50.5	<0.689	41.2	54.2
STYRENE	<0.851	<0.851	<0.851	0.863	<0.851	<1.7	<1.7
1,1,2,2-TETRACHLOROETHANE	6.13	3.32	4.5	4.83	<1.37	3.67	5
TETRACHLOROETHENE	<1.36	<1.36	<1.36	<1.36	<1.36	6.26	6.73
TETRAHYDROFURAN	69.5	38.7	42.2	46.9	<0.59	18.7	26.9
TOLUENE	18.4	10.2	11.5	13	2.76	8.15	9.61
1,2,4-TRICHLOROBENZENE	<4.66	<4.66	<4.66	<4.66	<4.66	<9.33	<9.33
1,1,1-TRICHLOROETHANE	<1.09	<1.09	<1.09	<1.09	<1.09	<2.18	<2.18
1,1,2-TRICHLOROETHANE	1.46	<1.09	<1.09	1.16	<1.09	<2.18	<2.18
TRICHLOROETHENE	13.5	1.7	4.67	3.15	<1.07	2270	2980
1,2,4-TRIMETHYLBENZENE	2.5	1.5	1.94	2.15	<0.982	<1.96	2.32
1,3,5-TRIMETHYLBENZENE	<0.982	<0.982	<0.982	<0.982	<0.982	<1.96	<1.96
2,2,4-TRIMETHYL PENTANE	7.54	4.21	13.3	7.62	<0.934	4.85	6.58
VINYL CHLORIDE	<0.511	<0.511	<0.511	<0.511	<0.511	10.4	13.4
VINYL BROMIDE	<0.875	<0.875	<0.875	<0.875	<0.875	<1.75	<1.75
VINYL ACETATE	<0.704	<0.704	<0.704	<0.704	<0.704	<1.41	<1.41
M&P-XYLENE	5.33	3.24	4.38	4.81	<1.73	4.11	5.77
O-XYLENE	1.86	1.16	1.49	1.63	<0.867	<1.73	1.82
1,4-BROMOFLUOROBENZENE	89.5 109	91.5 106	106 89.7	108 91.4	99.5	90.6 104	105 89.3

E: The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL)

TABLE 2
INDOOR AIR SAMPLING RESULTS COMPARISON
JANUARY THROUGH NOVEMBER 2017
FORMER HOLLEY AUTOMOTIVE/COLTEC INDUSTRIES FACILITY
WATER VALLEY, MS

SAMPLE ID	SAMPLING DATE	LABORATORY ID	CoC Concentrations ($\mu\text{g}/\text{m}^3$)		
			Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride
	USEPA Vapor Intrusion Screening Level (VISL):		3	NA	2.8
IA-1	19-Jan-17	L1702183-01	268(D)	63.8	<0.051
	15-Feb-17	L890396-01	55.8	<0.793	2.51
	23-Feb-17	L892423-01	150	82.1	1.68
	9-Mar-17	L895061-01	425	97.9	2.47
	26-Mar-17	L898762-01	103	11.4	0.604
	26-Apr-17	L905292-01	78.3	<0.793	0.712
	14-May-17	L909544-01	72.7	14	<0.511
	25-May-17	L912423-03	219	<0.793	0.526
	7-Jun-17	L914832-13	41.7	<0.793	<0.511
	19-Jun-17	L917924-13	29.4	3.68	<0.511
	28-Jun-17	L920054-12	21.4	<0.793	<0.511
	21-Jul-17	L924410-01	23.8	<0.793	<0.511
	4-Aug-17	L927407-01	22.9	2.85	<0.511
	15-Aug-17	L930026-01	20.6	<0.793	<0.511
	5-Sep-17	L934535-01	21.8	3.17	<0.511
	21-Sep-17	L938896-01	14.7	<0.793	<0.511
	5-Oct-17	L942068-01	18.2	<0.793	<0.511
	19-Oct-17	L945503-01	14.1	<0.793	<0.511
	1-Nov-17	L948263-01	13.5	1.83	<0.511
IA-2	19-Jan-17	L1702183-02	187	43.2	<0.051
	15-Feb-17	L890396-02	97.1	<0.793	2.27
	23-Feb-17	L892423-02	157	79.4	1.57
	9-Mar-17	L895061-02	426	86.7	1.18
	26-Mar-17	L898762-02	61.8	<0.793	<0.511
	26-Mar-17	L898762-04	82.3	<0.793	<0.511
	26-Apr-17	L905292-02	56.6	10.8	<0.511
	14-May-17	L909544-02	10.8	<0.793	<0.511
	25-May-17	L912423-08	160	<0.793	<0.511
	7-Jun-17	L914832-12	6.58	<0.793	<0.511
	19-Jun-17	L917924-12	8.16	1.88	<0.511
	28-Jun-17	L920054-13	4.21	<0.793	<0.511
	21-Jul-17	L924410-02	4.3	<0.793	<0.511
	4-Aug-17	L927407-02	2.94	<0.793	<0.511
	15-Aug-17	L930026-02	2.91	<0.793	<0.511
	5-Sep-17	L934535-02	3.52	0.967	<0.511
	21-Sep-17	L938896-02	2.22	<0.793	<0.511
	5-Oct-17	L942068-02	2.46	<0.793	<0.511
	19-Oct-17	L945503-02	1.87	<0.793	<0.511
	1-Nov-17	L948263-02	1.7	<0.793	<0.511
IA-6	19-Jan-17	L1702183-06	39	12.8	0.585
	15-Feb-17	L890396-03	21.7	<0.793	0.57
	23-Feb-17	L892423-03	47.1	14.2	<0.511
	9-Mar-17	L895061-03	48.6	12.3	0.511
	26-Mar-17	L898762-03	25.8	<0.793	<0.511
	26-Apr-17	L905292-03	26	9.12	<0.511
	14-May-17	L909544-03	19.5	<0.793	<0.511
	25-May-17	L912423-01	19.1	<0.793	<0.511
	7-Jun-17	L914832-11	5.75	<0.793	<0.511
	19-Jun-17	L917924-11	6.67	4.14	<0.511
	28-Jun-17	L920054-11	4.84	<0.793	<0.511
	21-Jul-17	L924410-03	4	<0.793	<0.511
	4-Aug-17	L927407-03	<1.07	<0.793	<0.511
	15-Aug-17	L930026-03	7.61	<0.793	<0.511
	5-Sep-17	L934535-03	6.85	5.17	<0.511
	21-Sep-17	L938896-03	4.65	<0.793	<0.511
	5-Oct-17	L942068-03	5.37	<0.793	<0.511
	19-Oct-17	L945503-03	6.31	<0.793	<0.511
	1-Nov-17	L948263-03	4.67	2.89	<0.511

TABLE 2
INDOOR AIR SAMPLING RESULTS COMPARISON
JANUARY THROUGH NOVEMBER 2017
FORMER HOLLEY AUTOMOTIVE/COLTEC INDUSTRIES FACILITY
WATER VALLEY, MS

SAMPLE ID	SAMPLING DATE	LABORATORY ID	CoC Concentrations ($\mu\text{g}/\text{m}^3$)		
			Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride
	USEPA Vapor Intrusion Screening Level (VISL):		3	NA	2.8
IA-14	19-Jan-17 23-Feb-17	L1702183-14 L892423-04	3.07 3.32	0.928 <0.793	<0.051 <0.511
IA-17	14-May-17 25-May-17 7-Jun-17 19-Jun-17 28-Jun-17 21-Jul-17 4-Aug-17 15-Aug-17 5-Sep-17 21-Sep-17 5-Oct-17 19-Oct-17 1-Nov-17	L909544-05 L912423-02 L914832-10 L917924-10 L920054-10 L924410-04 L927407-04 L930026-04 L934535-04 L938896-04 L942068-04 L945503-04 L948263-04	13.5 4.15 3.96 4.82 3.56 3.27 3.02 <5.36 3.04 1.46 3.2 2.79 3.15	<0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <3.96 5.6 <0.793 <0.793 <0.793 2.33	<0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <2.56 <0.511 <0.511 <0.511 <0.511 <0.511
IA-B12	26-Apr-17 25-May-17 7-Jun-17 19-Jun-17 28-Jun-17 21-Jul-17 4-Aug-17 15-Aug-17 5-Sep-17	L905292-04 L912423-05 L914832-07 L917924-09 L920054-08 L924410-05 L927407-05 L930026-05 L934535-05	6.54 3.08 1.64 1.66 <1.07 1.08 <1.07 <1.07 <1.07	1.77 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793	<0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511
IA-C16	26-Apr-17 25-May-17 7-Jun-17 19-Jun-17 28-Jun-17 21-Jul-17 4-Aug-17 15-Aug-17 5-Sep-17	L905292-05 L912423-06 L914832-08 L917924-07 L920054-07 L924410-06 L927407-06 L930026-06 L934535-06	6.48 3.88 1.55 2 1.22 1.08 1.25 <1.07 <1.07	1.82 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793	<0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511
IA-D5	25-May-17 7-Jun-17 19-Jun-17 28-Jun-17 21-Jul-17 4-Aug-17 15-Aug-17 5-Sep-17	L912423-12 L914832-03 L917924-03 L920054-03 L924410-08 L927407-10 L930026-10 L934535-10	<1.07 1.47 1.66 <1.07 <1.07 <1.07 <1.07 1.3	<0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793	<0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511
IA-G4	25-May-17 7-Jun-17 19-Jun-17 28-Jun-17 21-Jul-17 4-Aug-17 15-Aug-17 5-Sep-17	L912423-11 L914832-02 L917924-02 L920054-02 L924410-09 L927407-11 L930026-11 L934535-11	<1.07 3.31 1.35 <1.07 <1.07 <1.07 <1.07 1.17	<0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793	<0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511
IA-G13	26-Apr-17 14-May-17 25-May-17 7-Jun-17 19-Jun-17 28-Jun-17 21-Jul-17 4-Aug-17 15-Aug-17 5-Sep-17	L905292-06 L909544-04 L912423-06 L914832-06 L917924-06 L920054-06 L924410-07 L927407-07 L930026-07 L934535-07	8.98 4.65 3.88 2.54 2.46 1.41 1.6 1.76 1.25 1.78	<0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793	<0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511

TABLE 2
INDOOR AIR SAMPLING RESULTS COMPARISON
JANUARY THROUGH NOVEMBER 2017
FORMER HOLLEY AUTOMOTIVE/COLTEC INDUSTRIES FACILITY
WATER VALLEY, MS

SAMPLE ID	SAMPLING DATE	LABORATORY ID	CoC Concentrations ($\mu\text{g}/\text{m}^3$)		
			Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride
	USEPA Vapor Intrusion Screening Level (VISL):		3	NA	2.8
IA-K8	25-May-17 7-Jun-17 19-Jun-17 28-Jun-17 21-Jul-17 4-Aug-17 15-Aug-17 5-Sep-17	L912423-10 L914832-01 L917924-01 L920054-01 L924410-10 L927407-12 L930026-12 L934535-12	1.47 7.86 1.31 <1.07 <1.07 <1.07 <1.07 <1.07	<0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793	<0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511
IA-K13	26-Apr-17 25-May-17 7-Jun-17 19-Jun-17 28-Jun-17 21-Jul-17 4-Aug-17 15-Aug-17 5-Sep-17	L905292-07 L912423-04 L914832-05 L917924-05 L920054-05 L924410-12 L927407-08 L930026-08 L934535-08	6.53 5.28 1.59 2.2 1.33 1.34 <1.07 <1.07 1.67	<0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793	<0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511
IA-L16	26-Apr-17 7-Jun-17 25-May-17 19-Jun-17 28-Jun-17 21-Jul-17 4-Aug-17 15-Aug-17 5-Sep-17	L905292-08 L914832-04 L912423-09 L917924-04 L920054-04 L924410-11 L927407-09 L930026-09 L934535-09	5.77 2.09 1.36 2.81 1.32 1.18 <1.07 1.13 1.14	1.75 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793	<0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511
EP-1	14-May-17	L909544-06	1420000	361000	46300
EP-2	14-May-17	L909544-07	2820000	560000	13200
IA-SUMP-DUP	25-May-17	L912423-15	83.1	<0.793	<0.511
IA-SUMP	19-Jun-17 28-Jun-17	L917924-14 L920054-14	5.33 3.75	1.19 <0.793	<0.511 <0.511
AA-1	19-Jan-17	L1702183-17	<0.107	<0.079	<0.051
AA-2	19-Jan-17 26-Apr-17 25-May-17 7-Jun-17 19-Jun-17 28-Jun-17 21-Jul-17 4-Aug-17 15-Aug-17 5-Sep-17 21-Sep-17 5-Oct-17 19-Oct-17 1-Nov-17	L1702183-18 L905292-09 L912423-13 L914832-09 L917924-08 L920054-09 L924410-13 L927407-13 L930026-13 L934535-13 L938896-05 L942068-05 L945503-05 L948263-05	0.129 <0.107 <1.07 <1.07 <1.07 16.7 <1.07 <1.07 <1.07 <1.07 <1.07 <1.07 <1.07 <1.07	<0.079 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793 <0.793	<0.051 <0.051 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511 <0.511
IA-ATS-2ND F	15-Aug-17	L930026-14	1.86	<0.793	<0.511
IA-OFFICE 2ND F	15-Aug-17	L930026-15	<1.07	<0.793	<0.511


D: Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte

VISL: Calculated based on USEPA's OSWER Vapor Intrusion Assessment VISL Calculator Version 3.4, November 2015 RSLs for Target Indoor Air Concentration @ TCR=1E-6 or THQ=1

TCR: Target Carcinogen Risk

THQ: Target Hazard Quotient for Non-Carcinogens

FIGURES



Legend	USEPA Screening Level for TCE: 3 ug/m ³ MDEQ Action Level for TCE: 26 ug/m ³	0 20 40 80 Feet 1 inch = 80 feet	FIRST ENVIRONMENT	BORG WARNER FACILITY 600 Highway 32E, Water Valley, MS
● IA-1: Indoor Air Concentrations in ug/m ³	■ TCE Level Exceeding the MDEQ Action Level		FIGURE 1 INDOOR AIR SAMPLING RESULTS NOVEMBER 1, 2017	
● AA-1: Ambient Air Concentrations in ug/m ³	ND Concentration not detected above laboratory reported limits			
● ○ SSDS Exhaust Stack				
			91 Fulton Street Boonton, New Jersey 07005	Revised LS
			Drawn NMT	Checked NMT
			Approved NMT	Date 11/13/17

APPENDIX A

November 06, 2017

First Environment, Inc.

Sample Delivery Group: L948263
Samples Received: 11/03/2017
Project Number: ENPRO 002D-VM
Description: EnPro 002D-VM Borg Warner Plant Site
Site: WATER VALLEY, MS
Report To:
Michael T. Slack
91 Fulton Street
Boonton, NJ 07005

Entire Report Reviewed By:



John Hawkins
Technical Service Representative

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	1 Cp
Tc: Table of Contents	2	2 Tc
Ss: Sample Summary	3	3 Ss
Cn: Case Narrative	4	4 Cn
Sr: Sample Results	5	5 Sr
IA-1 L948263-01	5	
IA-2 L948263-02	7	
IA-6 L948263-03	9	
IA-17 L948263-04	11	
AA-2 L948263-05	13	
SSD-EFFLU(4) L948263-06	15	
SSD-INFLU(4) L948263-07	17	
Qc: Quality Control Summary	19	
Volatile Organic Compounds (MS) by Method TO-15	19	
Gl: Glossary of Terms	24	
Al: Accreditations & Locations	25	
Sc: Sample Chain of Custody	26	

SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



			Collected by Michael Slack	Collected date/time 11/01/17 12:05	Received date/time 11/03/17 08:45
IA-1 L948263-01 Air	Method	Batch	Dilution	Preparation date/time	Analysis date/time
	Volatile Organic Compounds (MS) by Method TO-15	WG1038892	1	11/03/17 15:31	11/03/17 15:31
	Volatile Organic Compounds (MS) by Method TO-15	WG1039317	25	11/05/17 12:37	11/05/17 12:37
IA-2 L948263-02 Air	Method	Batch	Dilution	Preparation date/time	Analysis date/time
	Volatile Organic Compounds (MS) by Method TO-15	WG1038892	1	11/03/17 16:30	11/03/17 16:30
	Volatile Organic Compounds (MS) by Method TO-15	WG1039317	25	11/05/17 13:19	11/05/17 13:19
IA-6 L948263-03 Air	Method	Batch	Dilution	Preparation date/time	Analysis date/time
	Volatile Organic Compounds (MS) by Method TO-15	WG1038892	1	11/03/17 17:23	11/03/17 17:23
	Volatile Organic Compounds (MS) by Method TO-15	WG1039317	25	11/05/17 14:01	11/05/17 14:01
IA-17 L948263-04 Air	Method	Batch	Dilution	Preparation date/time	Analysis date/time
	Volatile Organic Compounds (MS) by Method TO-15	WG1038892	1	11/03/17 18:12	11/03/17 18:12
	Volatile Organic Compounds (MS) by Method TO-15	WG1039317	40	11/05/17 14:42	11/05/17 14:42
AA-2 L948263-05 Air	Method	Batch	Dilution	Preparation date/time	Analysis date/time
	Volatile Organic Compounds (MS) by Method TO-15	WG1038892	1	11/03/17 19:01	11/03/17 19:01
SSD-EFLU(4) L948263-06 Air	Method	Batch	Dilution	Preparation date/time	Analysis date/time
	Volatile Organic Compounds (MS) by Method TO-15	WG1038892	2	11/03/17 19:45	11/03/17 19:45
	Volatile Organic Compounds (MS) by Method TO-15	WG1039317	40	11/05/17 15:24	11/05/17 15:24
SSD-INFLU(4) L948263-07 Air	Method	Batch	Dilution	Preparation date/time	Analysis date/time
	Volatile Organic Compounds (MS) by Method TO-15	WG1038892	2	11/03/17 20:30	11/03/17 20:30
	Volatile Organic Compounds (MS) by Method TO-15	WG1039317	40	11/05/17 16:05	11/05/17 16:05

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. All MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

John Hawkins
Technical Service Representative

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ AI
- ⁹ SC



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
Acetone	67-64-1	58.10	31.2	74.1	86.1	205		25	WG1039317
Allyl chloride	107-05-1	76.53	0.200	0.626	ND	ND		1	WG1038892
Benzene	71-43-2	78.10	0.200	0.639	0.261	0.834		1	WG1038892
Benzyl Chloride	100-44-7	127	0.200	1.04	ND	ND		1	WG1038892
Bromodichloromethane	75-27-4	164	0.200	1.34	ND	ND		1	WG1038892
Bromoform	75-25-2	253	0.600	6.21	ND	ND		1	WG1038892
Bromomethane	74-83-9	94.90	0.200	0.776	ND	ND	J3	1	WG1038892
1,3-Butadiene	106-99-0	54.10	2.00	4.43	ND	ND		1	WG1038892
Carbon disulfide	75-15-0	76.10	0.200	0.622	ND	ND		1	WG1038892
Carbon tetrachloride	56-23-5	154	0.200	1.26	ND	ND		1	WG1038892
Chlorobenzene	108-90-7	113	0.200	0.924	ND	ND		1	WG1038892
Chloroethane	75-00-3	64.50	0.200	0.528	ND	ND		1	WG1038892
Chloroform	67-66-3	119	0.200	0.973	ND	ND		1	WG1038892
Chloromethane	74-87-3	50.50	0.200	0.413	0.451	0.931		1	WG1038892
2-Chlorotoluene	95-49-8	126	0.200	1.03	0.459	2.37		1	WG1038892
Cyclohexane	110-82-7	84.20	0.200	0.689	2.43	8.36		1	WG1038892
Dibromochloromethane	124-48-1	208	0.200	1.70	ND	ND		1	WG1038892
1,2-Dibromoethane	106-93-4	188	0.200	1.54	ND	ND		1	WG1038892
1,2-Dichlorobenzene	95-50-1	147	0.200	1.20	ND	ND		1	WG1038892
1,3-Dichlorobenzene	541-73-1	147	0.200	1.20	ND	ND		1	WG1038892
1,4-Dichlorobenzene	106-46-7	147	0.200	1.20	ND	ND		1	WG1038892
1,2-Dichloroethane	107-06-2	99	0.200	0.810	ND	ND		1	WG1038892
1,1-Dichloroethane	75-34-3	98	0.200	0.802	ND	ND		1	WG1038892
1,1-Dichloroethene	75-35-4	96.90	0.200	0.793	ND	ND		1	WG1038892
cis-1,2-Dichloroethene	156-59-2	96.90	0.200	0.793	0.462	1.83		1	WG1038892
trans-1,2-Dichloroethene	156-60-5	96.90	0.200	0.793	0.228	0.905		1	WG1038892
1,2-Dichloropropane	78-87-5	113	0.200	0.924	ND	ND		1	WG1038892
cis-1,3-Dichloropropene	10061-01-5	111	0.200	0.908	ND	ND		1	WG1038892
trans-1,3-Dichloropropene	10061-02-6	111	0.200	0.908	ND	ND		1	WG1038892
1,4-Dioxane	123-91-1	88.10	0.200	0.721	0.354	1.27		1	WG1038892
Ethanol	64-17-5	46.10	15.8	29.8	2040	3840	E	25	WG1039317
Ethylbenzene	100-41-4	106	0.200	0.867	0.345	1.50		1	WG1038892
4-Ethyltoluene	622-96-8	120	0.200	0.982	0.295	1.45		1	WG1038892
Trichlorofluoromethane	75-69-4	137.40	0.200	1.12	0.224	1.26		1	WG1038892
Dichlorodifluoromethane	75-71-8	120.92	0.200	0.989	0.265	1.31		1	WG1038892
1,1,2-Trichlorotrifluoroethane	76-13-1	187.40	0.200	1.53	ND	ND		1	WG1038892
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.200	1.40	ND	ND		1	WG1038892
Heptane	142-82-5	100	0.200	0.818	22.6	92.5		1	WG1038892
Hexachloro-1,3-butadiene	87-68-3	261	0.630	6.73	ND	ND		1	WG1038892
n-Hexane	110-54-3	86.20	0.200	0.705	0.238	0.841		1	WG1038892
Isopropylbenzene	98-82-8	120.20	0.200	0.983	ND	ND		1	WG1038892
Methylene Chloride	75-09-2	84.90	0.200	0.694	ND	ND		1	WG1038892
Methyl Butyl Ketone	591-78-6	100	1.25	5.11	ND	ND		1	WG1038892
2-Butanone (MEK)	78-93-3	72.10	31.2	92.0	151	445		25	WG1039317
4-Methyl-2-pentanone (MIBK)	108-10-1	100.10	1.25	5.12	ND	ND		1	WG1038892
Methyl methacrylate	80-62-6	100.12	0.200	0.819	0.443	1.81		1	WG1038892
MTBE	1634-04-4	88.10	0.200	0.721	ND	ND		1	WG1038892
Naphthalene	91-20-3	128	0.630	3.30	ND	ND		1	WG1038892
2-Propanol	67-63-0	60.10	31.2	76.7	2500	6160	E	25	WG1039317
Propene	115-07-1	42.10	0.400	0.689	29.8	51.4		1	WG1038892
Styrene	100-42-5	104	0.200	0.851	ND	ND		1	WG1038892
1,1,2-Tetrachloroethane	79-34-5	168	0.200	1.37	0.892	6.13		1	WG1038892
Tetrachloroethylene	127-18-4	166	0.200	1.36	ND	ND		1	WG1038892
Tetrahydrofuran	109-99-9	72.10	0.200	0.590	23.6	69.5		1	WG1038892
Toluene	108-88-3	92.10	0.200	0.753	4.88	18.4		1	WG1038892
1,2,4-Trichlorobenzene	120-82-1	181	0.630	4.66	ND	ND		1	WG1038892

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1	RDL2	Result	Result	Qualifier	Dilution	Batch	
			ppbv	ug/m3	ppbv	ug/m3				
1,1,1-Trichloroethane	71-55-6	133	0.200	1.09	ND	ND		1	WG1038892	¹ Cp
1,1,2-Trichloroethane	79-00-5	133	0.200	1.09	0.268	1.46		1	WG1038892	² Tc
Trichloroethylene	79-01-6	131	0.200	1.07	2.52	13.5		1	WG1038892	³ Ss
1,2,4-Trimethylbenzene	95-63-6	120	0.200	0.982	0.509	2.50		1	WG1038892	⁴ Cn
1,3,5-Trimethylbenzene	108-67-8	120	0.200	0.982	ND	ND		1	WG1038892	⁵ Sr
2,2,4-Trimethylpentane	540-84-1	114.22	0.200	0.934	1.61	7.54		1	WG1038892	⁶ Qc
Vinyl chloride	75-01-4	62.50	0.200	0.511	ND	ND		1	WG1038892	⁷ Gl
Vinyl Bromide	593-60-2	106.95	0.200	0.875	ND	ND		1	WG1038892	⁸ Al
Vinyl acetate	108-05-4	86.10	0.200	0.704	ND	ND		1	WG1038892	⁹ Sc
m&p-Xylene	1330-20-7	106	0.400	1.73	1.23	5.33		1	WG1038892	
o-Xylene	95-47-6	106	0.200	0.867	0.429	1.86		1	WG1038892	
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		89.5				WG1039317	
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		109				WG1038892	



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
Acetone	67-64-1	58.10	1.25	2.97	49.3	117		1	WG1038892
Allyl chloride	107-05-1	76.53	0.200	0.626	ND	ND		1	WG1038892
Benzene	71-43-2	78.10	0.200	0.639	ND	ND		1	WG1038892
Benzyl Chloride	100-44-7	127	0.200	1.04	ND	ND		1	WG1038892
Bromodichloromethane	75-27-4	164	0.200	1.34	ND	ND		1	WG1038892
Bromoform	75-25-2	253	0.600	6.21	ND	ND		1	WG1038892
Bromomethane	74-83-9	94.90	0.200	0.776	ND	ND	J3	1	WG1038892
1,3-Butadiene	106-99-0	54.10	2.00	4.43	ND	ND		1	WG1038892
Carbon disulfide	75-15-0	76.10	0.200	0.622	ND	ND		1	WG1038892
Carbon tetrachloride	56-23-5	154	0.200	1.26	ND	ND		1	WG1038892
Chlorobenzene	108-90-7	113	0.200	0.924	ND	ND		1	WG1038892
Chloroethane	75-00-3	64.50	0.200	0.528	ND	ND		1	WG1038892
Chloroform	67-66-3	119	0.200	0.973	ND	ND		1	WG1038892
Chloromethane	74-87-3	50.50	0.200	0.413	0.470	0.971		1	WG1038892
2-Chlorotoluene	95-49-8	126	0.200	1.03	ND	ND		1	WG1038892
Cyclohexane	110-82-7	84.20	0.200	0.689	1.41	4.85		1	WG1038892
Dibromochloromethane	124-48-1	208	0.200	1.70	ND	ND		1	WG1038892
1,2-Dibromoethane	106-93-4	188	0.200	1.54	ND	ND		1	WG1038892
1,2-Dichlorobenzene	95-50-1	147	0.200	1.20	ND	ND		1	WG1038892
1,3-Dichlorobenzene	541-73-1	147	0.200	1.20	ND	ND		1	WG1038892
1,4-Dichlorobenzene	106-46-7	147	0.200	1.20	ND	ND		1	WG1038892
1,2-Dichloroethane	107-06-2	99	0.200	0.810	ND	ND		1	WG1038892
1,1-Dichloroethane	75-34-3	98	0.200	0.802	ND	ND		1	WG1038892
1,1-Dichloroethene	75-35-4	96.90	0.200	0.793	ND	ND		1	WG1038892
cis-1,2-Dichloroethene	156-59-2	96.90	0.200	0.793	ND	ND		1	WG1038892
trans-1,2-Dichloroethene	156-60-5	96.90	0.200	0.793	ND	ND		1	WG1038892
1,2-Dichloropropane	78-87-5	113	0.200	0.924	ND	ND		1	WG1038892
cis-1,3-Dichloropropene	10061-01-5	111	0.200	0.908	ND	ND		1	WG1038892
trans-1,3-Dichloropropene	10061-02-6	111	0.200	0.908	ND	ND		1	WG1038892
1,4-Dioxane	123-91-1	88.10	0.200	0.721	0.214	0.769		1	WG1038892
Ethanol	64-17-5	46.10	15.8	29.8	976	1840		25	WG1039317
Ethylbenzene	100-41-4	106	0.200	0.867	0.218	0.944		1	WG1038892
4-Ethyltoluene	622-96-8	120	0.200	0.982	ND	ND		1	WG1038892
Trichlorofluoromethane	75-69-4	137.40	0.200	1.12	0.233	1.31		1	WG1038892
Dichlorodifluoromethane	75-71-8	120.92	0.200	0.989	0.330	1.63		1	WG1038892
1,1,2-Trichlorotrifluoroethane	76-13-1	187.40	0.200	1.53	ND	ND		1	WG1038892
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.200	1.40	ND	ND		1	WG1038892
Heptane	142-82-5	100	0.200	0.818	13.1	53.7		1	WG1038892
Hexachloro-1,3-butadiene	87-68-3	261	0.630	6.73	ND	ND		1	WG1038892
n-Hexane	110-54-3	86.20	0.200	0.705	0.327	1.15		1	WG1038892
Isopropylbenzene	98-82-8	120.20	0.200	0.983	ND	ND		1	WG1038892
Methylene Chloride	75-09-2	84.90	0.200	0.694	0.807	2.80		1	WG1038892
Methyl Butyl Ketone	591-78-6	100	1.25	5.11	ND	ND		1	WG1038892
2-Butanone (MEK)	78-93-3	72.10	31.2	92.0	74.2	219		25	WG1039317
4-Methyl-2-pentanone (MIBK)	108-10-1	100.10	1.25	5.12	ND	ND		1	WG1038892
Methyl methacrylate	80-62-6	100.12	0.200	0.819	0.266	1.09		1	WG1038892
MTBE	1634-04-4	88.10	0.200	0.721	ND	ND		1	WG1038892
Naphthalene	91-20-3	128	0.630	3.30	ND	ND		1	WG1038892
2-Propanol	67-63-0	60.10	31.2	76.7	1610	3960	E	25	WG1039317
Propene	115-07-1	42.10	0.400	0.689	15.2	26.2		1	WG1038892
Styrene	100-42-5	104	0.200	0.851	ND	ND		1	WG1038892
1,1,2-Tetrachloroethane	79-34-5	168	0.200	1.37	0.483	3.32		1	WG1038892
Tetrachloroethylene	127-18-4	166	0.200	1.36	ND	ND		1	WG1038892
Tetrahydrofuran	109-99-9	72.10	0.200	0.590	13.1	38.7		1	WG1038892
Toluene	108-88-3	92.10	0.200	0.753	2.70	10.2		1	WG1038892
1,2,4-Trichlorobenzene	120-82-1	181	0.630	4.66	ND	ND		1	WG1038892

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1	RDL2	Result	Result	Qualifier	Dilution	Batch	
			ppbv	ug/m3	ppbv	ug/m3				
1,1,1-Trichloroethane	71-55-6	133	0.200	1.09	ND	ND		1	WG1038892	¹ Cp
1,1,2-Trichloroethane	79-00-5	133	0.200	1.09	ND	ND		1	WG1038892	² Tc
Trichloroethylene	79-01-6	131	0.200	1.07	0.317	1.70		1	WG1038892	³ Ss
1,2,4-Trimethylbenzene	95-63-6	120	0.200	0.982	0.306	1.50		1	WG1038892	⁴ Cn
1,3,5-Trimethylbenzene	108-67-8	120	0.200	0.982	ND	ND		1	WG1038892	⁵ Sr
2,2,4-Trimethylpentane	540-84-1	114.22	0.200	0.934	0.902	4.21		1	WG1038892	⁶ Qc
Vinyl chloride	75-01-4	62.50	0.200	0.511	ND	ND		1	WG1038892	⁷ Gl
Vinyl Bromide	593-60-2	106.95	0.200	0.875	ND	ND		1	WG1038892	⁸ Al
Vinyl acetate	108-05-4	86.10	0.200	0.704	ND	ND		1	WG1038892	⁹ Sc
m&p-Xylene	1330-20-7	106	0.400	1.73	0.747	3.24		1	WG1038892	
o-Xylene	95-47-6	106	0.200	0.867	0.268	1.16		1	WG1038892	
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		106				WG1038892	
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		91.5				WG1039317	



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
Acetone	67-64-1	58.10	31.2	74.1	89.0	211		25	WG1039317
Allyl chloride	107-05-1	76.53	0.200	0.626	ND	ND		1	WG1038892
Benzene	71-43-2	78.10	0.200	0.639	0.249	0.796		1	WG1038892
Benzyl Chloride	100-44-7	127	0.200	1.04	ND	ND		1	WG1038892
Bromodichloromethane	75-27-4	164	0.200	1.34	ND	ND		1	WG1038892
Bromoform	75-25-2	253	0.600	6.21	ND	ND		1	WG1038892
Bromomethane	74-83-9	94.90	0.200	0.776	ND	ND	J3	1	WG1038892
1,3-Butadiene	106-99-0	54.10	2.00	4.43	ND	ND		1	WG1038892
Carbon disulfide	75-15-0	76.10	0.200	0.622	ND	ND		1	WG1038892
Carbon tetrachloride	56-23-5	154	0.200	1.26	ND	ND		1	WG1038892
Chlorobenzene	108-90-7	113	0.200	0.924	ND	ND		1	WG1038892
Chloroethane	75-00-3	64.50	0.200	0.528	ND	ND		1	WG1038892
Chloroform	67-66-3	119	0.200	0.973	ND	ND		1	WG1038892
Chloromethane	74-87-3	50.50	0.200	0.413	0.450	0.930		1	WG1038892
2-Chlorotoluene	95-49-8	126	0.200	1.03	0.316	1.63		1	WG1038892
Cyclohexane	110-82-7	84.20	0.200	0.689	1.56	5.36		1	WG1038892
Dibromochloromethane	124-48-1	208	0.200	1.70	ND	ND		1	WG1038892
1,2-Dibromoethane	106-93-4	188	0.200	1.54	ND	ND		1	WG1038892
1,2-Dichlorobenzene	95-50-1	147	0.200	1.20	ND	ND		1	WG1038892
1,3-Dichlorobenzene	541-73-1	147	0.200	1.20	ND	ND		1	WG1038892
1,4-Dichlorobenzene	106-46-7	147	0.200	1.20	ND	ND		1	WG1038892
1,2-Dichloroethane	107-06-2	99	0.200	0.810	ND	ND		1	WG1038892
1,1-Dichloroethane	75-34-3	98	0.200	0.802	ND	ND		1	WG1038892
1,1-Dichloroethene	75-35-4	96.90	0.200	0.793	ND	ND		1	WG1038892
cis-1,2-Dichloroethene	156-59-2	96.90	0.200	0.793	0.730	2.89		1	WG1038892
trans-1,2-Dichloroethene	156-60-5	96.90	0.200	0.793	0.243	0.965		1	WG1038892
1,2-Dichloropropane	78-87-5	113	0.200	0.924	ND	ND		1	WG1038892
cis-1,3-Dichloropropene	10061-01-5	111	0.200	0.908	ND	ND		1	WG1038892
trans-1,3-Dichloropropene	10061-02-6	111	0.200	0.908	ND	ND		1	WG1038892
1,4-Dioxane	123-91-1	88.10	0.200	0.721	0.243	0.875		1	WG1038892
Ethanol	64-17-5	46.10	15.8	29.8	2150	4060	E	25	WG1039317
Ethylbenzene	100-41-4	106	0.200	0.867	0.283	1.22		1	WG1038892
4-Ethyltoluene	622-96-8	120	0.200	0.982	ND	ND		1	WG1038892
Trichlorofluoromethane	75-69-4	137.40	0.200	1.12	0.232	1.30		1	WG1038892
Dichlorodifluoromethane	75-71-8	120.92	0.200	0.989	0.303	1.50		1	WG1038892
1,1,2-Trichlorotrifluoroethane	76-13-1	187.40	0.200	1.53	ND	ND		1	WG1038892
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.200	1.40	ND	ND		1	WG1038892
Heptane	142-82-5	100	0.200	0.818	14.3	58.6		1	WG1038892
Hexachloro-1,3-butadiene	87-68-3	261	0.630	6.73	ND	ND		1	WG1038892
n-Hexane	110-54-3	86.20	0.200	0.705	ND	ND		1	WG1038892
Isopropylbenzene	98-82-8	120.20	0.200	0.983	ND	ND		1	WG1038892
Methylene Chloride	75-09-2	84.90	0.200	0.694	ND	ND		1	WG1038892
Methyl Butyl Ketone	591-78-6	100	1.25	5.11	ND	ND		1	WG1038892
2-Butanone (MEK)	78-93-3	72.10	31.2	92.0	155	458		25	WG1039317
4-Methyl-2-pentanone (MIBK)	108-10-1	100.10	1.25	5.12	ND	ND		1	WG1038892
Methyl methacrylate	80-62-6	100.12	0.200	0.819	0.371	1.52		1	WG1038892
MTBE	1634-04-4	88.10	0.200	0.721	ND	ND		1	WG1038892
Naphthalene	91-20-3	128	0.630	3.30	ND	ND		1	WG1038892
2-Propanol	67-63-0	60.10	31.2	76.7	1840	4520	E	25	WG1039317
Propene	115-07-1	42.10	0.400	0.689	27.1	46.6		1	WG1038892
Styrene	100-42-5	104	0.200	0.851	ND	ND		1	WG1038892
1,1,2-Tetrachloroethane	79-34-5	168	0.200	1.37	0.655	4.50		1	WG1038892
Tetrachloroethylene	127-18-4	166	0.200	1.36	ND	ND		1	WG1038892
Tetrahydrofuran	109-99-9	72.10	0.200	0.590	14.3	42.2		1	WG1038892
Toluene	108-88-3	92.10	0.200	0.753	3.06	11.5		1	WG1038892
1,2,4-Trichlorobenzene	120-82-1	181	0.630	4.66	ND	ND		1	WG1038892

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1	RDL2	Result	Result	Qualifier	Dilution	Batch
			ppbv	ug/m3	ppbv	ug/m3			
1,1,1-Trichloroethane	71-55-6	133	0.200	1.09	ND	ND		1	WG1038892
1,1,2-Trichloroethane	79-00-5	133	0.200	1.09	ND	ND		1	WG1038892
Trichloroethylene	79-01-6	131	0.200	1.07	0.871	4.67		1	WG1038892
1,2,4-Trimethylbenzene	95-63-6	120	0.200	0.982	0.396	1.94		1	WG1038892
1,3,5-Trimethylbenzene	108-67-8	120	0.200	0.982	ND	ND		1	WG1038892
2,2,4-Trimethylpentane	540-84-1	114.22	0.200	0.934	2.85	13.3		1	WG1038892
Vinyl chloride	75-01-4	62.50	0.200	0.511	ND	ND		1	WG1038892
Vinyl Bromide	593-60-2	106.95	0.200	0.875	ND	ND		1	WG1038892
Vinyl acetate	108-05-4	86.10	0.200	0.704	ND	ND		1	WG1038892
m&p-Xylene	1330-20-7	106	0.400	1.73	1.01	4.38		1	WG1038892
o-Xylene	95-47-6	106	0.200	0.867	0.344	1.49		1	WG1038892
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		89.7				WG1039317
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		106				WG1038892

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
Acetone	67-64-1	58.10	50.0	119	103	245		40	WG1039317
Allyl chloride	107-05-1	76.53	0.200	0.626	ND	ND		1	WG1038892
Benzene	71-43-2	78.10	0.200	0.639	0.257	0.819		1	WG1038892
Benzyl Chloride	100-44-7	127	0.200	1.04	ND	ND		1	WG1038892
Bromodichloromethane	75-27-4	164	0.200	1.34	ND	ND		1	WG1038892
Bromoform	75-25-2	253	0.600	6.21	ND	ND		1	WG1038892
Bromomethane	74-83-9	94.90	0.200	0.776	ND	ND	J3	1	WG1038892
1,3-Butadiene	106-99-0	54.10	2.00	4.43	ND	ND		1	WG1038892
Carbon disulfide	75-15-0	76.10	0.200	0.622	ND	ND		1	WG1038892
Carbon tetrachloride	56-23-5	154	0.200	1.26	ND	ND		1	WG1038892
Chlorobenzene	108-90-7	113	0.200	0.924	ND	ND		1	WG1038892
Chloroethane	75-00-3	64.50	0.200	0.528	ND	ND		1	WG1038892
Chloroform	67-66-3	119	0.200	0.973	ND	ND		1	WG1038892
Chloromethane	74-87-3	50.50	0.200	0.413	0.440	0.909		1	WG1038892
2-Chlorotoluene	95-49-8	126	0.200	1.03	0.376	1.94		1	WG1038892
Cyclohexane	110-82-7	84.20	0.200	0.689	1.75	6.02		1	WG1038892
Dibromochloromethane	124-48-1	208	0.200	1.70	ND	ND		1	WG1038892
1,2-Dibromoethane	106-93-4	188	0.200	1.54	ND	ND		1	WG1038892
1,2-Dichlorobenzene	95-50-1	147	0.200	1.20	ND	ND		1	WG1038892
1,3-Dichlorobenzene	541-73-1	147	0.200	1.20	ND	ND		1	WG1038892
1,4-Dichlorobenzene	106-46-7	147	0.200	1.20	ND	ND		1	WG1038892
1,2-Dichloroethane	107-06-2	99	0.200	0.810	ND	ND		1	WG1038892
1,1-Dichloroethane	75-34-3	98	0.200	0.802	ND	ND		1	WG1038892
1,1-Dichloroethene	75-35-4	96.90	0.200	0.793	ND	ND		1	WG1038892
cis-1,2-Dichloroethene	156-59-2	96.90	0.200	0.793	0.589	2.33		1	WG1038892
trans-1,2-Dichloroethene	156-60-5	96.90	0.200	0.793	0.271	1.08		1	WG1038892
1,2-Dichloropropane	78-87-5	113	0.200	0.924	ND	ND		1	WG1038892
cis-1,3-Dichloropropene	10061-01-5	111	0.200	0.908	ND	ND		1	WG1038892
trans-1,3-Dichloropropene	10061-02-6	111	0.200	0.908	ND	ND		1	WG1038892
1,4-Dioxane	123-91-1	88.10	0.200	0.721	0.265	0.954		1	WG1038892
Ethanol	64-17-5	46.10	25.2	47.5	2930	5520	E	40	WG1039317
Ethylbenzene	100-41-4	106	0.200	0.867	0.309	1.34		1	WG1038892
4-Ethyltoluene	622-96-8	120	0.200	0.982	0.257	1.26		1	WG1038892
Trichlorofluoromethane	75-69-4	137.40	0.200	1.12	0.225	1.26		1	WG1038892
Dichlorodifluoromethane	75-71-8	120.92	0.200	0.989	0.291	1.44		1	WG1038892
1,1,2-Trichlorotrifluoroethane	76-13-1	187.40	0.200	1.53	ND	ND		1	WG1038892
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.200	1.40	ND	ND		1	WG1038892
Heptane	142-82-5	100	0.200	0.818	15.9	65.1		1	WG1038892
Hexachloro-1,3-butadiene	87-68-3	261	0.630	6.73	ND	ND		1	WG1038892
n-Hexane	110-54-3	86.20	0.200	0.705	ND	ND		1	WG1038892
Isopropylbenzene	98-82-8	120.20	0.200	0.983	ND	ND		1	WG1038892
Methylene Chloride	75-09-2	84.90	0.200	0.694	ND	ND		1	WG1038892
Methyl Butyl Ketone	591-78-6	100	1.25	5.11	ND	ND		1	WG1038892
2-Butanone (MEK)	78-93-3	72.10	50.0	147	197	581		40	WG1039317
4-Methyl-2-pentanone (MIBK)	108-10-1	100.10	1.25	5.12	ND	ND		1	WG1038892
Methyl methacrylate	80-62-6	100.12	0.200	0.819	0.429	1.76		1	WG1038892
MTBE	1634-04-4	88.10	0.200	0.721	ND	ND		1	WG1038892
Naphthalene	91-20-3	128	0.630	3.30	ND	ND		1	WG1038892
2-Propanol	67-63-0	60.10	50.0	123	2230	5490	E	40	WG1039317
Propene	115-07-1	42.10	0.400	0.689	29.3	50.5		1	WG1038892
Styrene	100-42-5	104	0.200	0.851	0.203	0.863		1	WG1038892
1,1,2-Tetrachloroethane	79-34-5	168	0.200	1.37	0.703	4.83		1	WG1038892
Tetrachloroethylene	127-18-4	166	0.200	1.36	ND	ND		1	WG1038892
Tetrahydrofuran	109-99-9	72.10	0.200	0.590	15.9	46.9		1	WG1038892
Toluene	108-88-3	92.10	0.200	0.753	3.45	13.0		1	WG1038892
1,2,4-Trichlorobenzene	120-82-1	181	0.630	4.66	ND	ND		1	WG1038892

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1	RDL2	Result	Result	Qualifier	Dilution	Batch
			ppbv	ug/m3	ppbv	ug/m3			
1,1,1-Trichloroethane	71-55-6	133	0.200	1.09	ND	ND		1	WG1038892
1,1,2-Trichloroethane	79-00-5	133	0.200	1.09	0.213	1.16		1	WG1038892
Trichloroethylene	79-01-6	131	0.200	1.07	0.588	3.15		1	WG1038892
1,2,4-Trimethylbenzene	95-63-6	120	0.200	0.982	0.439	2.15		1	WG1038892
1,3,5-Trimethylbenzene	108-67-8	120	0.200	0.982	ND	ND		1	WG1038892
2,2,4-Trimethylpentane	540-84-1	114.22	0.200	0.934	1.63	7.62		1	WG1038892
Vinyl chloride	75-01-4	62.50	0.200	0.511	ND	ND		1	WG1038892
Vinyl Bromide	593-60-2	106.95	0.200	0.875	ND	ND		1	WG1038892
Vinyl acetate	108-05-4	86.10	0.200	0.704	ND	ND		1	WG1038892
m&p-Xylene	1330-20-7	106	0.400	1.73	1.11	4.81		1	WG1038892
o-Xylene	95-47-6	106	0.200	0.867	0.375	1.63		1	WG1038892
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		108				WG1038892
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		91.4				WG1039317

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
Acetone	67-64-1	58.10	1.25	2.97	3.31	7.87		1	WG1038892
Allyl chloride	107-05-1	76.53	0.200	0.626	ND	ND		1	WG1038892
Benzene	71-43-2	78.10	0.200	0.639	ND	ND		1	WG1038892
Benzyl Chloride	100-44-7	127	0.200	1.04	ND	ND		1	WG1038892
Bromodichloromethane	75-27-4	164	0.200	1.34	ND	ND		1	WG1038892
Bromoform	75-25-2	253	0.600	6.21	ND	ND		1	WG1038892
Bromomethane	74-83-9	94.90	0.200	0.776	ND	ND	J3	1	WG1038892
1,3-Butadiene	106-99-0	54.10	2.00	4.43	ND	ND		1	WG1038892
Carbon disulfide	75-15-0	76.10	0.200	0.622	ND	ND		1	WG1038892
Carbon tetrachloride	56-23-5	154	0.200	1.26	ND	ND		1	WG1038892
Chlorobenzene	108-90-7	113	0.200	0.924	ND	ND		1	WG1038892
Chloroethane	75-00-3	64.50	0.200	0.528	ND	ND		1	WG1038892
Chloroform	67-66-3	119	0.200	0.973	ND	ND		1	WG1038892
Chloromethane	74-87-3	50.50	0.200	0.413	0.417	0.860		1	WG1038892
2-Chlorotoluene	95-49-8	126	0.200	1.03	ND	ND		1	WG1038892
Cyclohexane	110-82-7	84.20	0.200	0.689	ND	ND		1	WG1038892
Dibromochloromethane	124-48-1	208	0.200	1.70	ND	ND		1	WG1038892
1,2-Dibromoethane	106-93-4	188	0.200	1.54	ND	ND		1	WG1038892
1,2-Dichlorobenzene	95-50-1	147	0.200	1.20	ND	ND		1	WG1038892
1,3-Dichlorobenzene	541-73-1	147	0.200	1.20	ND	ND		1	WG1038892
1,4-Dichlorobenzene	106-46-7	147	0.200	1.20	ND	ND		1	WG1038892
1,2-Dichloroethane	107-06-2	99	0.200	0.810	ND	ND		1	WG1038892
1,1-Dichloroethane	75-34-3	98	0.200	0.802	ND	ND		1	WG1038892
1,1-Dichloroethene	75-35-4	96.90	0.200	0.793	ND	ND		1	WG1038892
cis-1,2-Dichloroethene	156-59-2	96.90	0.200	0.793	ND	ND		1	WG1038892
trans-1,2-Dichloroethene	156-60-5	96.90	0.200	0.793	ND	ND		1	WG1038892
1,2-Dichloropropane	78-87-5	113	0.200	0.924	ND	ND		1	WG1038892
cis-1,3-Dichloropropene	10061-01-5	111	0.200	0.908	ND	ND		1	WG1038892
trans-1,3-Dichloropropene	10061-02-6	111	0.200	0.908	ND	ND		1	WG1038892
1,4-Dioxane	123-91-1	88.10	0.200	0.721	ND	ND		1	WG1038892
Ethanol	64-17-5	46.10	0.630	1.19	2.96	5.57		1	WG1038892
Ethylbenzene	100-41-4	106	0.200	0.867	ND	ND		1	WG1038892
4-Ethyltoluene	622-96-8	120	0.200	0.982	ND	ND		1	WG1038892
Trichlorofluoromethane	75-69-4	137.40	0.200	1.12	0.201	1.13		1	WG1038892
Dichlorodifluoromethane	75-71-8	120.92	0.200	0.989	0.282	1.39		1	WG1038892
1,1,2-Trichlorotrifluoroethane	76-13-1	187.40	0.200	1.53	ND	ND		1	WG1038892
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.200	1.40	ND	ND		1	WG1038892
Heptane	142-82-5	100	0.200	0.818	ND	ND		1	WG1038892
Hexachloro-1,3-butadiene	87-68-3	261	0.630	6.73	ND	ND		1	WG1038892
n-Hexane	110-54-3	86.20	0.200	0.705	ND	ND		1	WG1038892
Isopropylbenzene	98-82-8	120.20	0.200	0.983	ND	ND		1	WG1038892
Methylene Chloride	75-09-2	84.90	0.200	0.694	ND	ND		1	WG1038892
Methyl Butyl Ketone	591-78-6	100	1.25	5.11	ND	ND		1	WG1038892
2-Butanone (MEK)	78-93-3	72.10	1.25	3.69	ND	ND		1	WG1038892
4-Methyl-2-pentanone (MIBK)	108-10-1	100.10	1.25	5.12	ND	ND		1	WG1038892
Methyl methacrylate	80-62-6	100.12	0.200	0.819	ND	ND		1	WG1038892
MTBE	1634-04-4	88.10	0.200	0.721	ND	ND		1	WG1038892
Naphthalene	91-20-3	128	0.630	3.30	ND	ND		1	WG1038892
2-Propanol	67-63-0	60.10	1.25	3.07	3.35	8.22		1	WG1038892
Propene	115-07-1	42.10	0.400	0.689	ND	ND		1	WG1038892
Styrene	100-42-5	104	0.200	0.851	ND	ND		1	WG1038892
1,1,2-Tetrachloroethane	79-34-5	168	0.200	1.37	ND	ND		1	WG1038892
Tetrachloroethylene	127-18-4	166	0.200	1.36	ND	ND		1	WG1038892
Tetrahydrofuran	109-99-9	72.10	0.200	0.590	ND	ND		1	WG1038892
Toluene	108-88-3	92.10	0.200	0.753	0.732	2.76		1	WG1038892
1,2,4-Trichlorobenzene	120-82-1	181	0.630	4.66	ND	ND		1	WG1038892

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 Al

9 Sc

AA-2

Collected date/time: 11/01/17 12:10

SAMPLE RESULTS - 05

L948263

ONE LAB. NATIONWIDE.



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1	RDL2	Result	Result	Qualifier	Dilution	Batch
			ppbv	ug/m3	ppbv	ug/m3			
1,1,1-Trichloroethane	71-55-6	133	0.200	1.09	ND	ND		1	WG1038892
1,1,2-Trichloroethane	79-00-5	133	0.200	1.09	ND	ND		1	WG1038892
Trichloroethylene	79-01-6	131	0.200	1.07	ND	ND		1	WG1038892
1,2,4-Trimethylbenzene	95-63-6	120	0.200	0.982	ND	ND		1	WG1038892
1,3,5-Trimethylbenzene	108-67-8	120	0.200	0.982	ND	ND		1	WG1038892
2,2,4-Trimethylpentane	540-84-1	114.22	0.200	0.934	ND	ND		1	WG1038892
Vinyl chloride	75-01-4	62.50	0.200	0.511	ND	ND		1	WG1038892
Vinyl Bromide	593-60-2	106.95	0.200	0.875	ND	ND		1	WG1038892
Vinyl acetate	108-05-4	86.10	0.200	0.704	ND	ND		1	WG1038892
m&p-Xylene	1330-20-7	106	0.400	1.73	ND	ND		1	WG1038892
o-Xylene	95-47-6	106	0.200	0.867	ND	ND		1	WG1038892
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		99.5				WG1038892

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ GI⁸ Al⁹ Sc



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
Acetone	67-64-1	58.10	2.50	5.94	98.4	234		2	WG1038892
Allyl chloride	107-05-1	76.53	0.400	1.25	ND	ND		2	WG1038892
Benzene	71-43-2	78.10	0.400	1.28	ND	ND		2	WG1038892
Benzyl Chloride	100-44-7	127	0.400	2.08	ND	ND		2	WG1038892
Bromodichloromethane	75-27-4	164	0.400	2.68	ND	ND		2	WG1038892
Bromoform	75-25-2	253	1.20	12.4	ND	ND		2	WG1038892
Bromomethane	74-83-9	94.90	0.400	1.55	ND	ND	J3	2	WG1038892
1,3-Butadiene	106-99-0	54.10	4.00	8.85	ND	ND		2	WG1038892
Carbon disulfide	75-15-0	76.10	0.400	1.24	ND	ND		2	WG1038892
Carbon tetrachloride	56-23-5	154	0.400	2.52	ND	ND		2	WG1038892
Chlorobenzene	108-90-7	113	0.400	1.85	ND	ND		2	WG1038892
Chloroethane	75-00-3	64.50	0.400	1.06	ND	ND		2	WG1038892
Chloroform	67-66-3	119	0.400	1.95	ND	ND		2	WG1038892
Chloromethane	74-87-3	50.50	0.400	0.826	0.681	1.41		2	WG1038892
2-Chlorotoluene	95-49-8	126	0.400	2.06	ND	ND		2	WG1038892
Cyclohexane	110-82-7	84.20	0.400	1.38	0.634	2.18		2	WG1038892
Dibromochloromethane	124-48-1	208	0.400	3.40	ND	ND		2	WG1038892
1,2-Dibromoethane	106-93-4	188	0.400	3.08	ND	ND		2	WG1038892
1,2-Dichlorobenzene	95-50-1	147	0.400	2.40	ND	ND		2	WG1038892
1,3-Dichlorobenzene	541-73-1	147	0.400	2.40	ND	ND		2	WG1038892
1,4-Dichlorobenzene	106-46-7	147	0.400	2.40	ND	ND		2	WG1038892
1,2-Dichloroethane	107-06-2	99	0.400	1.62	ND	ND		2	WG1038892
1,1-Dichloroethane	75-34-3	98	0.400	1.60	ND	ND		2	WG1038892
1,1-Dichloroethene	75-35-4	96.90	0.400	1.59	ND	ND		2	WG1038892
cis-1,2-Dichloroethene	156-59-2	96.90	8.00	31.7	278	1100		40	WG1039317
trans-1,2-Dichloroethene	156-60-5	96.90	0.400	1.59	3.51	13.9		2	WG1038892
1,2-Dichloropropane	78-87-5	113	0.400	1.85	ND	ND		2	WG1038892
cis-1,3-Dichloropropene	10061-01-5	111	0.400	1.82	ND	ND		2	WG1038892
trans-1,3-Dichloropropene	10061-02-6	111	0.400	1.82	ND	ND		2	WG1038892
1,4-Dioxane	123-91-1	88.10	0.400	1.44	ND	ND		2	WG1038892
Ethanol	64-17-5	46.10	25.2	47.5	1750	3300		40	WG1039317
Ethylbenzene	100-41-4	106	0.400	1.73	ND	ND		2	WG1038892
4-Ethyltoluene	622-96-8	120	0.400	1.96	ND	ND		2	WG1038892
Trichlorofluoromethane	75-69-4	137.40	0.400	2.25	ND	ND		2	WG1038892
Dichlorodifluoromethane	75-71-8	120.92	0.400	1.98	ND	ND		2	WG1038892
1,1,2-Trichlorotrifluoroethane	76-13-1	187.40	0.400	3.07	2.44	18.7		2	WG1038892
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.400	2.80	ND	ND		2	WG1038892
Heptane	142-82-5	100	0.400	1.64	5.84	23.9		2	WG1038892
Hexachloro-1,3-butadiene	87-68-3	261	1.26	13.5	ND	ND		2	WG1038892
n-Hexane	110-54-3	86.20	0.400	1.41	ND	ND		2	WG1038892
Isopropylbenzene	98-82-8	120.20	0.400	1.97	ND	ND		2	WG1038892
Methylene Chloride	75-09-2	84.90	0.400	1.39	ND	ND		2	WG1038892
Methyl Butyl Ketone	591-78-6	100	2.50	10.2	ND	ND		2	WG1038892
2-Butanone (MEK)	78-93-3	72.10	2.50	7.37	95.2	281		2	WG1038892
4-Methyl-2-pentanone (MIBK)	108-10-1	100.10	2.50	10.2	ND	ND		2	WG1038892
Methyl methacrylate	80-62-6	100.12	0.400	1.64	0.837	3.43		2	WG1038892
MTBE	1634-04-4	88.10	0.400	1.44	ND	ND		2	WG1038892
Naphthalene	91-20-3	128	1.26	6.60	ND	ND		2	WG1038892
2-Propanol	67-63-0	60.10	50.0	123	2270	5590	E	40	WG1039317
Propene	115-07-1	42.10	0.800	1.38	23.9	41.2		2	WG1038892
Styrene	100-42-5	104	0.400	1.70	ND	ND		2	WG1038892
1,1,2-Tetrachloroethane	79-34-5	168	0.400	2.75	0.534	3.67		2	WG1038892
Tetrachloroethylene	127-18-4	166	0.400	2.72	0.922	6.26		2	WG1038892
Tetrahydrofuran	109-99-9	72.10	0.400	1.18	6.35	18.7		2	WG1038892
Toluene	108-88-3	92.10	0.400	1.51	2.16	8.15		2	WG1038892
1,2,4-Trichlorobenzene	120-82-1	181	1.26	9.33	ND	ND		2	WG1038892

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	<u>Qualifier</u>	Dilution	Batch	1 Cp
1,1,1-Trichloroethane	71-55-6	133	0.400	2.18	ND	ND		2	WG1038892	2 Tc
1,1,2-Trichloroethane	79-00-5	133	0.400	2.18	ND	ND		2	WG1038892	
Trichloroethylene	79-01-6	131	8.00	42.9	423	2270		40	WG1039317	3 Ss
1,2,4-Trimethylbenzene	95-63-6	120	0.400	1.96	ND	ND		2	WG1038892	4 Cn
1,3,5-Trimethylbenzene	108-67-8	120	0.400	1.96	ND	ND		2	WG1038892	5 Sr
2,2,4-Trimethylpentane	540-84-1	114.22	0.400	1.87	1.04	4.85		2	WG1038892	6 Qc
Vinyl chloride	75-01-4	62.50	0.400	1.02	4.08	10.4		2	WG1038892	7 GI
Vinyl Bromide	593-60-2	106.95	0.400	1.75	ND	ND		2	WG1038892	
Vinyl acetate	108-05-4	86.10	0.400	1.41	ND	ND		2	WG1038892	
m&p-Xylene	1330-20-7	106	0.800	3.47	0.949	4.11		2	WG1038892	
o-Xylene	95-47-6	106	0.400	1.73	ND	ND		2	WG1038892	
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		90.6				WG1039317	
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		104				WG1038892	



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
Acetone	67-64-1	58.10	2.50	5.94	78.1	186		2	WG1038892
Allyl chloride	107-05-1	76.53	0.400	1.25	ND	ND		2	WG1038892
Benzene	71-43-2	78.10	0.400	1.28	ND	ND		2	WG1038892
Benzyl Chloride	100-44-7	127	0.400	2.08	ND	ND		2	WG1038892
Bromodichloromethane	75-27-4	164	0.400	2.68	ND	ND		2	WG1038892
Bromoform	75-25-2	253	1.20	12.4	ND	ND		2	WG1038892
Bromomethane	74-83-9	94.90	0.400	1.55	ND	ND	J3	2	WG1038892
1,3-Butadiene	106-99-0	54.10	4.00	8.85	ND	ND		2	WG1038892
Carbon disulfide	75-15-0	76.10	0.400	1.24	0.733	2.28		2	WG1038892
Carbon tetrachloride	56-23-5	154	0.400	2.52	ND	ND		2	WG1038892
Chlorobenzene	108-90-7	113	0.400	1.85	ND	ND		2	WG1038892
Chloroethane	75-00-3	64.50	0.400	1.06	ND	ND		2	WG1038892
Chloroform	67-66-3	119	0.400	1.95	ND	ND		2	WG1038892
Chloromethane	74-87-3	50.50	0.400	0.826	0.502	1.04		2	WG1038892
2-Chlorotoluene	95-49-8	126	0.400	2.06	0.569	2.93		2	WG1038892
Cyclohexane	110-82-7	84.20	0.400	1.38	0.912	3.14		2	WG1038892
Dibromochloromethane	124-48-1	208	0.400	3.40	ND	ND		2	WG1038892
1,2-Dibromoethane	106-93-4	188	0.400	3.08	ND	ND		2	WG1038892
1,2-Dichlorobenzene	95-50-1	147	0.400	2.40	ND	ND		2	WG1038892
1,3-Dichlorobenzene	541-73-1	147	0.400	2.40	ND	ND		2	WG1038892
1,4-Dichlorobenzene	106-46-7	147	0.400	2.40	ND	ND		2	WG1038892
1,2-Dichloroethane	107-06-2	99	0.400	1.62	ND	ND		2	WG1038892
1,1-Dichloroethane	75-34-3	98	0.400	1.60	ND	ND		2	WG1038892
1,1-Dichloroethene	75-35-4	96.90	0.400	1.59	0.409	1.62		2	WG1038892
cis-1,2-Dichloroethene	156-59-2	96.90	8.00	31.7	360	1430		40	WG1039317
trans-1,2-Dichloroethene	156-60-5	96.90	0.400	1.59	4.40	17.5		2	WG1038892
1,2-Dichloropropane	78-87-5	113	0.400	1.85	ND	ND		2	WG1038892
cis-1,3-Dichloropropene	10061-01-5	111	0.400	1.82	ND	ND		2	WG1038892
trans-1,3-Dichloropropene	10061-02-6	111	0.400	1.82	ND	ND		2	WG1038892
1,4-Dioxane	123-91-1	88.10	0.400	1.44	ND	ND		2	WG1038892
Ethanol	64-17-5	46.10	25.2	47.5	2660	5010	E	40	WG1039317
Ethylbenzene	100-41-4	106	0.400	1.73	ND	ND		2	WG1038892
4-Ethyltoluene	622-96-8	120	0.400	1.96	ND	ND		2	WG1038892
Trichlorofluoromethane	75-69-4	137.40	0.400	2.25	ND	ND		2	WG1038892
Dichlorodifluoromethane	75-71-8	120.92	0.400	1.98	ND	ND		2	WG1038892
1,1,2-Trichlorotrifluoroethane	76-13-1	187.40	0.400	3.07	2.97	22.7		2	WG1038892
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.400	2.80	ND	ND		2	WG1038892
Heptane	142-82-5	100	0.400	1.64	8.29	33.9		2	WG1038892
Hexachloro-1,3-butadiene	87-68-3	261	1.26	13.5	ND	ND		2	WG1038892
n-Hexane	110-54-3	86.20	0.400	1.41	ND	ND		2	WG1038892
Isopropylbenzene	98-82-8	120.20	0.400	1.97	ND	ND		2	WG1038892
Methylene Chloride	75-09-2	84.90	0.400	1.39	ND	ND		2	WG1038892
Methyl Butyl Ketone	591-78-6	100	2.50	10.2	ND	ND		2	WG1038892
2-Butanone (MEK)	78-93-3	72.10	50.0	147	183	539		40	WG1039317
4-Methyl-2-pentanone (MIBK)	108-10-1	100.10	2.50	10.2	ND	ND		2	WG1038892
Methyl methacrylate	80-62-6	100.12	0.400	1.64	0.432	1.77		2	WG1038892
MTBE	1634-04-4	88.10	0.400	1.44	ND	ND		2	WG1038892
Naphthalene	91-20-3	128	1.26	6.60	ND	ND		2	WG1038892
2-Propanol	67-63-0	60.10	50.0	123	3590	8820	E	40	WG1039317
Propene	115-07-1	42.10	0.800	1.38	31.5	54.2		2	WG1038892
Styrene	100-42-5	104	0.400	1.70	ND	ND		2	WG1038892
1,1,2-Tetrachloroethane	79-34-5	168	0.400	2.75	0.728	5.00		2	WG1038892
Tetrachloroethylene	127-18-4	166	0.400	2.72	0.992	6.73		2	WG1038892
Tetrahydrofuran	109-99-9	72.10	0.400	1.18	9.11	26.9		2	WG1038892
Toluene	108-88-3	92.10	0.400	1.51	2.55	9.61		2	WG1038892
1,2,4-Trichlorobenzene	120-82-1	181	1.26	9.33	ND	ND		2	WG1038892

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	<u>Qualifier</u>	Dilution	Batch	1 Cp
1,1,1-Trichloroethane	71-55-6	133	0.400	2.18	ND	ND		2	WG1038892	2 Tc
1,1,2-Trichloroethane	79-00-5	133	0.400	2.18	ND	ND		2	WG1038892	
Trichloroethylene	79-01-6	131	8.00	42.9	556	2980		40	WG1039317	3 Ss
1,2,4-Trimethylbenzene	95-63-6	120	0.400	1.96	0.472	2.32		2	WG1038892	4 Cn
1,3,5-Trimethylbenzene	108-67-8	120	0.400	1.96	ND	ND		2	WG1038892	5 Sr
2,2,4-Trimethylpentane	540-84-1	114.22	0.400	1.87	1.41	6.58		2	WG1038892	6 Qc
Vinyl chloride	75-01-4	62.50	0.400	1.02	5.24	13.4		2	WG1038892	7 GI
Vinyl Bromide	593-60-2	106.95	0.400	1.75	ND	ND		2	WG1038892	
Vinyl acetate	108-05-4	86.10	0.400	1.41	ND	ND		2	WG1038892	
m&p-Xylene	1330-20-7	106	0.800	3.47	1.33	5.77		2	WG1038892	
o-Xylene	95-47-6	106	0.400	1.73	0.419	1.82		2	WG1038892	
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		105				WG1038892	
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		89.3				WG1039317	8 Al
										9 Sc

L948263-01,02,03,04,05,06,07

Method Blank (MB)

(MB) R3263135-3 11/03/17 08:55

Analyte	MB Result ppbv	MB Qualifier	MB MDL ppbv	MB RDL ppbv	
Acetone	U		0.0569	1.25	¹ Cp
Allyl Chloride	U		0.0546	0.200	² Tc
Benzene	U		0.0460	0.200	³ Ss
Benzyl Chloride	U		0.0598	0.200	⁴ Cn
Bromodichloromethane	U		0.0436	0.200	⁵ Sr
Bromoform	U		0.0786	0.600	⁶ Qc
Bromomethane	U		0.0609	0.200	⁷ Gl
1,3-Butadiene	U		0.0563	2.00	⁸ Al
Carbon disulfide	U		0.0544	0.200	⁹ Sc
Carbon tetrachloride	U		0.0585	0.200	
Chlorobenzene	U		0.0601	0.200	
Chloroethane	U		0.0489	0.200	
Chloroform	U		0.0574	0.200	
Chloromethane	U		0.0544	0.200	
2-Chlorotoluene	U		0.0605	0.200	
Cyclohexane	U		0.0534	0.200	
Dibromochloromethane	U		0.0494	0.200	
1,2-Dibromoethane	U		0.0185	0.200	
1,2-Dichlorobenzene	U		0.0603	0.200	
1,3-Dichlorobenzene	U		0.0597	0.200	
1,4-Dichlorobenzene	U		0.0557	0.200	
1,2-Dichloroethane	U		0.0616	0.200	
1,1-Dichloroethane	U		0.0514	0.200	
1,1-Dichloroethene	U		0.0490	0.200	
cis-1,2-Dichloroethene	U		0.0389	0.200	
trans-1,2-Dichloroethene	U		0.0464	0.200	
1,2-Dichloropropane	U		0.0599	0.200	
cis-1,3-Dichloropropene	U		0.0588	0.200	
trans-1,3-Dichloropropene	U		0.0435	0.200	
1,4-Dioxane	U		0.0554	0.200	
Ethylbenzene	U		0.0506	0.200	
4-Ethyltoluene	U		0.0666	0.200	
Trichlorofluoromethane	U		0.0673	0.200	
Dichlorodifluoromethane	U		0.0601	0.200	
1,1,2-Trichlorotrifluoroethane	U		0.0687	0.200	
1,2-Dichlorotetrafluoroethane	U		0.0458	0.200	
Heptane	U		0.0626	0.200	
Hexachloro-1,3-butadiene	U		0.0656	0.630	
n-Hexane	U		0.0457	0.200	
Isopropylbenzene	U		0.0563	0.200	



L948263-01,02,03,04,05,06,07

Method Blank (MB)

(MB) R3263135-3 11/03/17 08:55

Analyte	MB Result ppbv	<u>MB Qualifier</u>	MB MDL ppbv	MB RDL ppbv	¹ Cp
Methylene Chloride	U		0.0465	0.200	² Tc
Methyl Butyl Ketone	U		0.0682	1.25	³ Ss
2-Butanone (MEK)	U		0.0493	1.25	⁴ Cn
4-Methyl-2-pentanone (MIBK)	U		0.0650	1.25	⁵ Sr
Methyl Methacrylate	U		0.0773	0.200	⁶ Qc
MTBE	U		0.0505	0.200	⁷ Gl
Naphthalene	U		0.154	0.630	⁸ Al
2-Propanol	U		0.0882	1.25	⁹ Sc
Propene	U		0.0932	0.400	
Styrene	U		0.0465	0.200	
1,1,2,2-Tetrachloroethane	U		0.0576	0.200	
Tetrachloroethylene	U		0.0497	0.200	
Tetrahydrofuran	U		0.0508	0.200	
Toluene	U		0.0499	0.200	
1,2,4-Trichlorobenzene	U		0.148	0.630	
1,1,1-Trichloroethane	U		0.0665	0.200	
1,1,2-Trichloroethane	U		0.0287	0.200	
Trichloroethylene	U		0.0545	0.200	
1,2,4-Trimethylbenzene	U		0.0483	0.200	
1,3,5-Trimethylbenzene	U		0.0631	0.200	
2,2,4-Trimethylpentane	U		0.0456	0.200	
Vinyl chloride	U		0.0457	0.200	
Vinyl Bromide	U		0.0727	0.200	
Vinyl acetate	U		0.0639	0.200	
m&p-Xylene	U		0.0946	0.400	
o-Xylene	U		0.0633	0.200	
Ethanol	U		0.0832	0.630	
(S) 1,4-Bromofluorobenzene	97.5		60.0-140		

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3263135-1 11/03/17 07:23 • (LCSD) R3263135-2 11/03/17 08:09

Analyte	Spike Amount ppbv	LCS Result ppbv	LCSD Result ppbv	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Ethanol	3.75	3.88	3.87	103	103	52.0-158			0.170	25
Propene	3.75	3.73	3.72	99.4	99.3	54.0-155			0.170	25
Dichlorodifluoromethane	3.75	3.75	3.79	100	101	69.0-143			1.03	25
1,2-Dichlorotetrafluoroethane	3.75	3.70	3.72	98.7	99.2	70.0-130			0.520	25
Chloromethane	3.75	3.51	3.77	93.6	101	70.0-130			7.19	25



Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3263135-1 11/03/17 07:23 • (LCSD) R3263135-2 11/03/17 08:09

Analyte	Spike Amount ppbv	LCS Result ppbv	LCSD Result ppbv	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Vinyl chloride	3.75	3.63	3.61	96.7	96.3	70.0-130			0.420	25
1,3-Butadiene	3.75	3.52	3.55	93.9	94.7	70.0-130			0.820	25
Bromomethane	3.75	2.95	4.03	78.8	108	70.0-130	J3		30.9	25
Chloroethane	3.75	3.65	3.73	97.3	99.5	70.0-130			2.23	25
Trichlorofluoromethane	3.75	3.68	3.73	98.1	99.5	70.0-130			1.42	25
1,1,2-Trichlorotrifluoroethane	3.75	3.73	3.76	99.4	100	70.0-130			0.800	25
1,1-Dichloroethene	3.75	3.66	3.71	97.5	98.9	70.0-130			1.34	25
1,1-Dichloroethane	3.75	3.63	3.68	96.7	98.0	70.0-130			1.36	25
Acetone	3.75	3.62	3.62	96.6	96.5	70.0-130			0.0800	25
2-Propanol	3.75	3.69	3.70	98.3	98.6	66.0-150			0.340	25
Carbon disulfide	3.75	3.61	3.65	96.1	97.2	70.0-130			1.10	25
Methylene Chloride	3.75	3.56	3.58	94.8	95.5	70.0-130			0.720	25
MTBE	3.75	3.63	3.69	96.7	98.5	70.0-130			1.83	25
trans-1,2-Dichloroethene	3.75	3.63	3.64	96.9	97.2	70.0-130			0.290	25
n-Hexane	3.75	3.62	3.62	96.6	96.6	70.0-130			0.0600	25
Vinyl acetate	3.75	3.89	3.94	104	105	70.0-130			1.15	25
Methyl Ethyl Ketone	3.75	3.65	3.71	97.4	99.0	70.0-130			1.71	25
cis-1,2-Dichloroethene	3.75	3.63	3.68	96.8	98.1	70.0-130			1.30	25
Chloroform	3.75	3.60	3.65	96.0	97.4	70.0-130			1.44	25
Cyclohexane	3.75	3.70	3.73	98.6	99.6	70.0-130			0.950	25
1,1,1-Trichloroethane	3.75	3.64	3.70	97.1	98.8	70.0-130			1.68	25
Carbon tetrachloride	3.75	3.66	3.72	97.6	99.1	70.0-130			1.57	25
Benzene	3.75	3.64	3.67	97.1	97.8	70.0-130			0.650	25
1,2-Dichloroethane	3.75	3.66	3.66	97.6	97.7	70.0-130			0.0600	25
Heptane	3.75	3.66	3.71	97.5	98.9	70.0-130			1.43	25
Trichloroethylene	3.75	3.65	3.68	97.3	98.2	70.0-130			0.880	25
1,2-Dichloropropane	3.75	3.63	3.67	96.9	97.8	70.0-130			0.900	25
1,4-Dioxane	3.75	3.77	3.78	100	101	70.0-152			0.340	25
Bromodichloromethane	3.75	3.69	3.72	98.4	99.1	70.0-130			0.720	25
cis-1,3-Dichloropropene	3.75	3.77	3.79	101	101	70.0-130			0.520	25
4-Methyl-2-pentanone (MIBK)	3.75	3.84	3.85	102	103	70.0-142			0.310	25
Toluene	3.75	3.74	3.76	99.8	100	70.0-130			0.580	25
trans-1,3-Dichloropropene	3.75	3.80	3.81	101	102	70.0-130			0.350	25
1,1,2-Trichloroethane	3.75	3.72	3.75	99.3	99.9	70.0-130			0.640	25
Tetrachloroethylene	3.75	3.75	3.77	100	100	70.0-130			0.480	25
Methyl Butyl Ketone	3.75	4.04	4.00	108	107	70.0-150			1.20	25
Dibromochloromethane	3.75	3.83	3.83	102	102	70.0-130			0.160	25
1,2-Dibromoethane	3.75	3.78	3.79	101	101	70.0-130			0.310	25
Chlorobenzene	3.75	3.76	3.77	100	101	70.0-130			0.310	25
Ethylbenzene	3.75	3.82	3.87	102	103	70.0-130			1.31	25

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



L948263-01,02,03,04,05,06,07

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3263135-1 11/03/17 07:23 • (LCSD) R3263135-2 11/03/17 08:09

Analyte	Spike Amount ppbv	LCS Result ppbv	LCSD Result ppbv	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
m&p-Xylene	7.50	7.61	7.71	102	103	70.0-130			1.30	25
o-Xylene	3.75	3.85	3.89	103	104	70.0-130			0.990	25
Styrene	3.75	3.99	4.05	107	108	70.0-130			1.50	25
Bromoform	3.75	3.97	4.01	106	107	70.0-130			0.890	25
1,1,2,2-Tetrachloroethane	3.75	3.77	3.81	101	102	70.0-130			0.910	25
4-Ethyltoluene	3.75	3.94	4.01	105	107	70.0-130			1.53	25
1,3,5-Trimethylbenzene	3.75	3.96	4.02	106	107	70.0-130			1.46	25
1,2,4-Trimethylbenzene	3.75	3.93	3.98	105	106	70.0-130			1.33	25
1,3-Dichlorobenzene	3.75	3.95	4.00	105	107	70.0-130			1.28	25
1,4-Dichlorobenzene	3.75	4.03	4.11	108	110	70.0-130			1.78	25
Benzyl Chloride	3.75	4.12	4.18	110	112	70.0-144			1.50	25
1,2-Dichlorobenzene	3.75	3.89	3.94	104	105	70.0-130			1.24	25
1,2,4-Trichlorobenzene	3.75	4.12	4.26	110	114	70.0-155			3.24	25
Hexachloro-1,3-butadiene	3.75	4.04	4.09	108	109	70.0-145			1.40	25
Naphthalene	3.75	4.08	4.15	109	111	70.0-155			1.70	25
Allyl Chloride	3.75	3.68	3.67	98.1	98.0	70.0-130			0.100	25
2-Chlorotoluene	3.75	3.91	3.95	104	105	70.0-130			0.950	25
Methyl Methacrylate	3.75	3.74	3.75	99.6	100	70.0-130			0.440	25
Tetrahydrofuran	3.75	3.60	3.66	95.9	97.6	70.0-140			1.74	25
2,2,4-Trimethylpentane	3.75	3.67	3.74	97.9	99.6	70.0-130			1.73	25
Vinyl Bromide	3.75	3.64	3.71	97.1	98.8	70.0-130			1.74	25
Isopropylbenzene	3.75	3.87	3.90	103	104	70.0-130			0.720	25
(S) 1,4-Bromofluorobenzene			99.8	100	60.0-140					

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

L948263-01,02,03,04,06,07

Method Blank (MB)

(MB) R3263311-3 11/05/17 09:07

Analyte	MB Result ppbv	<u>MB Qualifier</u>	MB MDL ppbv	MB RDL ppbv
Acetone	U		0.0569	1.25
cis-1,2-Dichloroethene	U		0.0389	0.200
2-Butanone (MEK)	U		0.0493	1.25
2-Propanol	0.0908	J	0.0882	1.25
Trichloroethylene	U		0.0545	0.200
Ethanol	U		0.0832	0.630
(S) 1,4-Bromofluorobenzene	90.3		60.0-140	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3263311-1 11/05/17 07:37 • (LCSD) R3263311-2 11/05/17 08:21

Analyte	Spike Amount ppbv	LCS Result ppbv	LCSD Result ppbv	LCS Rec. %	LCSD Rec. %	Rec. Limits	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits
Ethanol	3.75	2.77	3.50	73.9	93.3	52.0-158			23.2	25
Acetone	3.75	3.23	3.32	86.2	88.6	70.0-130			2.77	25
2-Propanol	3.75	3.24	3.37	86.5	89.9	66.0-150			3.83	25
Methyl Ethyl Ketone	3.75	3.80	3.72	101	99.3	70.0-130			1.89	25
cis-1,2-Dichloroethene	3.75	3.39	3.42	90.4	91.3	70.0-130			0.940	25
Trichloroethylene	3.75	3.67	3.70	97.8	98.7	70.0-130			0.970	25
(S) 1,4-Bromofluorobenzene				91.6	91.9	60.0-140				



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.	¹ Cp
ND	Not detected at the Reporting Limit (or MDL where applicable).	² Tc
RDL	Reported Detection Limit.	³ Ss
Rec.	Recovery.	⁴ Cn
RPD	Relative Percent Difference.	⁵ Sr
SDG	Sample Delivery Group.	⁶ Qc
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.	⁷ GI
U	Not detected at the Reporting Limit (or MDL where applicable).	⁸ AI
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	⁹ SC
Dilution	If the sample matrix contains an interfering material, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier Description

E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.



ESC Lab Sciences is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our "one location" design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be **YOUR LAB OF CHOICE**.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

State Accreditations

Alabama	40660	Nevada	TN-03-2002-34
Alaska	UST-080	New Hampshire	2975
Arizona	AZ0612	New Jersey—NELAP	TN002
Arkansas	88-0469	New Mexico	TN00003
California	01157CA	New York	11742
Colorado	TN00003	North Carolina	Env375
Connecticut	PH-0197	North Carolina ¹	DW21704
Florida	E87487	North Carolina ²	41
Georgia	NELAP	North Dakota	R-140
Georgia ¹	923	Ohio—VAP	CL0069
Idaho	TN00003	Oklahoma	9915
Illinois	200008	Oregon	TN200002
Indiana	C-TN-01	Pennsylvania	68-02979
Iowa	364	Rhode Island	221
Kansas	E-10277	South Carolina	84004
Kentucky ¹	90010	South Dakota	n/a
Kentucky ²	16	Tennessee ¹⁴	2006
Louisiana	AI30792	Texas	T 104704245-07-TX
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	6157585858
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	109
Minnesota	047-999-395	Washington	C1915
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA
Nebraska	NE-OS-15-05		


Third Party & Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	S-67674
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ^{n/a} Accreditation not applicable

Our Locations

ESC Lab Sciences has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. **ESC Lab Sciences performs all testing at our central laboratory.**



- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ Al
- ⁹ Sc

Company Name/Address:

FIRST ENVIRONMENT, INC.
91 FULTON ST.
BOONTON, NJ 07005

Billing Information:

PROJECT: ENPRO 002D-VM
FIRST ENVIRONMENT, INC.
91 FULTON ST.
BOONTON, NJ 07005
JUSTIN PICOLI - ATTENTION:
JPICOLI@FIRSTENVIRONMENT.COM

Report to:

MICHAEL T. SLACK (FE)

Project: ENPRO - COLTEC, WATERVALLEY, MS
Description: BORG WARNER PLANT SITE

Phone: 973-334-003
Fax: 973-334-0928

Client Project #
ENPRO 002D-VM

Email To:
MELACK@FIRSTENVIRONMENT.COM

City/State: WATER VALLEY, MS
Collected: BORG WARNER PLANT SITE

Lab Project #

FIREENVBNJ - OXFORDMS

Collected by (print):
MICHAEL SLACK

Site/Facility ID #
BORGWARNERPLANTSITE

P.O. #

Collected by (signature):
MICHAEL T. SLACK

Rush? (Lab MUST Be Notified)

Same Day 200%
Next Day 100%
Two Day 50%
Three Day 25%

Date Results Needed
STANDARD 5-DAY TURNAROUND

Email? No <input checked="" type="checkbox"/> Yes	Canister Pressure/Vacuum
FAX? <input checked="" type="checkbox"/> No Yes	

Sample ID	Sample Description	Can #	Date START	Time START	Initial	Final			
IA-1	MAINTENANCE ROOM	BS76	11/1/17	12:05	29	5	X		01
IA-2	ATS Room	8756	11/1/17	11:58	29	14	X		02
IA-6	TRAINING ROOM	5776	11/1/17	11:55	30	6	X		03
IA-17	CAFFETERIA	6283	11/1/17	11:56	28	2	X		04
AA-2	PAVILLION - AMBIENT AIR	7695	11/1/17	12:10	30	2	X		05
"	"	"	"	"	"	"	"	"	"
"	SSD-EFFLU(4)" EFFLUENT-STACK	005442	11/2/17	12:50	30	1	X		06
"	SSD- INF LU-UV(4)" INF LU-UV(4) CONTROL	005337	11/2/17	12:40	28	1	X		07

SEE SAMPLE TABLE FOR ADDITIONAL INFO

SSD-EFFLU(4) & SSD-INF LU-UV(4) - 1-LITER SUMMA CANISTERS - 5-MIN

Remarks:

GRAB SAMPLE

Relinquished by: (Signature) <i>MICHAEL T. SLACK</i>	Date: 11/2/17	Time: 16:35	Received by: (Signature)	Samples returned via: <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Courier <input type="checkbox"/>	Condition: (lab use only) <i>OK</i>
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: °C Bottles Received: <i>AMB</i> 7	COC Seal Intact: Y N / NA
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) <i>dmw 800</i>	Date: 11/3/17 Time: 8:45	pH Checked: NCF:

Chain of Custody Page ____ of ____



12065 Lebanon Rd.
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



979763

L#

M030

Tab

Acctnum: FIREENVBNJ-
OXFORDMS
Template: T120396

Prelogin: Pb23946
TSR: John V. Hawkin
PB: BF 10/25/17

Shipped Via: Ground

Rem./Contaminant Sample # (lab only)

Vapor Intrusion Investigation
 Borg Warner Facility
 Water Valley, Yalobusha Co., MS
 November 1-2, 2017
 Indoor Air (IA), Ambient Air (AA), Air Permit Evaluation (SSD) - Sampling Event

948263

Sample ID	Sample Location	Flow Controller ID	Canister ID	Canister Size (liters)	Initial Date/time	Vacuum ("Hg)	Final Date/time	Final Vacuum ("Hg)	Sampler
IA-1	Maintenance Room	005292	8576	6	11/1/17 12:05	29	11/2/17 12:05	12/2/17 11/2/17 5	M. Slack
IA-2	ATS Room	007064	8756	6	11/1/17 11:58	29	11/2/17 12:10	14	M. Slack
IA-6	Training Room	008681	5776	6	11/1/17 11:55	30	11/2/17 11:55	6	M. Slack
IA-17	Cafeteria	0057BB	6283	6	11/1/17 11:56	28	11/2/17 11:32	2	M. Slack
AA-2	Pavilion	005351	7695	6	11/1/17 12:10	30	11/2/17 11:34	2	M. Slack
SSD-EFFLU(4) 11/2/17	Effluent Stack	007498	005442	1	11/2/17 12:50	30	11/2/17 12:55	1	M. Slack
SSD-INFLU-UV(3) 11/2/17	Influent Control Unit	00B6BZ 005337		1	11/2/17 12:40	28	11/2/17 12:46	1	M. Slack

Invo: FIRENVBNJ-0XFOR Date : 25Oct17 Shipping : 0.00
 Customer : P623946 Weight : 10 LBS Special : 0.00
 Phone : (615)758-5858 COD : Handling : 0.00
 SAT Del : N DV : 0.00 Total : 0.00

Svc: STANDARD OVERNIGHT
 TRCK: 4094 8308 9364

Weather Conditions (@ time of canister placement):

CLOUDY / OVERCAST - 65°F

WINDS FROM SOUTH 5 mph - GUSTS TO 10 mph -
 OUT-OF-SOUTH TO SOUTHWEST

Michael T. Slack (First Environment)

Invo: FIRENVBNJ-0XFOR Date : 25Oct17
 Customer : P623946 Weight : 10 LBS
 Phone : (615)758-5858 COD :
 SAT Del : N DV :
 0.00 Total : 0.00

Svc: STANDARD OVERNIGHT
 TRCK: 4094 8308 9343

Invo: FIRENVBNJ-0XFOR Date : 25Oct17 Shipping : 0.00
 Customer : P623946 Weight : 10 LBS Special : 0.00
 Phone : (615)758-5858 COD : Handling : 0.00
 SAT Del : N DV : 0.00 Total : 0.00

Svc: STANDARD OVERNIGHT
 TRCK: 4094 8308 9342

ESC LAB SCIENCES
Cooler Receipt Form

Client:	FIRENWBUT	SDG#	948262
Cooler Received/Opened On:	11/3 /17	Temperature:	AMR
Received by :	Christian Kacar		
Signature:			
Receipt Check List	NP	Yes	No
COC Seal Present / Intact?	/		
COC Signed / Accurate?	/		
Bottles arrive intact?	/		
Correct bottles used?	/		
Sufficient volume sent?			
If Applicable			
VOA Zero headspace?			
Preservation Correct / Checked?			