

Mississippi Native Plants

Large Trees

Common Name	Scientific Name	Height	Width	Light	Water Depth	Salt Tolerance	Seasonal Interest	Infiltration Practices (basins, trenches, dry wells)	Grassed Swales, Vegetated Filter Strips	Tree Trenches	Bioretention, Stormwater Planter, Rain Garden, Curb Extension	Wet Pond, Constructed Stormwater Wetland
Red maple	<i>Acer rubrum</i>	40' - 70'	30' - 50'	sun to part shade	0"	no	spring seeds, fall color			x	x	x
Florida maple	<i>Acer saccharum (subsp. floridanum)</i>	40' - 120'	30' - 60'	sun to part shade	0"	no	bright fall color			x		x
River birch	<i>Betula nigra</i>	40' - 70'	40' - 60'	sun to part shade	0"	no	bark texture; birds				x	x
Sugarberry, Hackberry	<i>Celtis laevigata</i>	60' - 80'	60' - 80'	sun to part shade	0"	no	textured bark; fall color			x		
American holly	<i>Ilex opaca</i>	40' - 60'	10' - 20'	sun to part shade	0"	no	evergreen; pyramidal shape; red berries in winter			x		
Sweetgum	<i>Liquidambar styraciflua</i>	60' - 100'	40' - 50'	sun to part shade	0"	no	bright fall foliage; showy seed pods (balls)			x		x
Tulip tree	<i>Liriodendron tulipifera</i>	60' - 90'	30' - 50'	sun	0"	no	spring flowers, pollinator			x		
Southern magnolia	<i>Magnolia grandiflora</i>	60' - 80'	30' - 50'	sun to part shade	0"	no	large white flowers; evergreen leaves			x		x
Tupelo-gum	<i>Nyssa aquatica</i>	60' - 100'	25' - 50'	sun to part shade	0' - 1'	no	honeybees					x
Swamp tupelo	<i>Nyssa biflora</i>	60' - 100'	20' - 40'	sun to part shade	0' - 1'	no	fall color; blue fruits; birds/pollinators/mammals				x	x
Black gum	<i>Nyssa sylvatica</i>	30' - 50'	20' - 30'	sun to part shade	0"	no	fall color			x		x
Slash pine	<i>Pinus elliotii</i>	75' - 100'	30' - 50'	sun to part shade	0"	no	moth host; evergreen needle leaves; cones			x		x
Spruce pine	<i>Pinus glabra</i>	40' - 60'	30'	sun	0"	no	moth host; evergreen needle leaves; cones			x		x
Longleaf pine	<i>Pinus palustris</i>	60' - 120'	30' - 40'	sun	0"	no	very long needles and cones			x		x
Black cherry	<i>Prunus serotina</i>	60' - 80'	30' - 60'	sun	0"	no	birds and pollinators			x		
White oak	<i>Quercus alba</i>	50' - 80'	50' - 80'	sun to part shade	0"	no	important wildlife food; bark; shape			x		
Southern red oak	<i>Quercus falcata</i>	50' - 80'	50' - 80'	sun	0"	no	shade tree; fall color			x		
Sand live oak	<i>Quercus geminata</i>	20' - 50'	20' - 50'	sun to part shade	0"	yes	forms colony to stabilize banks					x
Swamp chestnut oak	<i>Quercus michauxii</i>	60' - 100'	40' - 60'	sun	0"	no	fall color; shade; invertebrate host			x		x
Nuttall oak	<i>Quercus nuttallii</i>	60' - 80'	35' - 60'	sun	0"	no	heavy acorn production for wildlife			x		x
Cherrybark oak	<i>Quercus pagoda</i>	90' - 130'	30' - 70'	sun to part shade	0"	no	important wildlife host/habitat			x		x
Willow oak	<i>Quercus phellos</i>	40' - 75'	25' - 50'	sun	0"	no	fall color			x		
Live oak	<i>Quercus virginiana</i>	40' - 80'	40' - 100'	sun to part shade	0"	no	evergreen leaves; large spreading tree			x		x
Black willow	<i>Salix nigra</i>	70' - 80'	30' - 60'	sun to shade	0"	no	important pollinator host; soil stabilizer			x		x
Cabbage palm	<i>Sabal palmetto</i>	30' - 40'	10' - 20'	sun	0"	yes	palm-like tree; evergreen fanlike large leaves			x	x	x
Pond cypress	<i>Taxodium ascendens</i>	30' - 70'	15' - 20'	sun	0' - 1'	yes	fall leaves; trunk shape; wildlife food					x
Bald cypress	<i>Taxodium distichum</i>	50' - 70'	20' - 45'	sun to part shade	0' - 1'	yes	fall leaves; trunk shape; wildlife food			x		x
Winged elm	<i>Ulmus alata</i>	40' - 60'	20' - 40'	sun to part shade	0"	no	important pollinator host; bark texture			x	x	
Cedar elm	<i>Ulmus crassifolia</i>	50' - 90'	40' - 60'	sun to part shade	0"	yes	seeds; fine textured leaves			x	x	

Small Trees

Common Name	Scientific Name	Height	Width	Light	Water Depth	Salt Tolerance	Seasonal Interest	Infiltration Practices (basins, trenches, dry wells)	Grassed Swales, Vegetated Filter Strips	Tree Trenches	Bioretention, Storm-water Planter, Rain Garden, Curb Extension	Wet Pond, Constructed Storm-water Wetland
Ironwood	<i>Carpinus caroliniana</i>	20' - 30'	20' - 35'	part shade to shade	0"	no	trunk texture			x		
Fringe tree	<i>Chionanthus virginicus</i>	15' - 30'	15' - 30'	sun to part shade	0"	no	white fragrant blooms; fruit clusters			x		
Buckwheat tree	<i>Cliftonia monophylla</i>	12' - 18'	15'	sun	0"	no	white blooms; unusual seeds; bees; forms thickets					x
Pagoda dogwood	<i>Cornus alternifolia</i>	20' - 35'	15'	part shade to shade	0"	no	horizontal branching; colorful bark; wildlife food				x	
Swamp dogwood	<i>Cornus foemina</i>	10' - 25'	15'	part shade	0"	no	white flower clusters; butterfly host					x
Parsley hawthorne	<i>Crataegus marshallii</i>	10' - 25'	15'	part shade	0"	no	attractive flowers/berries; thorns; nesting habitat			x	x	
Mayhaw	<i>Crataegus opaca</i>	15' - 30'	15'	part shade	0"	no	showy white flowers; edible fruit			x	x	
Titi	<i>Cyrilla racemiflora</i>	8' - 30'	10' - 15'	sun to part shade	0"	no	white fringes of flowers; bees; semi-evergreen			x	x	x
Silverbell	<i>Halesia diptera</i>	15' - 30'	15' - 25'	sun to part shade	0"	no	white blooms; fall color			x	x	
Witch hazel	<i>Hamamelis virginiana</i>	15' - 30'	15' - 20'	sun to part shade	0"	no	winter blooms; fragrant; fall color			x		
Dahoon holly, Cassine holly	<i>Ilex cassine</i>	20' - 30'	8' - 15'	part shade	0"	no	evergreen leaves; red fruits			x		x
Sweetbay magnolia	<i>Magnolia virginiana</i>	10' - 35'	10' - 35'	part shade	0"	no	white flowers; evergreen leaves			x		x
Southern crabapple	<i>Malus angustifolia</i>	25' - 30'	15' - 20'	sun to part shade	0"	no	pink flowers; variety of wildlife and pollinators			x		
Wax myrtle	<i>Morella cerifera (Myrica cerifera)</i>	15' - 20'	15' - 20'	sun to part shade	0"	no	fragrant evergreen leaves			x	x	x
Red mulberry	<i>Morus rubra</i>	25' - 60'	35' - 40'	sun to shade	0"	no	edible fruits; birds, mammals; butterflies			x		
American sweet olive	<i>Osmanthus americanus</i>	10' - 20'	8' - 15'	part shade	0"	no	fragrant flowers; evergreen leaves			x	x	x
Swamp bay	<i>Persea palustris</i>	15' - 30'	15' - 20'	sun to part shade	0"	no	fragrant evergreen leaves; butterflies			x	x	x
Cherry laurel	<i>Prunus caroliniana</i>	15' - 35'	15' - 20'	sun to part shade	0"	no	evergreen leaves			x	x	
Staghorn sumac	<i>Rhus typhina</i>	8' - 25'	8' - 25'	sun	0"	no	fall color; flower spikes; pollinator host		x	x	x	x
Sparkleberry	<i>Vaccinium arboreum</i>	15' - 20'	12' - 15'	sun to part shade	0"	no	spring flowers; fall color; bark; shape					

Shrubs

Common Name	Scientific Name	Height	Width	Light	Water Depth	Salt Tolerance	Seasonal Interest	Infiltration Practices (basins, trenches, dry wells)	Grassed Swales, Vegetated Filter Strips	Tree Trenches	Bioretention, Stormwater Planter, Rain Garden, Curb Extension	Wet Pond, Constructed Stormwater Wetland
Red Buckeye	<i>Aesculus pavia</i>	15' - 25'	10' - 20'	part shade	0"	no	colorful red flowers; hummingbirds				x	
Tag Alder	<i>Alnus serrulata</i>	10' - 15'	8' - 15'	sun to part shade	0' - 1'	no	roots fix nitrogen; bird habitat; glossy leaves					x
Indigo bush	<i>Amorpha fruticosa</i>	4' - 15'	6' - 15'	sun to part shade	0"	no	pinnate leaves; colonizes; purple flowers				x	
Eastern baccharis	<i>Baccharis halimifolia</i>	5' - 12'	5' - 7'	sun to part shade	0"	yes	adaptable plant; cream-colored flower heads	x			x	x
American beautyberry	<i>Callicarpa americana</i>	4' - 8'	4' - 6'	sun to part shade	0"	no	purple fall berries	x		x		
Sweetshrub	<i>Calycanthus floridus</i>	6' - 12'	6' - 12'	sun to shade	0"	no	showy fragrant red flowers; colonizes	x			x	x
Buttonbush	<i>Cephalanthus occidentalis</i>	6' - 12'	4' - 8'	sun	0' - 3'	no	butterfly pollinator; red fruits	x				x
Summersweet	<i>Clethra alnifolia</i>	3' - 8'	4' - 6'	sun	0"	no	hummingbird/pollinator flowers	x			x	x
Dwarf huckleberry	<i>Gaylussacia dumosa</i>	1' - 2'	1' - 3'	sun to part shade	0"	no	white flowers; edible blue berry				x	
Witch alder	<i>Fothergilla major</i>	6' - 10'	5' - 9'	sun to part shade	0"	no	flowers; fall color				x	
Salt heliotrope	<i>Heliotropium curassavicum</i>	0.5' - 1'	1' - 4'	sun to part shade	0"	yes	white flowers with purple; hummingbirds				x	x
Oakleaf hydrangea	<i>Hydrangea quercifolia</i>	3' - 12'	3' - 12'	shade	0"	no	fall color; white flowers	x			x	
Bigleaf gallberry holly	<i>Ilex coriacea</i>	10' - 15'	5' - 12'	sun to part shade	0"	no	evergreen leaves; honeybees	x				x
Possumhaw	<i>Ilex decidua</i>	7' - 30'	5' - 12'	sun to part shade	0"	no	orange / red berries in winter; birds	x				x
Winterberry	<i>Ilex verticillata</i>	6' - 12'	6' - 12'	sun to part shade	0"	no	red berries (male pollinator req'd for Ilex sp.)	x				x
Yaupon holly	<i>Ilex vomitoria</i>	12' - 25'	8' - 25'	sun to shade	0"	no	evergreen leaves; red berries; birds	x		x		
Star anise	<i>Illicium floridanum</i>	6' - 10'	6' - 10'	part shade	0"	no	showy red flowers; glossy evergreen leaves				x	x
Virginia sweetspire	<i>Itea virginica</i>	3' - 5'	3' - 5'	sun to part shade		no	white blooms; fall color	x				x
Marsh-elder, Jesuit's bark	<i>Iva frutescens</i>	3' - 4'	3' - 4'	sun	0' - 0.5'	yes	foliage; coastal protection; dunes	x				
Seashore elder	<i>Iva imbricata</i>	2' - 3'	4' - 10'	sun	0"	yes	dune stabilization; foliage	x				
Mountain laurel	<i>Kalmia latifolia</i>	6' - 15'	4' - 8'	part shade	0"	no	showy white/red flowers; evergreen leaves; moths				x	x
Leucothoe	<i>Leucothoe axillaris</i>	2' - 4'	4' - 6'	part shade	0"	no	clusters of white flowers; glossy evergreen leaves				x	x
Salt matrimony vine, Christmas berry	<i>Lycium carolinianum</i>	6' - 8'	3' - 5'	sun	0"	yes	purple flowers; red berries; evergreen				x	
Lyonia, Fetterbush	<i>Lyonia lucida</i>	3' - 6'	3' - 6'	part shade	0"	no	fragrant pink flowers				x	x
Florida flame azalea	<i>Rhododendron austrinum</i>	8' - 10'	8' - 10'	part shade	0"	no	spring flowers				x	x
Honeysuckle azalea	<i>Rhododendron canascens</i>	8'	10'	part shade	0"	no	spring flowers				x	x
Hammocksweet azalea	<i>Rhododendron serrulatum</i>	10' - 15'	4' - 6'	part shade	0"	no	spring flowers				x	x
Winged sumac	<i>Rhus copallinum</i>	7' - 15'	10' - 20'	sun to part shade	0"	no	fall color; flower spikes; pollinator host		x	x		
Dwarf palmetto	<i>Sabal minor</i>	2' - 10'	4' - 6'	sun to part shade	0"	yes	evergreen fanlike large leaves			x	x	x
Saw palmetto	<i>Serenoa repens</i>	4' - 15'	4' - 6'	sun to part shade	0"	yes	evergreen fanlike large leaves			x	x	x
Snowbell	<i>Styrax americanus</i>	6' - 10'	6' - 10'	sun to part shade	0"	no	white flowers; pollinator host				x	
Elliot's blueberry	<i>Vaccinium elliotii</i>	4' - 6'	4' - 6'	sun to part shade	0"	no	edible berries; white flowers				x	
Arrow-wood viburnum	<i>Viburnum dentatum</i>	5' - 10'	6' - 10'	sun to part shade	0"	no	fall color; spring flower clusters				x	

Forbs/Herbaceous

Common Name	Scientific Name	Height	Width	Light	Water Depth	Salt Tolerance	Seasonal Interest	Infiltration Practices (basins, trenches, dry wells)	Grassed Swales, Vegetated Filter Strips	Tree Trenches	Bioretention, Stormwater Planter, Rain Garden, Curb Extension	Wet Pond, Constructed Stormwater Wetland
Frogbit, Blue waterhyssop	<i>Bacopa caroliniana</i>	0.5' - 3'	mat forming	sun to part shade	0' - 3'	no	lemon-scented leaves; blue flowers.					x
Cow lily, Spatterdock	<i>Nuphar lutea</i>	0.5' - 2'	3' - 6'	sun to part shade	1' - 3'	no	yellow flowers; floating leaves.					x
American white water lily	<i>Nymphaea odorata</i>	0.5' - 8'	2' - 20'	sun	0.5' - 3'	no	large white flowers; floating leaves					x
Floating heart, bananalily	<i>Nymphoides aquatica</i>	0.25' - 0.5'	1' - 2'	sun to part shade	1' - 2'	no	white flowers; floating leaves					x
Golden club	<i>Orontium aquaticum</i>	1' - 2'	1' - 2.5'	sun	0.5' - 1.5'	no	yellow flower spikes					x
Sea oxeye daisy	<i>Borrichia frutescens</i>	3' - 4'	3' - 4'	sun	0"	yes	daisy-like flowers; colonizing				x	
American searocket	<i>Cakile edentula</i>	6" - 20"	1' - 2'	sun	0"	yes	edible leaves; purple flowers				x	
Marsh marigold	<i>Caltha palustris</i>	1' - 2'	1' - 1.5'	sun	0.5' - 1'	no	large leaves; large yellow flowers					x
Yellow canna	<i>Canna flaccida</i>	3' - 6'	3' - 4'	sun		no	yellow flowers; tropical foliage					x
Partridge pea	<i>Chamaecrista fasciculata</i>	1' - 3'	1' - 2'	sun to part shade	0"	no	pinnate leaves; yellow flowers; butterfly host	x	x		x	
Spiderlily	<i>Crinum americanum</i>	2' - 4'	1' - 2'	sun to part shade	0' - 0.5'	no	showy white flowers; strappy leaves					x
Blanket flower	<i>Gaillardia pulchella</i>	1' - 2'	1'	sun to part shade	0"	no	showy orange and yellow flowers		x		x	
Beach sunflower	<i>Helianthus debilis</i>	1' - 6'	1' - 3'	sun	0"	no	showy yellow flowers		x		x	
Camphorweed	<i>Heterotheca subaxillaris</i>	5' - 7'	1' - 2'	sun	0"	no	yellow daisy-like flowers; pollinators	x	x		x	
Scarlet Rosemallow	<i>Hibiscus coccineus</i>	4' - 7'	1' - 1.5'	sun	0' - 0.5'	no	deep red flowers				x	x
Swamp hibiscus	<i>Hibiscus moscheutos</i>	5' - 7'	2' - 4'	sun to part shade	0' - 0.5'	no	large pink blooms				x	x
Swamp lily	<i>Hymenocallis occidentalis</i>	1' - 2'	1' - 1.5'	sun to part shade	0' - 0.5'	no	showy white flowers				x	x
Beach morning glory	<i>Ipomoea imperati</i>	0.25' - 0.5'	1' - 6'	sun	0"	yes	evergreen; white showy blooms		x			
Railroad vine, Bayhops	<i>Ipomoea pes-caprae</i>	0.25' - 0.5'	1' - 6'	sun to part shade	0"	yes	evergreen; purple blooms		x			
Louisiana iris	<i>Iris ser. Hexagonae</i>	1' - 6'	1' - 3'	sun to part shade	0' - 0.5'	no	colorful flowers; strappy foliage				x	x
Blue flag iris	<i>Iris virginica</i>	2' - 2.5'	1' - 3'	sun to part shade	0' - 0.5'	no	purple flowers; strappy foliage				x	x
Narrowleaf evening primrose	<i>Oenothera fruticosa</i>	0.75' - 2'	1' - 1.5'	sun to part shade	0"	no	showy pink flowers; colonizes; soil stability		x		x	
Arrow arum	<i>Peltandra virginica</i>	2' - 3'	1' - 3'	part shade	0.5' - 1.5'	no	large oblong leaves; sheathed flower spike					x
Pickernelweed	<i>Pontederia cordata</i>	2' - 4'	1.5' - 2'	sun	0.5' - 1.5'	no	purple flower spikes; tropical foliage					x
Bulltongue arrowhead	<i>Sagittaria lancifolia</i>	1' - 3'	1' - 3'	sun	0.5' - 1.5'	no	lance-shaped leaves					x
Wapato, Duck potato	<i>Sagittaria latifolia</i>	1' - 4'	1' - 3'	sun to part shade	0.5' - 1.5'	no	tropical foliage; small white flowers					x
Lizard's tail	<i>Saururus cemuus</i>	1' - 3'	1.5' - 2'	part shade to shade	0.5' - 1.5'	no	drooping white flowers					x
Sea purslane	<i>Sesuvium portulacastrum</i>	0.25' - 0.5'	1' - 6'	sun	0"	yes	trailing succulent; pink flowers				x	
Seaside goldenrod	<i>Solidago sempervirens</i>	3' - 6'	2' - 3'	sun	0"	yes	yellow flower spikes; pollinators				x	x
Powdery thalia	<i>Thalia dealbata</i>	3' - 6'	3' - 6'	sun to part shade	1' - 2'	no	large leaves; purple flowers; phytoremediation					x

Grasses

Common Name	Scientific Name	Height	Width	Light	Water Depth	Salt Tolerance	Seasonal Interest	Infiltration Practices (basins, trenches, dry wells)	Grassed Swales, Vegetated Filter Strips	Tree Trenches	Bioretention, Stormwater Planter, Rain Garden, Curb Extension	Wet Pond, Constructed Stormwater Wetland
Broomsedge	<i>Andropogon virginicus</i>	2' - 3'	2' - 3'	sun	0"	no	fall color; winter structure		x		x	
Yellowfruit sedge	<i>Carex annectens</i>	1' - 3'	1' - 2'	sun to part shade	0' - 0.5'	no	pollinator habitat				x	x
River oats	<i>Chasmanthium latifolium</i>	2' - 5'	1' - 2.5'	sun to part shade	0' - 0.5'	no	seed pods				x	
Sawgrass	<i>Cladium jamaicense</i>	3' - 6'	mat forming	sun to part shade	0' - 1'	yes	wetland restoration				x	x
Seashore saltgrass	<i>Distichlis spicata</i>	1' - 2'	mat forming	sun	0' - 1'	yes	dense monocultures; bird and butterfly habitat					x
Gulf coast spikerush	<i>Eleocharis cellulosa</i>	1' - 4'	0.25'	sun	0.5' - 3'	no	dense and spreading; important habitat					x
Horsetail	<i>Equisetum hyemale</i>	1' - 3'	3' - 6'	sun to shade	0' - 0.5'	no	stiff tall stems; erosion control	x	x		x	x
Soft rush, Common rush	<i>Juncus effusus</i>	2' - 4'	2' - 4'	sun to part shade	0' - 1'	yes	evergreen spiky foliage				x	x
Black needlerush	<i>Juncus roemerianus</i>	1' - 3'	3' - 6'	sun	0' - 1'	yes	tall even evergreen spiky foliage					x
Hairawn muhly, Pink muhly	<i>Muhlenbergia capillaris</i>	2'	2.5'	sun to part shade	0"	no	pink fall flowers	x	x			
Gulf hairawn, Purple muhly	<i>Muhlenbergia filipes</i>	2'	2.5'	sun to part shade	0"	yes	purple fall flowers; songbirds, pollinators	x	x			
Bitter panicgrass	<i>Panicum amarum</i>	3' - 4'	2' - 3'	sun	0"	yes	dune stabilizer	x	x			
Maidencane	<i>Panicum hemitomon</i>	3' - 4'	1' - 2'	sun to part shade	0' - 0.5'	no	marsh restoration; habitat for aquatic organisms					x
Seashore paspalum	<i>Paspalum vaginatum</i>	0.25' - 0.75'	mat forming	sun to part shade	0"	yes	sod forming; important browsing food for wildlife	x	x		x	x
Coastal bluestem	<i>Schizachyrium littorale</i>	2' - 4'	1' - 2'	sun	0"	yes	dune stabilization; flower spikes	x	x			
Gulf bluestem	<i>Schizachyrium maritimum</i>	1' - 1.5'	1' - 2'	sun	0"	yes	dense, fine-textured foliage; dune stabilization	x	x		x	
Chairmaker's bulrush	<i>Schoenoplectus americanus</i>	2' - 4'	2' - 3'	sun	0' - 1'	yes	important food for aquatic animals				x	x
California bulrush	<i>Schoenoplectus californicus</i>	3' - 9'	3' - 5'	sun	0' - 1'	no	water quality improvement; showy fruits					x
Saltmarsh bulrush	<i>Schoenoplectus robustus</i>	2' - 3'	1' - 2'	sun	0' - 1'	yes	important food for waterbirds					x
Teddy bear paws, Woolgrass	<i>Scirpus cyperinus</i>	3' - 6'	2' - 4'	sun to part shade	0' - 1'	no	fall color; brown fuzzy flowers					x
Smooth cordgrass	<i>Spartina alterniflora</i>	2' - 6'	2' - 3'	sun	0 - 0.5'	yes	foliage; shoreline protection; major marsh plant		x		x	x
Saltmeadow cordgrass	<i>Spartina patens</i>	1' - 3'	1' - 2'	sun to part shade	0 - 0.5'	yes	foliage; shoreline stabilization		x		x	x
Gulf cordgrass	<i>Spartina spartinae</i>	3' - 5'	3' - 5'	part shade	0 - 0.5'	yes	nesting habitat for birds		x		x	x
Seashore dropseed	<i>Sporobolus virginicus</i>	0.5' - 1.5'	1' - 2'	sun	0"	yes	forms dense stands		x		x	x
Sea oats	<i>Uniola paniculata</i>	4' - 6'	1' - 2'	sun	0"	yes	erosion control		x		x	
Yellow eye grass	<i>Xyris spp.</i>	0.75' - 2.5'	1' - 2'	sun	0 - 0.5'	no	small, yellow flowers		x			x

Vines

Dutchman's pipe	<i>Aristolochia macrphylla</i>	15' - 40'	15' - 20'	sun to part shade	0"	no	hummingbirds; pollinators			x	x	
Crossvine	<i>Bignonia capreolata</i>	30' - 50'	6' - 9'	sun to shade	0"	no	showy flowers; trellis climber			x		
Trumpet creeper	<i>Campsis radicans</i>	30' - 40'	4' - 10'	sun to part shade	0"	no	showy flowers; attaches to climbing surface				x	
Beach bean	<i>Canavalia rosea</i>	20' - 50'	mat forming	sun	0"	yes	purple flowers; dune habitat; pollinators				x	
Yellow jessamine	<i>Gelsemium sempervirens</i>	10' - 20'	15' - 25'	sun to part shade	0"	no	yellow flowers; evergreen leaves; trellis climber			x		
Coral honeysuckle	<i>Lonicera sempervirens</i>	8' - 15'	3' - 6'	sun	0"	no	showy flowers; trellis climber			x	x	x
Virginia creeper	<i>Parthenocissus quinquefolia</i>	30' - 50'	10' - 15'	part shade to shade	0"	no	fall color; attaches to climbing surface				x	x
Passion flower, Maypop	<i>Passiflora incarnata</i>	6' - 8'	3' - 6'	sun to part shade	0"	no	flowers/fruits; groundcover/trellis climber			x		
Trailing wildbean	<i>Strophostyles helvola</i>	8'	0.5'	sun	0"	no	annual that re-seeds; pink flowers	x	x			
Muscadine grape	<i>Vitis rotundifolia</i>	70' - 100'	3'	sun to part shade	0"	no	sweet grapes; groundcover/trellis climber					x
American wisteria	<i>Wisteria frutescens</i>	15' - 30'	4' - 8'	sun	0'	no	showy flowers; trellis climber			x		